

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN TRIPPLICATE  
(Other instructions on reverse side)Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM ~~6652~~ NM-6852

6. IF INDIAN, ALLEGED OR TRIBE NAME

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

RECEIVED

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR Rhonda Operating Company

3. ADDRESS OF OPERATOR O. C. D.  
511 North Main; Midland, Texas 79701

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.  
See also space 17 below.)  
At surface  
330' FNL & 330' FWL, Section 12, T-18-S, R-27-E

14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.)  
3620' GR

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Federal "EA"

9. WELL NO.

10. FIELD AND POOL, OR WILDCAT

Empire Abo

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

NW/4 Section 12, T-18-S, R-27-E

12. COUNTY OR PARISH 13. STATE

Eddy

NM

## 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

☒

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON\*

☒

REPAIR WELL

CHANGE PLANS

(Other)

## SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT\*

(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface location and measured and true vertical depths for all markers and zones pertinent to this work.)

*Change ownership from Robert A. Co.*

Pull all 5-1/2" Long String From 5100'

## Plugging Data:

- Plug No. 1 9 sacks 35 lineal feet above cast iron bridge plug to be set at 6100'
- Plug No. 2 25 sacks, 100 lineal feet of cement at 3500'
- Plug No. 3 25 sacks, 100 lineal feet of cement at 1497', 50' of cement inside casing, 50' of cement below casing.
- Plug No. 4 20 sacks, 68 lineal feet at 68' to surface.
- Plug No. 5 If 5 1/2" csg cut below 5000' spot 150 foot cement plug -75' below stub, 75' above stub; if 5 1/2" csg cut above 5000' spot 100' cement plug-50" below stub, 50' above stub.

RECEIVED

JAN 9 1980

U.S. GEOLOGICAL SURVEY  
ARTESIA, NEW MEXICOPost-d  
1D-3  
1-18-80  
cl 2

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

Agent

DATE 01/07/80

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY: