## **OIL CONSERVATION COMMISSION** STATE OF NEW MEXICO

## certificate of compliance and authorization to transport oil

Company or Operator pale Realer	Lease Jones tale
Address Oct. 454 Artoslas - Halls	(Principal Place of Business)
Unit_H Wells No.2 Sec.14_ T_18 R27_	_Field _Artesis County Eddy
Kind of Lease	Location of Tanks
27 <b>4</b> -31	-Address of Transporter(Local or Field Office)
(Principal Place of Business)	to be transported 100 Other transporters author-
ized to transport oil from this unit are	n and the set of the s
REMARKS: 400 and as homester ages and the const	en entre redension of some ground receiver. 1999: NO silo plant de serve en completer pois

Hell just recently put on production and all oil piped to Continental Ollerdes to end self al prime of an experience of the second second second second second second h ac rails of a stars for a offensive seawiders opres givens in 18 company a great

the Cel Connact of Connact

The undersigned certifies that the rules and regulations of the Oil Conservation Commission have been complied with except as noted above and that gathering agent is authorized to transport the percentage of oil produced from the above described property and that this authorization will be valid until further notice to the transporter named herein or until cancelled by the Oil Conservation Commission of New Mexico, Barnets - her Patient

Executed this the \_\_\_ day of\_\_\_\_ hind saattette Gersterninger an beyand's at veryaged an By ant day of shi i de sous actoriment l'astronomiato de la francia. E la consultat qui i antigne dont il arcige mille State of \_\_\_\_\_ ปีของ สมมี อาจภัณ สระ 0. SS; County of \_\_\_\_\_

Before me, the undersigned authority, on this day personally appeared - Trank known to me to be the person whose name is subscribed to the above instrument, who being by me duly sworn on oath states that he is authorized to make this report and has knowledge of the facts stated herein and that said report it true and correct.

Subscribed and sworn to before me, this the\_\_\_ day of County, New mexico Notary Public in and for\_ *ff\_* 194 Approved: \_ OIL CONSERVATION COMMISSION By (See Instruction on Reverse Side)

Seem CLESS

.

MC2 NORMOD SHOLL HELL HE

a biang yan polenying

A LURIN IT THERE IS CALLED & FOREIG

•		1 - C				
	1999 - Barris A. S. 1999 - Barris A. 1999 -		er e a constante de la constant		사내가 집 것 같아.	
	المين المحمومين . 1945 - مركز محمومين المركز المركز المحمومين . 1945 - مركز محمومين المركز المركز المركز المركز المركز المركز الم	1	۰۰۰ <u>۵</u> ۰۰۰ <del>۵</del> ۰۰۰	in the second	11:001	
• •	1	$\frac{1}{2} \frac{1}{L} \frac{1}{L} \frac{1}{2}$	e e e		Ala Martina A	
• • • • •						
• •		ante in cont <u>ta</u> s.	A			naveni etatorije. Naveni etatorije
	r⊈ na ser ¥r Les ser ser ser ser ser ser ser ser ser s	INSTRU				
in and here and the second second Second second	This form shall be ex. Commission at Santa Fe, 1 A separate certificate sha from a unit. After said c mission, one copy shall be ducer, and two copies retai	New Mexico, cove ll be filed for ea ertificate has bee forwarded to the	ring each unit fro ch transporter au n approved by th transporter one	m which oil is pu thorized to trans e Oil Conservation	roduced. sport oil on Com-	n e kodi Staritati
144 C 114 C	A new certificate shal each change in the transpo- transporter involving less shall in lieu of filing a m Santa Fe, New Mexico, am Commission, by letter of t temporarily moving oil from a copy of such notice, shall orary transporter shall no said notice.	brer, except that than the allowab ew certificate, no d the transporter he estimated amb m the unit and th also be furnished	in the case of a le production for otify the Oil Con authorized by ce funt of oil to be n conname of such te l such temporary	temporary chang one month the o servation Commi- rtificate on file hoved by the trai mporary transpor- transporter. Suc	e in the operator ssion at with the nsporter refer and h temp-	Sang Provide
• • •	This certificate when Commission shall constitut transport oil from the prop until (a) Operating (b) The tran	properly execute te a permit for perty named there g ownership chan	ed and approved pipe,line connecti in and shall remai ges	by the Oil Cons	ervation	in the Art
• > 5 c	(c) The perm	nit is cancelled by	the Commission			
• •	If any of the rules an been complied with at the ing "REMARKS."	d regulations of t same time this re	the Oil Conservati port is filed, expla	on Commission h in fully under th	ave not le head-	
	In all cases where this ship or a change in the tra the previous owner or oper oil.	ator and the tran	isporter previously	now under "REM authorized to tr	ARKS" ansport	en e geler E geler geler
ು ಇತ್ತು ಸ್ಪರ್ಷ ಸ್ಥಳನ್ನು ಗಾಗಲ್ಲಿ ಕ್ರಾಕ್ಟೆಕ್ಸ್ ಸಿ	A separate report shal Oil Conservation Commissi Martin Commissi	nake this rep-	r each producing r	a' us that i a 'n	de Alexandre est	n ( 
	المربقة والمراجع المراجعة والمستقد والمراجع		. ,		· · · · · · · · · · · · ·	
17 ga an	an an an an an thairte an	· · · · · · · · · · · · · · · · · · ·				
; <sub>1</sub>						
			· · · · · · · · · · · · · · · · · · ·			
			and the state of the second			





## Job separation sheet



ItM C-105			EW ME	XICO Oli	L CONS	ERVAI	YON CC	OMMIS	SION
N	ار به در عار در د. روف <sup>ع</sup> در <del>افع چر از رو</del> به از در د.	<b>.</b>							
	· · · · · · · · · · · · · · · · · · ·		*	* 	Santa Fe	New M	exico		
								•	
	0								
				4-51 - 5-2 					•
			1999 - 1999 -		WELL R	ECORE	? 		
	-+		· · · ·		-	·	· .		
				n Britan (Maria)					
		Mail not	to Oil: Con more than t	servation Con wenty days	alter comple	nta Fe, N etion of w	ew Mexico. vell. Follow	or its pr instruct	ions in the
		Ruler it wi FOR	th (?). SUB M C:105 IS P	servation Con twenty days ations of the MIT IN TRIPL ROPERLY FIL	Commission. ICATE, FOI LED OUT	M C-110	WILL NOT 1	le data b BE APPRO	VED UNTIL
AREA 640 AC LQCATE WELL CO	RES RRECTLY							•	in the second
					is 111 tit				
Dale Re	unpuny or Opera	itor	<u> </u>	<u>- 11, 11</u>	Bog 4	54	the tar a 1	<b>*</b> , N	• M.
Jones	State_W		3	In SEAN	al_of S	ec	4	, T	1.0.0
Lease		1 - 1 - 1 - 4 - 4 - 4 - 4 - 4 - 4 - 4 -	(m. 11) (*	199			Y		
	СМ. Р. М.,						· .		
11 is <b>1650</b> feet							· · · · · ·		<b>H</b> *
State land the oil a									
patented land the o	wner is						· · · · · · · · · · · · · · · · · · ·		
Government land t		s			, A	ddress			
<del>.</del> .									
e Lessee is						ddress	<u></u>	<u>,</u>	
lling commenced_ me of drilling cont vation above sea le	February ractor 5.1	y 8 P. Yat.		feət.	; was comj	oleted	Hanth	<b></b>	rtaple
lling commenced me of drilling cont	February ractor 5.1	y 8 P. Yat.		feət.	; was comj	oleted	Xa <b>yî</b> k r Kû	<b>9</b> 19	ı.
lling commenced_ me of drilling cont vation above sea le	February ractor 5.1	P YALA asing confidential	until	feət.	; was comj	oleted	Xa <b>yî</b> k r Kû	<b>1</b> 9	
lling commenced me of drilling cont evation above sea le e information given	February ractor 5.1 ovel at top of co is to be kept c 76to	<b>7 8</b> P. <b>Yat</b> i asing confidential	until OIL SAM	Drilling	; was comj , Address NES	oleted	Xa <b>yî</b> k r Kû	19	19. 
lling commenced me of drilling cont evation above sea le e information given	February ractor 5.1	P YALA asing confidential	until OIL SAM	feet. feet. feet. No. 4, f	y was comj , Address. NES rom	1405	Xa <b>yî</b> k r Kû	-19 • <b>1425</b> • <b>1791</b>	
lling commenced_ me of drilling content wation above sea le e information given . 1, from2 . 2, from2	February ractor 5.1 ovel at top of ca is to be kept c 76to	<b>7 8</b> P. <b>Yat</b> i asing confidential	until OIL SAM	feet. feet. feet. No. 4, f	y was comj , Address. NES rom rom	oleted	Xa <b>yî</b> k r Kû	1425 1791 1848	
lling commenced_ me of drilling content wation above sea le e information given . 1, from2 . 2, from2	February ractor 5. 1 ovel at top of cs is to be kept c 76to 20to	y 8 P. YALA sonfidential 28 64 139	until OIL SAM	feet. feet. No. 4, f No. 5, f	; was comj , Address. VES rom rom	1405	Xa <b>yî</b> k r Kû	1425 1791 1848	rtapie 1988
lling commenced_ me of drilling content wation above sea le e information given . 1, from2 . 2, from2	February ractor 5.1 ovel at top of co is to be kept c 76 to 20 to	P. YALA asing confidentiai 28 64 139 IM	until OIL SAN B O B PORTANT	feet. feet. No. 4, f No. 5, f No. 6, f	ywas comj Address IES rom rom SANDS rose in hol	1405 1828	Xa <b>yî</b> k r Kû	1425 1791 1848	18 <b>8</b> 8
lling commenced_ me of drilling cont evation above sea le e information given . 1, from . 2, from . 3, from lude data on rate	February ractor 5.1 ovel at top of co is to be kept c 76 to 20 to	P. YALA asing confidentiai 28 64 139 IM	until OIL SAN B O B PORTANT	feet. feet. No. 4, f No. 5, f No. 6, f	ywas comj , Address. YES rom rom SANDS	1405 1828		1425 1791 1848	1888
lling commenced_ me of drilling content wation above sea le e information given . 1, from . 2, from . 3, from . 4 data on rate . 1, from . 1, from . 1, from . 1, from . 1, from . 1, from . 2 data on rate	February ractor 5.1 ovel at top of ca is to be kept c 76 to 20 to 10 to	P. YALA asing confidentiai 28 64 139 IM	until OIL SAN B O B PORTANT tion to wi	feet. feet. No. 4, f No. 5, f No. 6, f	ywas comj Address IES rom rom SANDS rose in hol	<b>L405</b> 1788 1828		1425 1791 1848	1888
lling commenced_ me of drilling content wation above sea le e information given . 1, from . 2, from . 3, from lude data on rate . 1, from . 2, from . 2, from . 3, from . 4	February ractor 5. ] ovel at top of co is to be kept c 76 to 20 to 10 to water inflow 80	P YALA asing confidential 28 64 139 IM v and eleva	until OIL SAM B O B PORTANT tion to wi	feet. feet. No. 4, f No. 5, f No. 6, f	ywas comj Address IES rom rom SANDS rose in hol	<b>1405</b> <b>1788</b> <b>1828</b> efeet		1425 1791 1848	1888
lling commenced_ me of drilling content evation above sea le e information given . 1, from . 2, from . 3, from lude data on rate . 1, from . 2, from . 2, from . 3, from . 4, from . 4, from . 5, from . 7, from	February ractor 5. 1 ovel at top of cr is to be kept c 76 to 20 to 10 to 30 6 76	P. YALA asing confidential 28 64 139 139 1M v and eleva to to	until OIL SAN B O B PORTANT tion to wi	feet. feet. No. 4, f No. 5, f No. 6, f	ywas comj Address IES rom rom SANDS rose in hol	e. feet		1425 1791 1848	1888
lling commenced_ me of drilling content wation above sea le e information given . 1, from . 2, from . 3, from lude data on rate . 1, from . 2, from . 2, from . 3, from . 4	February ractor 5. 1 ovel at top of cr is to be kept c 76 to 20 to 10 to 30 6 76	P. YALA asing confidential 28 64 139 IM v and eleva	until OIL SAN B O B PORTANT tion to wi	feet. feet. No. 4, f No. 5, f No. 6, f WATER hich water 1 5	iES rom rom SANDS rose in hol	<b>1405</b> <b>1788</b> <b>1828</b> efeet		1425 1791 1848	1888
lling commenced_ me of drilling content evation above sea le e information given . 1, from . 2, from . 3, from lude data on rate . 1, from . 2, from . 2, from . 3, from . 4, from . 4, from . 5, from . 7, from	February ractor 5. 1 ovel at top of cr is to be kept c 76 to 20 to 10 to 30 6 76	P. YALA asing confidential 28 64 139 139 1M v and eleva to to	until OIL SAN B O B PORTANT tion to wi	feet. feet. No. 4, f No. 5, f No. 6, f WATER hich water 1 5 8 7	iES rom rom SANDS rose in hol	e. feet		1425 1791 1848	1888
lling commenced_ me of drilling content wation above sea le e information given . 1, from 2, from . 3, from . 1, from lude data on rate . 1, from . 2, from . 3, from . 4, from weight	February ractor S. J wel at top of cr is to be kept c 76 to 20 to 10 to 30 to 30 To 41	P.  Yata    asing	until OIL SAN B C B PORTANT tion to wi 22 28 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Drilling feet. DS OR ZON No. 4, f No. 5, f No. 6, f WATER hich water 5 7 G RBCORI KIND OF	VES rom rom SANDS rose in hol	e. feet feet feet feet		1425 1791 1848	
lling commenced_ me of drilling content evation above sea le e information given . 1, from . 2, from . 3, from lude data on rate . 1, from . 2, from . 3, from . 3, from . 4, from	February ractor 5.1 ovel at top of ca is to be kept c 20 to 10 to 01 water inflow 80 76 41	P.  Yata    asing	until OIL SAN B O B PORTANT tion to wi 22 0 28 0 28 0 28 0 28 0 28 0 28 0 28	- feet. - feet. - feet. - No. 4, f - No. 5, f No. 6, f WATER hich water - S - S - S - S - S - S - S - S	Address. Address. Fom Fom SANDS rose in hol	e. feet feet feet feet		> = ,	) PURF
lling commenced_ me of drilling content wation above sea le e information given . 1, from 2, from . 3, from . 1, from lude data on rate . 1, from . 2, from . 3, from . 4, from weight	February ractor S. J wel at top of cr is to be kept c 76 to 20 to 10 to 30 to 30 To 41	P.  Yata    asing	until OIL SAN B O B PORTANT tion to wi 2 28 0 28 0 28 0 28 0 28 0 28 0 28 0 2	Drilling feet. DS OR ZON No. 4, f No. 5, f No. 6, f WATER hich water 5 7 G RBCORI KIND OF	VES rom rom SANDS rose in hol	e. feet feet feet feet		21791 1791 1848 2 = 1	) PURF
lling commenced_ me of drilling content wation above sea le e information given . 1, from 2, from . 3, from . 1, from lude data on rate . 1, from . 2, from . 3, from . 4, from weight	February ractor S. J wel at top of cr is to be kept c 76 to 20 to 10 to 30 to 30 To 41	P.  Yata    asing	until OIL SAN B O B PORTANT tion to wi 22 0 28 0 28 0 28 0 28 0 28 0 28 0 28	- feet. - feet. - feet. - No. 4, f - No. 5, f No. 6, f WATER hich water - S - S - S - S - S - S - S - S	x was comj , Address. irom rom SANDS rose in hol	e. feet feet feet feet		21791 1791 1848 2 = 1	) PURF
lling commenced_ me of drilling content wation above sea le e information given . 1, from 2, from . 3, from . 1, from lude data on rate . 1, from . 2, from . 3, from . 4, from weight	February ractor S. J wel at top of cr is to be kept c 76 to 20 to 10 to 30 to 30 To 41	P.  Yata    asing	until OIL SAN B O B PORTANT tion to wi 22 0 28 0 28 0 28 0 28 0 28 0 28 0 28	Teet. feet. DS OR ZON No. 4, f No. 5, f No. 6, f WATER hich water 5 6 RHOCRI KIND OF SHOF	y was comj Address. JES rom rom SANDS rose in hol	e. feet feet feet feet		21791 1791 1848 2 = 1	) PURF
lling commenced_ me of drilling content wation above sea le e information given . 1, from 2, from . 3, from . 1, from lude data on rate . 1, from . 2, from . 3, from . 4, from weight	February ractor S. J wel at top of cr is to be kept c 76 to 20 to 10 to 30 to 30 To 41	P.  Yata    asing	until OIL SAN B O B PORTANT tion to wi 22 0 28 0 28 0 28 0 28 0 28 0 28 0 28	Drilling feet. SOR ZON No. 4, f No. 5, f No. 6, f WATER hich water G RBCORI KIND OF SHOE	ies irom from sands rose in hol	e. feet feet feet feet		21791 1791 1848 2 = 1	) PURF
lling commenced_ me of drilling content wation above sea le e information given . 1, from 2, from . 3, from . 1, from lude data on rate . 1, from . 2, from . 3, from . 4, from weight	February ractor S. J wel at top of cr is to be kept c 76 to 20 to 10 to 30 to 30 To 41	P.  Yata    asing	until OIL SAN B O B PORTANT tion to wi 22 0 28 0 28 0 28 0 28 0 28 0 28 0 28	Drilling feet. DS OR ZON No. 4, f No. 5, f No. 6, f WATER hich water G RBCORI	ies irom irom sands rose in hol	e. feet feet feet feet	PERI PROM	• 1425 • 1791 1848 > = /	) PURF
lling commenced_ me of drilling content wation above sea le e information given . 1, from 2, from . 3, from . 1, from lude data on rate . 1, from . 2, from . 3, from . 4, from weight	February ractor S. J wel at top of cr is to be kept c 76 to 20 to 10 to 30 to 30 To 41	P.  Yata    asing	until_ OIL SAM B C B C C C C C ASIN AMOUNT	Drilling feet. SOR ZON No. 4, f No. 5, f No. 6, f WATER hich water G RBCORI KIND OF SHOE	ies irom from sands rose in hol	e. feet feet feet feet	PERI PROM	• 1425 • 1791 1848 > = /	) PURF

METHON DEL WHERK SHT AROUNT OF MUS USED SIZE OF HOLE STER OF CASING NO. SACKS OF CEMENT MED GRAVITY 1230 10" 320 1 960 1 10" Nuded Hallburton 8\* Ħ 84 1800\* 7" 50 sacks Hallbur 

Ľ,

\*

ļ.

i,

				LUGS AND AD	APTERS-			
Heaving pl	ugMaterial		<del></del>	_Length		Depth Se	£	
Adapters	Material			Size			12.5.5 	
		RKCORD (	of sho	OTING OR CI	REMICĂL T	EATMENT		
SIZE	SHELL USED	EXPLOSIVI CHEMICAL	E OR USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH (	CLEANED OUT
<u>5" 18'</u>	long	Solidifi	ied	70 (q 18.	, 3/23/45	1790'-18	808	
Results of	shooting or ch	emical treatme	nt Est:	imated pr	oduction	after sho	<b>t1</b> 50	barrels
						Result-4		
-	ughly.			-14-2	1.	"y		
	· · · · · · · · · · · · · · · · · · ·							
f drill-sten	a or other spec			)RILL-STEM A urveys were ma	10. <b>*</b>	TESTS port on separate	sheet and	attach hereto
Rotary too	ls were used f	ial tests or dev	viation su	urveys were m: TOQLS US to	ade, submit re ED feet, and fr	om		
Rotary too	ls were used f	ial tests or dev	viation su feet feet	urveys were m TOQLS US	ade, submit re ED feet, and fr feet, and fr	om	feet to	fe <del>o</del>
Rotary tool	ls were used f	ial tests or dev	viation su	urveys were m TOQLS US to to1888	ade, submit re ED feet, and fr feet, and fr	om	feet to	fe <del>o</del>
Rotary tool Sable tools Put to prod	ls were used f s were used f lucing Mar	trom 0 from 0 rom 23	viation su	urveys were m TOQLS US to to1888 PRODUCT 1945	ade, submît re ED feet, and fr feet, and fr ON	om	feet to	fee fee
Rotary tool Cable tools Put to prod The produc	ls were used f were used f lucing Mar tion of the first	t 24 hours was	reet feet 15(	urveys were m TOQLS US to to1888 PRODUCT 1945	ade, submit re ED feet, and fr feet, and fr ON	which 100(f	feet to	fee fee
Rotary tool Cable tools Put to prod The produc emulsion;	ls were used f s were used f lucingMar tion of the first %	trom 0 Crom 0 Crom 0 Ch 23 t 24 hours was water; and	viation su feet feet 150	urveys were ma <b>TOQLS US</b> to	ade, submit re ED feet, and fr feet, and fr ON els of fluid of et. Gravity, H	which 100(f	feet to feet to _% was oil;	fee fee
Rotary tool Cable tools Put to prod The produc emulsion; If gas well,	ls were used f were used f lucing Mar tion of the first % cu, ft. per 24	trom 0 from 0 ch 23 t 24 hours was water; and hours	riation st feet feet	urveys were ma <b>TOQLS US</b> to	ade, submit re ED feet, and fr feet, and fr ON els of fluid of et. Gravity, H	om om which_100(f 3e	feet to feet to _% was oil;	fee fee
Rotary tool Cable tools Put to prod The produc emulsion; If gas well,	ls were used f were used f lucing Mar tion of the first % cu, ft. per 24	trom 0 Crom 0 Crom 0 Ch 23 t 24 hours was water; and	riation st feet feet	urveys were ma TOQLS USI to to1888 PRODECT 	ade, submit re ED feet, and fr feet, and fr ON els of fluid of t. Gravity, H lons gasoline p	om om which_100(f 3e	feet to feet to _% was oil;	fee fee
Rotary tool Cable tools Put to prod The produc emulsion; If gas well,	ls were used f were used f lucing <u>Mar</u> tion of the first cu, ft. per 24 ure, lbs. per sq	t 24 hours was water; and hours	viation st	urveys were ma TOQLS US to to1888 PRODECT 	ade, submit re ED feet, and fr ON eels of fluid of t. Gravity, H lons gasoline p	which 100(f ber 1,000 cu. ft. c	feet to feet to -% was oil; of gas	fee fee
Rotary tool Cable tools Put to prod The produc emulsion; If gas well,	ls were used f were used f lucing <u>Mar</u> tion of the first <u>cu, ft. per 24</u> ure, lbs. per sq Jim M1	trom 0 from 0 ch 23 t 24 hours was water; and hours	viation st	urveys were ma TOQLS US to to1888 PRODECT 	ade, submit re ED feet, and fr feet, and fr ON els of fluid of at. Gravity, H lons gasoline p ES	om om which_100(f 3e	feet to feet to -% was oil; of gas	fee fee

1

And the second second 1.0

-

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 23	Artesia, N. M. 3/24/45
day of March 1945	Place Place Parts
mildred Hudson	Position Agent
Notary Public	Representing Dale Resler
4/3/48	Company or Operator
My Commission expires	Address Box 464, Artesia, N. M.

## FORMATION RECORD

FROM	To	IN FEET	PORMATION PROFILE
0	10	12 model 112 a	Сур
10	25	15	Red bed
25	40	15	
40	70	30	Anhydrite
70	105		Anhydrite
105	115	10	Anhydrite
115	130	15	Anhydrite
130	150	20	Anhydrite
150	175	25	Anhydpite
179	150	🕶 រប ស្រុះនៃវិទូរស <b>ុទ្</b> ខេត	opanie ana przed w star z star w star z s
175	225		Line water - come sand
225	255	30	Line - red sand
255	265	10	Line
265	276		Anhvantta
276	* 200 Him	- <b>1</b> 2	Sand - Anhydrite - Gravel - water
288	311	22	Line di la serie d'aver - weler
311	325	14	Anhidrite - red sand
325	355	30	Aniyarite America Band
355	382	9 i tao 8 a 87a a	Any ar a version and the second approximation of the second secon
355 382			The second se
390	400	10	Lime Anhydrite
400	425	- Janst 2 4 25-	Anhydrite Anhydrite
425	435	10 LEB 15 1. A 10	Line
435	450	15	11mg Anhudut to
450	465		Lime - Anhydrite
465	470	40. Sooigmo <b>5</b> eeq	
470	495	25.14	Itme Anbudatta
495	530	35 second and a second s	Lime - Anhydrite
530	570	40	Anhydrite - lime shell
570	610	40	Lime - Anhydrite
610	620		
620	640	10	Brown lime show of oil
640	650	20	DIGWE LING . Show of oil
650	680	3991 <b>30</b> m	Gray line (1993)
680	690		
690	695		Line Annyrite - line
695	794	) ) )	Andrice - line - Line W TELENOTE
758 🖑	720 755	210 <b>25</b> 92	
755	785	91002 98 30	
785	810	25	Line Chine C
810	841	1991 - 29 1991 - 31	Line realized
841	847		San A state and the second state of the second
847	875	1991 0 28	Sand Amater
875	885	3593	Brown lime Red sand - lime
885	900		
900	930	15	
930	950	30	Brokan anhydrite
950	956	an 19 <b>20</b> (19	Anhydrite Anhydrite Jonz Hannes Hannes Hannes
956	965	<u>0</u>	
965	975		Anbydrite
975	984	10	Anhydrite
984	995	9 11	Anhydrite
995	1005	10	Anhydrite
1005	1030		Anhirite
1030	1061	25 31	Anhyerite
1061	1085	21 24	Anhydrite Anhydrite
1085	1115		
1115	1142	a <b>2</b> 7.898	nutyerite Dad and
1142	1150	A FRANK	CALLAND AND AND AND AND AND AND AND AND AND
1830		0	
1175	1200	25	ANAL OTTES
1200	1225	도 및 TAN AL REAL POLICY ( 1997)	
1225		25	Anbydrite Anbydrite
1250	1250 1280	25	
1290		30	Anhydri te
16 <b>9</b> 0	1310	30	Anhydrate
1310	1328	18	
1328	1340		1136 sand - red rock - she w of oll
	1370	12	CETTARIA TO A LA CALLER AND A LA C

	1340	1370	30 Anhydrite
	1370	1405	35 Anhyarite
• -	1405	1425	20 Band - Bhow of oil and gas-
	1425	1435	TRANSPORT IN THE STORES OF THE TRANSPORT
	1435	1445	10 Sand
* • • •	1445	1480	2 9 mar 55 Broken anhydrite Astro 45 as Broken anhydrite
7.1	1480	1525	Assertate 45 va Broken anhydri te Hans a star as a
	1525	, 1548,	23 Anhydrite
	1548	1570	22 Sandy line
	1570 1600	1600 1623	30 Line
	1623	1650	23 Lime 27 Lime
•	1650	1673	na <b>127 Line</b> . Teoris <b>23 Line</b> . Line .
	1673	1790	
	1700	1717	17 Lime
-	1717	1740	<b>73 1 1 1</b>
	1740	1763	
	1763	1775	n stander 🔚 er Lander ausen augereinen eine sich eine sich eine sicher die eine sicher die
	1775	1788	13 Lime
	1788	1791	3 Sand We show of oil and gas
16	1791	1800	an a
3 <sup>1</sup>	1800	1814	
	1814	1828	
	1828 1848	1848 1863	20 Jaime masome sand
	1863	1872	15 Line 9 Line
. :	1872	1877.	n y - 11186 Einsterreise 165 - Bra <mark>gine</mark> nse son einsterreiten im Stationer im Stationer im Stationer im Stationer im Stationer
	1877	1887	10 time
	1887	1888	
		rentation de la filo	ng kang seng penghang seng penghang seng penghang penghang penghang penghang penghang penghang penghang penghan
			in a second s

The second recently of the second second

3. A set of the set

