

N. M. O. G. G. 0099
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPL
(Other instructions
verse side)

FE
re

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM-04175 (B)

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

-

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Chalk Bluff Draw Unit

9. WELL NO.

4-B

10. FIELD AND POOL, OR WILDCAT

Red Lake Penn

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

T-18-S, R-27-E

12. COUNTY OR PARISH 13. STATE

Eddy New Mexico

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL ☐ GAS ☒
WELL WELL OTHER

2. NAME OF OPERATOR

Exxon Corporation

3. ADDRESS OF OPERATOR

Box 1600, Midland, Texas 79701

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*

See also space 17 below.)
At surface

1,980' FNL, 1980' FEL, Section 17, T-18-S,

R-27-E, Eddy County, New Mexico

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3436 DF

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

Workover

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT*

(Other)

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. Pump 250 gal of Dowell Protectzone down tbg into Abo perf - 5,393 - 5,454'.

2. Kill Penn zone w/brine water and pull retrievable packer and seal assembly.
Recover Model "D" Packer.

3. Perf 5-1/2" casing 9,360 - 9,368, 9,372 - 9,394, 9,550 - 9,558.

4. Run bridge plug and packer.

5. Acidize perforations.

6. Pull bridge plug and packer.

7. Run tubing and Otis RA Packer.

8. Swab-test - place on production.

RECEIVED
JUN 13 1973
U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Unit Head

DATE 6-12-73

(This space for Federal or State office use)

APPROVED

DATE OF APPROVAL, IF ANY:

TITLE

DATE

APPROVED
JUN 14 1973
R. L. BEEKMAN
ACTING DISTRICT ENGINEER

*See Instructions on Reverse Side