



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Las VegasLease No. 00000Unit **RECEIVED**

JUN 8 1960

SUNDRY NOTICES AND REPORTS ON WELLS **E. C. C.**
ARTESIA, OFFICE

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Arnold C. Stevens 1000 June 7, 1960, 19__

Well No. 1 is located 1000 ft. from [N] line and 600 ft. from [E] line of sec. 31

1000 (1/4 Sec. and Sec. No.) 1000 (Twp.) 1000 (Range) 1000 (Meridian)
Midland (Field) Midland (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is 5000 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

- Under oral instructions from U.S. and State Engineer's office we intend to plug and abandon this well as follows:
1. Set 21 inch cement from 1000 to 1710 ft.
 2. Set 21 inch cement from 1710 to 1810 ft.
 3. Set 21 inch cement from 1810 to 1910 ft.
 4. Set 21 inch cement from 1910 to 2010 ft.
 5. Set 21 inch cement at surface
 6. Set registration and/or
 7. Plug at location.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company 1000

Address 1000

1000

By Arnold C. Stevens

Title _____