


N

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

AREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPPLICATE. FORM O-110 WILL NOT BE APPROVED UNTIL FORM O-105 IS PROPERLY FILLED OUT.

STANLEY L. JONES, Company or Operator, BOX 464, ARTESIA, NEW MEXICO, Address
North-State Lease Well No. 1 in SW 1/4 NE 1/4 of Sec. 23, T. 15S
R. 27E, N. M. P. M., Artesia Field, Eddy County.
Well is 1650 feet south of the North line and 2310 feet west of the East line of Section 23
If State land the oil and gas lease is No. B-7119 Assignment No. 22
If patented land the owner is, Address
If Government land the permittee is, Address
The Lessee is C. L. North, Address El Paso, Texas
Drilling commenced Sept. 5, 1947. Drilling was completed 1947
Name of drilling contractor C. S. Powell, Address Artesia, New Mexico
Elevation above sea level at top of casing feet.
The information given is to be kept confidential until 19

OIL SANDS OR ZONES

No. 1, from 1850 to 1855 No. 4, from to
No. 2, from 1876 to 1881 No. 5, from to
No. 3, from 1905 to 1920 No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 180 to 184 feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	OUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
8 1/2 "	32 lb	8	SH	302	Texas Pat.				
7 "	24 lb	10	SH	1750					

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
8/58	7"	1750	25	Halliburton		

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set
Adapters—Material Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
5 "	yes	acidified	200 qts	Oct. 27	1925	

Results of shooting or chemical treatment

shot from 1925' back to 1847', increase from approximately four barrels to 20 barrels per day.

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from feet to feet, and from feet to feet
Cable tools were used from 0 feet to 2035' feet, and from feet to feet

PRODUCTION

Put to producing November 11, 1947

The production of the first 24 hours was 20 barrels of fluid of which 100% was oil; % emulsion; % water; and % sediment. Gravity, Be

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in.

EMPLOYEES

C. S. Powell, Driller C. D. Keister, Driller
Weldon Rook, Driller J. B. Sipes, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 8th

day of December, 1947

Notary Public

My Commission expires 12/3/50

Artesia, New Mexico December 8, 1947

Name Stanley L. Jones

Position Partner

Representing

Company or Operator

Address Box 464, Artesia, New Mexico

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	75		Red Rock and Andhy.
75	190		Anhyd.
190	240		Anhyd.
240	280		Anhyd.
280	310		Anhyd.
310	360		RedRock
360	895		Anhyd.
895	910		RedRock
910	950		Anhyd.
950	980		RedRock
980	1100		Anhyd.
1100	1105		RedRock
1105	1170		Anhyd.
1170	1220		Red Sand
1220	1240		Anhyd.
1240	1260		Red Rock
1260	1270		Anhyd.
1270	1280		RedRock
1280	1310		Anhyd.
1310	1330		Lime
1330	1360		Anhyd.
1360	1372		Lime
1372	1375		Red Rock
1375	1430		Anhyd.
1430	1465		Lime
1465	1600		Anhyd.
1600	1610		Lime
1610	1730		Lime
1730	1850		Lime
1850	1875		Sandy Lime Show of oil
1875	1920		Lime, and show of oil
1920	2035		Lime, oil