

NEW MEXICO OIL CONSERVATION COMMISSION

MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Oil Conservation Commission District Office within ten days after the work specified is completed. It should be signed and filed as a report on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL	REPORT ON PULLING OR OTHERWISE ALTERING CASING	X
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL		X

December 6, 1951

Artesia, New Mexico

Date

Place

Following is a report on the work done and the results obtained under the heading noted above at the

Robert E. McKee, General Contractor, Inc. State Well No. 11 in the
 Company or Operator Lease
 NE $\frac{1}{4}$ NE $\frac{1}{4}$ OF SE $\frac{1}{4}$ of Sec. 24 T. 18 R. 27, N. M. P. M.,
 Artesia Pool Eddy County.

The dates of this work were as follows: December 1 - 2 - 3, 1951

Notice of intention to do the work ~~xxx~~ (was not) submitted on Form C-102 on _____, 19____, and approval of the proposed plan ~~xxx~~ (was not) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

This well plugged and abandoned as per your verbal instructions as follows:

25 sax cement plug placed in bottom of well through pay section, mudded to bottom of 8 5/8" pipe 10 sax cement plug placed in pipe, 278' of 8 5/8" pipe recovered from 480' originally run well mudded to surface and regulation marker set.

Witnessed by J. R. Lund Robert E. McKee, Gen. Contr., Inc. Manager
 Name Company Title

APPROVED:
 OIL CONSERVATION COMMISSION

[Signature]
 Name
 Title

DEC 12

Date


19

I hereby swear or affirm that the information given above is true and correct.

Name *[Signature]*
 Position Manager of Oil Production

Representing Robert E. McKee, Gen. Contr., Inc.
 Company or Operator

Address Box 246, Artesia, New Mexico

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

Robert E. McKee, Company or Operator, Box 246, Artesia, New Mexico
State of New Mexico, Well No. 11, in NE NE SE of Sec. 24, T. 18, R. 27, N. M. P. M., Artesia, Field, Pddy, County.
Well is 2310 feet north of the South line and 330 feet west of the East line of Section line 24.
If State land the oil and gas lease is No. B-8156, Assignment No. _____
If patented land the owner is _____, Address _____
If Government land the permittee is _____, Address _____
The Lessee is Robert E. McKee, Address Box 246, Artesia, New Mex.
Drilling commenced February 16th, 1949, Drilling was completed February 28th, 1949
Name of drilling contractor S. P. Yates, Address Artesia, New Mexico
Elevation above sea level at top of casing _____ feet.
The information given is to be kept confidential until June, 1949

OIL SANDS OR ZONES

No. 1, from 2020 to 2026, No. 4, from _____ to _____
No. 2, from _____ to _____, No. 5, from _____ to _____
No. 3, from _____ to _____, No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 2080 to 2095 feet.
No. 2, from _____ to _____ feet.
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
8 5/8	30#	8V	seamless	480'					surface pipe
2"	4.6	11	"	2099'					pump tubing

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
12 1/2	8 5/8	480	50			

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters — Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
	5 1/2"	Glycerin	200	3/15/49	1995' to 2032'	2099'

Results of shooting or chemical treatment was bailing indicates 10 to 15 barrell per day

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet
Cable tools were used from surface feet to total feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing March 26th, 1949
The production of the first 24 hours was 15 barrels of fluid of which 80% was oil; 15% emulsion; _____% water; and 5% sediment. Gravity, Be _____
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. _____

EMPLOYEES

Trembley, Driller, Keith, Driller
Trembley, Jr., Driller, Martin, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 1st day of April, 1949
Notary Public

My Commission expires March 7th, 1950

Artesia, New Mexico, April 1st, 1949
Name _____
Position _____
Representing Robert E. McKee, Operator
Address Box 246, Artesia, New Mexico

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	45'	45'	Caliche
45'	330'		Red Beds
330'	1440'		Anhydrate
1440'	1470'		Red Sands
1470'	1675'		Anhydrate
1675'	1686'		Sandy Lime
1686'	1715'		Sandy Lime and Blue Shale
1715'	1765'		Anhydrite
1765'	1797'		Anhydrite and lime
1797'	2010'		gray lime
2010'	2035'		sandy lime
2035'	2095'		lime