Form 9-331 a (Feb. 1951)	. Nov		Budget Bureau No. 42-R358.4. Form Approved.
	N. M. O. ((SUBMIT)	N TRIPLICATE)	Land Office Las Cruses
AFEROVED	UNITE	D STATES	Lease No. 060122-4
		OF THE INTERIOR	Unit
p 1/2		ICAL SURVEY	
CE Shummen FER			REBEIVED
ACTING MALE STINDD	N. Nomer-		
SUNDR	RY NOTICES AN	D REPORTS ON	I WELLS 1962
NOTICE OF INTENTION TO DRIL	L		-
NOTICE OF INTENTION TO CHAN	NGE PLANS	SUBSEQUENT REPORT OF WATER	SHUZ OFFESIA, OFFICE
NOTICE OF INTENTION TO TEST	WATER SHUT-OFF	SUBSEQUENT REPORT OF SHOOTI	
NOTICE OF INTENTION TO RE-DI	RILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRIL	
	DT OR ACIDIZE		NMENT
NOTICE OF INTENTION TO ABAN	OR ALTER CASING	SUPPLEMENTARY WELL HISTORY.	
	DON WELL		
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 3 2 1 2 1	DICATE ABOVE BY CHECK MARK NAT		
		THE OF REPORT, NOTICE, OR OTHER	DATA)
Foloral "D9" Longe		February 26	10 69
TT7 11 5.7 4 664			, 19
Well No. 1-27 is lo	ocated 1980 ft. from	line and 660 ft. from	
Millik Con	17 10 m		\mathbb{W} line of sec. \mathbb{W}
(1/4 Sec. and Sec. No.)	2/ 185 271	N.N. P.N.	
Vildont	(Twp.) (Rang	e) (Meridian)	••••
/124.11	(County or Subo	livision)	Rigico
(Field)	(County of BUD(
674		(State or Territory)
(Reeld) The elevation of the design		(State of 1 erritory)
The elevation of the desi	Dend Interfiner above sea level is DETAILS	3417 ft.	ر معرف را در میرد. محمد از میرد از میرد میرد میرد میرد میرد میرد میرد میرد
The elevation of the desi	Dend Interfiner above sea level is DETAILS	3417 ft.	ر معرف را در میرد. محمد از میرد از میرد میرد میرد میرد میرد میرد میرد میرد
The elevation of the servi	build build above sea level is DETAILS s to objective sands; show sizes, wei ing points, and all other in	bits, and lengths of proposed casin mportant proposed work)	gs; indicate mudding jobs-sement-
The elevation of the servi	build build above sea level is DETAILS s to objective sands; show sizes, wei ing points, and all other in	bits, and lengths of proposed casin mportant proposed work)	ga; indicate mudding jobs-sement-
(State names of and expected depthe I plan to drill a 30	DURNE DETAILS (s to objective sands; show sizes, wei ing points, and all other in 100° Sen Andres test	3417 ft. OF WORK ghts, and lengths of proposed casin mortant proposed work) with combination to	ga; indicate mudding jobs-sement-
The elevation of the servi	DURNE DETAILS (s to objective sands; show sizes, wei ing points, and all other in 100° Sen Andres test	3417 ft. OF WORK ghts, and lengths of proposed casin mortant proposed work) with combination to	ga; indicate mudding jobs-coment-
The elevation of the similar (State names of and expected depths I plan to drill a 30 We will sput with ed We will sput the 13	bund introdumer above sea level is DETAILS to objective sands; show sizes, wei ing points, and all other in 100' San Andree cost ble cools and set 30 3/6" and cost of the	M17 ft. OF WORK ghts, and lengths of proposed casin nportant proposed work) with combination to 0' of 13 3/8".	gs; indicate mudding jobs-coment-
The elevation of the similar (State names of and expected depths I plan to drill a 30 We will sput with ed We will sput the 13	bund introdumer above sea level is DETAILS to objective sands; show sizes, wei ing points, and all other in 100' San Andree cost ble cools and set 30 3/6" and cost of the	M17 ft. OF WORK ghts, and lengths of proposed casin nportant proposed work) with combination to 0' of 13 3/8".	gs; indicate mudding jobs-coment-
(State names of and expected depthe I plan to drill a 30 We will spud with co We will pull the 13 Weter at 1625' with a	Details above sea level is DETAILS a to objective sands; show sizes, wei ing points, and all other in 190° San Andres test ble tools and set 35 3/8" and set an 8 5/ refficient causat to	3417 ft. OF WORK ghts, and lengths of proposed casin mortant proposed work) with combination to With combination to 0° of 13 3/8". 0° intermediate stri circulate.	gs; indicate mudping jobs, sement-
(State names of and expected depthe I plan to drill a 30 We will spud with co We will pull the 13 Weter at 1625' with a	Details above sea level is DETAILS a to objective sands; show sizes, wei ing points, and all other in 190° San Andres test ble tools and set 35 3/8" and set an 8 5/ refficient causat to	3417 ft. OF WORK ghts, and lengths of proposed casin mortant proposed work) with combination to With combination to 0° of 13 3/8". 0° intermediate stri circulate.	gs; indicate mudding jobsyscements
The elevation of the similar (State names of and expected depths I plan to drill a 30 We will sput with cal We will pull the 13 We will run a 4 1/2"	DETAILS (DETAILS (s to objective sands; show sizes, wei ing points, and all other in 100° San Andres test ble tools and set 35 3/8" and set an 8 3/ sufficient cannot to 11 string on any p	3417 ft. OF WORK ghts, and lengths of proposed casin mortant proposed work) with combination to 0° of 13 3/8". 0° intermediate etri circulate, mespective pay and c	gs; indicate mudding jobsycement- pls.
The elevation of the similar (State names of and expected depths I plan to drill a 30 We will sput with cal We will pull the 13 We will run a 4 1/2"	DETAILS (DETAILS (s to objective sands; show sizes, wei ing points, and all other in 100° San Andres test ble tools and set 35 3/8" and set an 8 3/ sufficient cannot to 11 string on any p	3417 ft. OF WORK ghts, and lengths of proposed casin mortant proposed work) with combination to 0° of 13 3/8". 0° intermediate etri circulate, mespective pay and c	gs; indicate mudding jobsycement- pls.
(State names of and expected depthe I plan to drill a 30 We will spud with co We will pull the 13 Weter at 1625' with a	DETAILS (DETAILS (s to objective sands; show sizes, wei ing points, and all other in 100° San Andres test ble tools and set 35 3/8" and set an 8 3/ sufficient cannot to 11 string on any p	3417 ft. OF WORK ghts, and lengths of proposed casin mortant proposed work) with combination to 0° of 13 3/8". 0° intermediate etri circulate, mespective pay and c	gs; indicate mudding jobsycement- pls.
The elevation of the similar (State names of and expected depths I plan to drill a 30 We will sput with cal We will pull the 13 We will pull the 13 We will run a 4 1/2" All easing will be ru	DETAILS (DETAILS (s to objective sands; show sizes, wei ing points, and all other in 100' San Andres test ble tools and set 30 3/8" and set an 8 3/ sufficient compat to eil string on any p un and compated unde	3417 ft. OF WORK ghts, and lengths of proposed casin mportant proposed work) with combination to 10° of 13 3/8". 3° intermediate etri circulate. respective pay and of a wethode approved b	gs; indicate mudding jobs-seconant- pls. Ing through the second with 200 casks. by the U.S.C.S.
The elevation of the south (State names of and expected depths I plan to drill a 30 We will sput with cal We will pull the 13 We will pull the 13 We will run a 4 1/2" All easing will be run I understand that this plan of wor	DETAILS (DETAILS (s to objective sands; show sizes, wei ing points, and all other in 100' San Andres test ble tools and set 30 3/3" and set an 3 3/ sufficient cannot to eil string on any p un and canantai unde	3417 ft. OF WORK ghts, and lengths of proposed casin mportant proposed work) with combination to 10° of 13 3/8". 3° intermediate etri circulate. respective pay and of a wethode approved b	es; indicate mudding jobs-reament- pls. Ing through the remark with 200 sacks. by the U.S.C.S.
The elevation of the similar (State names of and expected depths I plan to drill a 30 We will sput with cal We will pull the 13 We will pull the 13 We will run a 4 1/2" All easing will be ru	DETAILS (DETAILS (s to objective sands; show sizes, wei ing points, and all other in 100' San Andres test ble tools and set 30 3/3" and set an 3 3/ sufficient cannot to eil string on any p un and canantai unde	3417 ft. OF WORK ghts, and lengths of proposed casin mportant proposed work) with combination to 10° of 13 3/8". 3° intermediate etri circulate. respective pay and of a wethode approved b	gs; indicate mudding jobsreement- pls. Ing through the somenk with 200 sacks. by the U.S.C.S.
The elevation of the similar (State names of and expected depths I plan to drill a 30 We will apud with ed We will pull the 13 : water at 1615' with a We will run a 4 1/2" All easing will be run I understand that this plan of wor Company John E. Th	DETAILS (DETAILS (s to objective sands; show sizes, wei ing points, and all other in points, and all other in the tools and set so 3/8" and set an 8 5/ sufficient cannot to eil string on any p un and canantai under rk must receive approval in writing Figs	3417 ft. OF WORK ghts, and lengths of proposed casin mportant proposed work) with combination to 10° of 13 3/8". 3° intermediate etri circulate. respective pay and of a wethode approved b	gs; indicate mudding jobsreement- pls. Ing through the somenk with 200 sacks. by the U.S.C.S.
The elevation of the south (State names of and expected depths I plan to drill a 30 We will sput with cal We will pull the 13 We will pull the 13 We will run a 4 1/2" All easing will be run I understand that this plan of wor	DETAILS (DETAILS (s to objective sands; show sizes, wei ing points, and all other in points, and all other in the tools and set so 3/8" and set an 8 5/ sufficient cannot to eil string on any p un and canantai under rk must receive approval in writing Figs	3417 ft. OF WORK ghts, and lengths of proposed casin mportant proposed work) with combination to 10° of 13 3/8". 3° intermediate etri circulate. respective pay and of a wethode approved b	gs; indicate mudding jobs-seconst- pls. Ing through the soment with 200 sacks. by the U.S.C.S.
The elevation of the similar (State names of and expected depths I plan to drill a 30 We will apad with col We will pull the 13 We will pull the 13 We will run a 4 1/2" All easing will be run I understand that this plan of wor Company John H. The Address P. G. Dep	DETAILS DETAILS a to objective sands; show sizes, wei ing points, and all other in the tools and set as 3/8" and set as 3 5/ sufficient compated ell string on any p un and compated under rk must receive approval in writing rigg	3417 ft. OF WORK ghts, and lengths of proposed casin mortant proposed work) with combination to W' of 13 3/8". "Intermediate stri- circulate. respective pay and of r unthode approved b by the Geological Survey before op	gs; indicate mudding jobsreement- pls. Ing through the somenk with 200 sacks. by the U.S.C.S.
The elevation of the similar (State names of and expected depths I plan to drill a 30 We will apud with ed We will pull the 13 We will run a 4 1/2" All easing will be run I understand that this plan of wor Company John E. Th	DETAILS DETAILS a to objective sands; show sizes, wei ing points, and all other in the tools and set as 3/8" and set as 3 5/ sufficient compated ell string on any p un and compated under rk must receive approval in writing rigg	3417 ft. OF WORK ghts, and lengths of proposed casin mportant proposed work) with combination to 10° of 13 3/8". 3° intermediate etri circulate. respective pay and of a wethode approved b	gs; indicate mudding jobs-seconst- pls. Ing through the soment with 200 sacks. by the U.S.C.S.
The elevation of the similar (State names of and expected depths I plan to drill a 30 We will apad with col We will pull the 13 We will pull the 13 We will run a 4 1/2" All easing will be run I understand that this plan of wor Company John H. The Address P. G. Dep	DETAILS DETAILS a to objective sands; show sizes, wei ing points, and all other in the tools and set as 3/8" and set as 3 5/ sufficient compated ell string on any p un and compated under rk must receive approval in writing rigg	3417 ft. OF WORK ghts, and lengths of proposed casin mortant proposed work) with combination to W' of 13 3/8". "Intermediate stri- circulate. respective pay and of r unthode approved b by the Geological Survey before op	gs; indicate mudding jobsreement- pls. Ing through the somenk with 200 sacks. by the U.S.C.S.

ہو ہے۔ سی ایم	WELL	NEW MEXICO OI LOCATION AI				LAT	FORM C-128 Revised 5/1/57
	SEE IN	STRUCTIONS FOR CO	MPLETING	THIS FORM O	N THE REVERS	ESIDE	
Operator			SECTION Lease	DH A		·	
			EDERAL "BO"			Vell No. 1-27	
Unit Letter	Section 27	Township 18 South	Ran		County	- <u></u>	
Actual Footage Lo		10 300IH		27 EAST	EDDY		·····
1980 Ground Level Elev	feet from the Producing F			60 fee	t from the WE	1	iae
3417.0		es_Dolomite	Pool Wild	loat		Dedic	ated Acreage: 40 Acrea
mother. (65- mother. (65- If the answer to wise? YES	bt to drill into and 3-29 (e) NMSA 19 9 question one is ' NO I	the dedicated acreage (10 produce from any p 35 Comp.) 'ao,'' have the interes answer is ''yes,'' Ty 'ao,'' list all the owne	te of all the	ppropriate the p owners been co lidation	production either pasolidated by co	for himself or	for bimself and
Owner				Land Descript			FEB 2 7 1962
		SECTION B				CERT	IFICATION
- 660' 0 0					P P Co Da I hu sho pio aur aug and	te to the best lief.	
1980					Reg and	1/2-7	NEER & ATE