			Approval expires 12-31-60.
	COPY TO O. C	; C.	Land Office Las Orucas
m 9-831a	(SUBMIT IN TRIPLIC	CATE)	Lease No. 10 065478 (b).
F6D. 1901)			
MAR 2 6 1959	DEPARTMENT OF THE GEOLOGICAL SUI	EINTERIOR	30-015-01210
ACTING DISTRICT ENG	SINEER	EPORTS O	DTING OR ACIDIZING
NOTICE OF INTENTION TO CHANGE PLA	SUDOL	THE REPART OF RE-	
NOTICE OF INTENTION TO CHARGE	D DEPAIR WELL	DEPORT OF ADA	
		EMENTARY WELL HISTO)RY
NOTICE OF INTENTION TO RELEASE NOTICE OF INTENTION TO SHOOT OR	TER CASING	_EML(())	
NOTICE OF INTENTION TO FOLL OF			
NOTICE OF INTENTION TO ABANDON I		F REPORT, NOTICE, OR O	THER DATA)
(INDICA	TE ABOVE BY CHECK MARK NATURE O	. <u> </u>	Marsh 24 , 19.59
•			
			t. from $\{W\}$ line of sec
ISA NALCO REFINEALSS		أستقصر	+ from wy line of sec.
	ft from s	ine and 1930-	(W)-
is loca	ated _1960_11. 110	set of	N _ PORIVER
Well [No	27 8	(Merid	
a mut section 3	18 5 (Range)	(112011	
(1 Sec. and Sec. No.)	سفيد الم	(.i.m)	(State or Tel tory) MAR 2 6 1959
STRUKI	(County or Subdiv	rision)	- ARALADICAL SUBVEL
			IL S GEULUGIURE OUT
(Field)	-		furnish later S. GEOLOGICAL CONCO
Jacon (Field)	I door above sea level is	ft.	furnish later S. GEOLOGICAL SUN
The elevation of the derri	I door above sea level is	ft.	
	ick floor above sea level is DETAILS (ft. F WORK	posed casings; indicate mudding jobs, coment-
	ick floor above sea level is DETAILS (ft. F WORK	posed casings; indicate mudding jobs, coment-
	ick floor above sea level is DETAILS (ft. F WORK	posed casings; indicate mudding jobs, coment-
	ick floor above sea level is DETAILS (ft. F WORK	posed casings; indicate mudding jobs, coment-
(State names of and expected dept	the above well with	ft. F WORK	posed casings; indicate mudding jobs, coment-
(State names of and expected dept	the above well with	ft. F WORK shts, and lengths of pro- nportant proposed work rotary tools shill be as for	to an approximate depth of
	the above well with be. Gasing program to	ft. F WORK shts, and lengths of pro- nportant proposed work rotary tools shill be as for	to an approximate depth of
(State names of and expected dept We propose to drill 6200 ¹ to test the A	the above well with	ft. DF WORK shts, and lengths of pro- nportant proposed work rotary tools dil be as for Depth	to an approximate depth of Llows: <u>Commut</u>
(State names of and expected dept	the above well with be. Gasing Size	ft. F WORK shts, and lengths of pro- nportant proposed work rotary tools shill be as for	to an approximate depth of Llows: <u>Commut</u>
(State names of and expected dept We propose to drill 6200 ¹ to test the A Hole Size	the above well with be. Gasing program to	ft. DF WORK shts, and lengths of pro- nportant proposed work rotary tools dil be as for Depth	posed casings; indicate mudding jobs, cement- to all approximate depth of Llows; <u>Coment</u> Circulate 25 Gel plus 100 sack nest on bottom.
(State names of and expected dept We propose to drill 6200 ¹ to test the A	the above well with Casing Bise B-5/8	ft. DF WORK shts, and lengths of pre- mortant proposed work rotary tools will be as for <u>Depth</u> 1500	to an approximate depth of Llows: <u>Commut</u>
(State names of and expected dept We propose to drill 6200' to tout the A Hole Size 12-1/h	the above well with Casing Bise B-5/8	ft. DF WORK shts, and lengths of pro- nportant proposed work rotary tools dil be as for Depth	posed casings; indicate mudding jobs, cement- to all approximate depth of Llows; <u>Coment</u> Circulate 25 Gel plus 100 sack nest on bottom.
(State names of and expected dept We propose to drill 6200' to tout the A Hole Size 12-1/h	the above well with be. Gasing Size	ft. DF WORK shts, and lengths of pre- mortant proposed work rotary tools will be as for <u>Depth</u> 1500	posed casings; indicate mudding jobs, cement- to all approximate depth of Llows; <u>Coment</u> Circulate 25 Gel plus 100 sack nest on bottom.
(State names of and expected dept We propose to drill 6200' to tout the A Hole Sise 12-1/h 7-7/8	the above well vith Casing Bise B-5/8 5-1/2	ft. DF WORK shts, and lengths of pro- nortant proposed work rotary tools fill be as for Depth 1500 6200	to an approximate depth of Llows: Commut Circulate 25 Gel plus 100 sack next on bottom. 150 sacks next.
(State names of and expected dept We propose to drill 6200' to tout the A Hole Sise 12-1/h 7-7/8	the above well vith Casing Bise B-5/8 5-1/2	ft. DF WORK shts, and lengths of pro- nortant proposed work rotary tools fill be as for Depth 1500 6200	to an approximate depth of Llows: Commut Circulate 25 Gel plus 100 sack next on bottom. 150 sacks next.
(State names of and expected dept We propose to drill 6200' to tout the A Hole Sise 12-1/h 7-7/8	the above well vith Casing Bise B-5/8 5-1/2	ft. DF WORK shts, and lengths of pro- nortant proposed work rotary tools fill be as for Depth 1500 6200	to an approximate depth of Llows: Commut Circulate 25 Gel plus 100 sack next on bottom. 150 sacks next.
(State names of and expected dept We propose to drill 6200' to tout the A Hole Size 12-1/h 7-7/8	the above well with Casing Bilse B-5/8 5-1/2	ft. DF WORK shts, and lengths of pro- protary tools for an for beych 1500 6200	posed casings; indicate mudding jobs, coment- to an approximate depth of ilows; Coment Circulate 25 Gel plus 100 sack next on bottom. 150 sacks next.
(State names of and expected dept We propose to drill 6200' to tout the A Hole Size 12-1/h 7-7/8	the above well with Casing Bilse B-5/8 5-1/2	ft. DF WORK shts, and lengths of pro- protary tools for an for beych 1500 6200	posed casings; indicate mudding jobs, coment- to an approximate depth of ilows; Coment Circulate 25 Gel plus 100 sack next on bottom. 150 sacks next.
(State names of and expected dept We propose to drill 6200' to tout the A Hole Size 12-1/h 7-7/8	the above well with Casing Bilse B-5/8 5-1/2	ft. DF WORK shts, and lengths of pro- protary tools for an for beych 1500 6200	posed casings; indicate mudding jobs, coment- to an approximate depth of ilows; Coment Circulate 25 Gel plus 100 sack next on bottom. 150 sacks next.
(State names of and expected dept) We propose to drill 5200' to test the A Hele Size 12-1/h 7-7/8 I understand that this pla	ick floor above sea level is DETAILS (ha to objective sands; show sizes, weights ing points, and all other in the above well with the. Gasing program (Casing Size 8-5/8 5-1/2 n of work must receive approval in w	ft. DF WORK shts, and lengths of pro- protary tools for an for beych 1500 6200	posed casings; indicate mudding jobs, coment- to an approximate depth of ilows; Coment Circulate 25 Gel plus 100 sack next on bottom. 150 sacks next.
(State names of and expected dept) We propose to drill 5200' to test the A Hele Size 12-1/h 7-7/8 I understand that this pla	ick floor above sea level is DETAILS (ha to objective sands; show sizes, weights ing points, and all other in the above well with the. Gasing program (Casing Size 8-5/8 5-1/2 n of work must receive approval in w	ft. DF WORK shts, and lengths of pre- nportant proposed work rotary tools will be as for Depth 1500 6200 riting by the Geologics	Survey before operations may be commenced.
(State names of and expected dept) We propose to drill 6200' to test the A Hole Size 12-1/h 7-7/B I understand that this pla Company	ick floor above sea level is DETAILS (ha to objective sands; show sizes, weiling points, and all other in the above well with the. Gasing program (Casing Size 3-5/8 5-1/2 n of work must receive approval in w merican Petrolem Cor Office Bax 68	ft. F WORK shee, and lengths of pre- portant proposed work rotary tools shill be as for Depth 1500 6200 riting by the Geological poration By	pored casings; indicate mudding jobs, coment- to an approximate depth of ilows; Generat Circulate 25 Oel plus 100 sack neat on bottom. 150 sacks neat. Survey before operations may be commenced.
(State names of and expected dept) We propose to drill 6200' to test the A Hole Size 12-1/h 7-7/B I understand that this pla Company	ick floor above sea level is DETAILS (ha to objective sands; show sizes, weiling points, and all other in the above well with the. Gasing program (Casing Size 3-5/8 5-1/2 n of work must receive approval in w merican Petrolem Cor Office Bax 68	ft. F WORK shee, and lengths of pre- portant proposed work rotary tools shill be as for Depth 1500 6200 riting by the Geological poration By	pored casings; indicate mudding jobs, coment- to an approximate depth of ilows; Generat Circulate 25 Oel plus 100 sack neat on bottom. 150 sacks neat. Survey before operations may be commenced.
(State names of and expected dept) We propose to drill 6200' to test the A Hole Size 12-1/h 7-7/B I understand that this pla Company	ick floor above sea level is DETAILS (ha to objective sands; show sizes, weights ing points, and all other in the above well with the. Gasing program (Casing Size 8-5/8 5-1/2 n of work must receive approval in w	ft. F WORK shee, and lengths of pre- portant proposed work rotary tools shill be as for Depth 1500 6200 riting by the Geological poration By	Survey before operations may be commenced.
(State names of and expected dept) We propose to drill 6200' to test the A Hole Size 12-1/h 7-7/B I understand that this pla Company	ick floor above sea level is DETAILS (ha to objective sands; show sizes, weiling points, and all other in the above well with the. Gasing program (Casing Size 3-5/8 5-1/2 n of work must receive approval in w merican Petrolem Cor Office Bax 68	ft. F WORK shee, and lengths of pre- portant proposed work rotary tools shill be as for Depth 1500 6200 riting by the Geological poration By	pored casings; indicate mudding jobs, coment- to an approximate depth of ilows; Generat Circulate 25 Oel plus 100 sack neat on bottom. 150 sacks neat. Survey before operations may be commenced.
(State names of and expected dept) We propose to drill 6200' to test the A Hole Size 12-1/h 7-7/B I understand that this pla Company	ick floor above sea level is DETAILS (ha to objective sands; show sizes, weiling points, and all other in the above well with the. Gasing program (Casing Size 3-5/8 5-1/2 n of work must receive approval in w merican Petrolem Cor Office Bax 68	ft. F WORK shee, and lengths of pre- portant proposed work rotary tools shill be as for Depth 1500 6200 riting by the Geological poration By	pored casings; indicate mudding jobs, coment- to an approximate depth of ilows; Generat Circulate 25 Oel plus 100 sack neat on bottom. 150 sacks neat. Survey before operations may be commenced.

		NEW MEXICO	OIL CONSI	RVATION		N	FO	
- B		LOCATION					Rev	ised 5 1 - 57
		STRUCTIONS FOR			·····			
<u></u>			SECTI	ON A				
perator		<i></i>	Lease	USA Malco	Refinerie	S. TH*	Well No.	
Pan Americ	can Pet.	Township	Ra	nge	County			5
K	3	18 Sout	1	27 hast	1	Eddy		
ctual Footage Locat			·····			· · ·		
	et from the	• • • •		<u>-80 fe</u>	et from the	west	line	
round Level Elev.	Producing F		Pool				Dedicated Acre	age: Acres
urnish later		lbo	D	pire Abo	<u></u>	····· ···· ····	40	
. Is the Operator the	only owner in	the dedicated acre	age outlined o	n the plat below	w? YES 🗶 🚬	NO	. ("Owner" mea	ins the perso
		l to produce from a	ny pool and to	appropriate the	production en	ther for him	iself or for hims	el) and
another. (65-3-2								
. If the answer to qu		`no,'' have the inte f answer is ''yes,''				y communi	tization agreeme	nt or other-
. If the answer to qu							DEG	
)wper				Land Descri				0 1050
				Land Descri	perou		MARZ	0 1323
							U.S. GEOLO	GICAL SURV
							ARTESIA, I	
		SECTION E				1	CERTIFICATI	
			, 				CERTIFICATIO	
				l		I hereby	certify that the i	ntormation
					1	in SECTI	ON A above is t	rue and com-
						plete to t	he best of my kn	lowiedge and
				1		belief.		
	1							
				1		Name	Original Sig	ned L.
						Position	Original Sig L. W. BRO	WN
	ł			1				
	1					Company	Superintend	
	1			ł		Pan Am	erican Petr	. Corp.
	i			1		Date		•
	1			1		3-2	4-59	
)		1		I hereby a	ertify that the w	ell location
							the plat in SFC	
4	<u>└</u> ┥→	9					om field notes of	
		T I		Ì		surveys m	nade by me or un	der my
	4			1		supervisi	on, and that the	same is true
	1				1		ct to the best of	my knowled
						and belie	f.	
		5				Date Surv	eyed	
		T				3	-16-59	
				I		1	d Professional 1	•
		1 4		1		1 17 1	.	
	ļ			l		and, or La	ad Surveyor, J	OHN W.WE
	1					and or La	Ind Surveyor, Jo	

JOHN W. WEST ENGINEERING COMPANY

412 NORTH DAL PASO HOBBS, NEW MEXICO

March 20, 1959

Pan American Pet. Corp. Hobbs, New Mexico

Gentlemen:

On March 16, 1959, a survey was made to locate your No. 5 location on the USA Malco Refineries "E" Royalty Account "C" lease at a point 1980 feet from the South line and 1980 feet from the West line of Section 3, Township 18 South, Range 27 East, N.M.P.J., Eddy County, New Mexico.

A flag was set at the USCLO Quarter commer marker common to Sections 3 and 10, and the Transit was set up at the USGLO Section corner marker common to Sections 3, 4, 9 and 10. Thence chaining East 1980 feet from Transit, thence North 1980 feet to the location site of the USA Malco Refineries "H" Royalty Account "C" No. 5. As a check on our survey we chained South from location site 1980 feet and thence East 664.0 feet to the USCLO Quarter corner marker common to Sections 3 and 10, checking in within 0.70 foot of the distance as shown on the USCLO township plats.

I hereby certify that the toregoing survey was made in the field under my supervision and that the some is true and correct to the best of my knowledge and belief.

Respectfully submitted,

John WWest

(_ John W. West