

Las Cruces

(SUBMIT IN TRIPLICATE)

Land Office

Lease No. 026772 (b)

Unit

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	IX
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. **76** is located **660** ft. from **N** line and **1900** ft. from **E** line of sec. **12**
SW **SE** Sec. **12** **18 S** **28 E** **MUM**
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Artesia **Elddy** **New Mexico**
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **3661** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We perforated 2859-67' with 4 shots per foot and sand-oil fraced this zone with 10,000 gals. and 21,000' sd. Set Bridge plug in 4 1/2" casing at 2700' and perforated 4 shots per foot 2600-90' and sand-oil fraced this zone with 15,000 gals. and 11,000' sd. Set Bridge Plug in 4 1/2" casing at 2665' and perforated 4 shots perfect 2630-45' and 2647-54' and sand-oil fraced this zone with 4,000 gals. and 8,000' sd., followed by 20 ball sealers followed by 6,000 gals. loose crude and 14,000' sd. Set Bridge Plug in 4 1/2" casing at 2300' and backed off 4 1/2" casing at back off tool at 2332'. Perforated 7" casing with 4 shots per foot 2200-24' (This zone originally perforated with 2 shots per ft.) and 2196-2206'. We sand-oil fraced zone 2196-2224' with 20,000 gals. loose crude and 42,000' sd. (Continued on attached sheet)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Western - Yates**

Address **P. O. Box 427**

Artesia, New Mexico

By **W B Macey**
Chairman of Operating Committee

Name changed from
WESTERN-YATES to INTERNATIONAL-YATES
effective December 31, 1962



Continuation of Form 9-331a

Western - Yates Dunn B # 8 Sec. 12 - 183 - 28E

Report of Shooting and Sand-oil fracturing.

April 14, 1968

Moved off cable tools. Rigged up reverse circulation unit and drilled out Bridge Plugs to bottom and connected well to tank and started flowing load oil.

Continuation of Form 2-331a

Section - Street - Town & Co. Sec. 12 - 13 - 14

Report of flooding and wind-damage

April 12, 1938

The above all caused considerable damage to the bridge and the connection between the road and the bridge was broken. The bridge was damaged and the road was broken. The bridge was damaged and the road was broken. The bridge was damaged and the road was broken.