


NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

WELL RECORD



AREA 640 ACRES
LOCATE WELL CORRECTLY

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

Resler & Yates et al State
(Company or Operator)
Well No. 131, in NW 1/4 of SE 1/4, of Sec 15, T. 18, R. 28, NMPM.
Artesia Pool, Lea County.
Well is 1980 feet from South line and 1980 feet from East line of Section 15. If State Land the Oil and Gas Lease No. is 647.
Drilling Commenced 11-26, 1951 Drilling was Completed 9-11, 1956.
Name of Drilling Contractor Company Tools
Address
Elevation above sea level at Top of Tubing Head. The information given is to be kept confidential until 19.

OIL SANDS OR ZONES

No. 1, from 2030 to 54 No. 4, from 2481 to 98
No. 2, from 2319 to 28 No. 5, from 2533 to 49
No. 3, from 2427 to 36 No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8 5/8	24	Used	525				
5 1/2	14	New	2549				

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
10	8 5/8	525	50			
8 1/4	5 1/2	2549	150			

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Treated each set perforations as listed above w/ 10,000 gallons lease oil and 20,000 lbs sand. 1/10th lb. adomite used in first 6000 gallons of oil on each stage.

Result of Production Stimulation Increased to 100 BOPD

Depth Cleaned Out 2549

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.
Cable tools were used from 0 feet to 2549 feet, and from _____ feet to _____ feet.

Put to Producing.....**September 15**....., 19**56**

OIL WELL: The production during the first 24 hours was.....**100**.....barrels of liquid of which.....**100**.....% was oil;% was emulsion;% water; and.....% was sediment. A.P.I.
Gravity.....**37**.....

GAS WELL: The production during the first 24 hours was.....M.C.F. plus.....barrels of liquid Hydrocarbon. Shut in Pressure.....lbs.

Length of Time Shut in.....

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Northwestern New Mexico

T. Anhy.....	T. Devonian.....	T. Ojo Alamo.....
T. Salt.....	T. Silurian.....	T. Kirtland-Fruitland.....
B. Salt..... 629	T. Montoya.....	T. Farmington.....
T. Yates..... 805	T. Simpson.....	T. Pictured Cliffs.....
T. 7 Rivers.....	T. McKee.....	T. Menefee.....
T. Queen.....	T. Ellenburger.....	T. Point Lookout.....
T. Grayburg.....	T. Gr. Wash.....	T. Mancos.....
T. San Andres..... 2544	T. Granite.....	T. Dakota.....
T. Glorieta.....	T.	T. Morrison.....
T. Drinkard.....	T.	T. Penn.....
T. Tubbs.....	T.	T.
T. Abo.....	T.	T.
T. Penn.....	T.	T.
T. Miss.....	T.	T.

From	To	Thickness in Feet	Formation
0	270		Red Sand
270	347		Dolomite, red sand
347	1783		Anhydrite
1783	1795		Red sand
1795	2556		Anhydrite, dolomite

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

.....September 28, 1956.....
(Date)

Company or Operator..... Resler & Yates et al.....

Address.....**302 Carper Bldg., Artesia, N.M.**

Name Wesley Johnson

Position or Title.....