

RECEIVED
OCT 17 1950


FORM C-105

Oil Cons. Comm.

Artesia Office

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

WELL RECORD



Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

Burnham Oil Co. Box 65, Artesia, New Mexico
Company or Operator Address
Vandover Well No. 2 in SW SW SW of Sec. 15, T. 18
Lease
R. 28, N. M. P. M., Artesia Field, Blay County.
Well is 330 feet south of the North line and 330 feet west of the East line of Sec. 15, 18, 28
If State land the oil and gas lease is No. B-11540 Assignment No. _____
If patented land the owner is _____ Address _____
If Government land the permittee is _____ Address _____
The Lessee is Bu Address _____
Drilling commenced August 5, 1950 19____ Drilling was completed October 2, 1950 19____
Name of drilling contractor W. R. Woolf Address Artesia, New Mexico
Elevation above sea level at top of casing _____ feet.
The information given is to be kept confidential until _____ 19____

OIL SANDS OR ZONES

No. 1, from 2200 to 2202 No. 4, from 2486 to 2495
No. 2, from 2240 to 2251 No. 5, from _____ to _____
No. 3, from 2465 to 2478 No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet.
No. 2, from _____ to _____ feet.
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
<u>8 5/8"</u>	<u>24lb.</u>	<u>8</u>		<u>610'</u>	<u>reg.</u>				<u>oil string</u>

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
<u>10"</u>	<u>8 5/8"</u>	<u>610'</u>	<u>50</u>	<u>W. R. Woolf</u>		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters — Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
<u>6</u>		<u>S.O.W.E.</u>	<u>125</u>		<u>2470-2495</u>	<u>2500</u>

Results of shooting or chemical treatment _____ Increased oil production from 40 bbls. to 50 bbls. per day.

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet
Cable tools were used from 0 top feet to 2500 feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing October 8th 19 50
The production of the first 24 hours was 50bbl barrels of fluid of which 100% % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be _____
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. _____

EMPLOYEES

W. R. Woolf Driller _____ Driller _____
Ben Winkles Driller _____ Driller _____

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 11th Artesia, New Mex. October 11, 1950
day of October, 19 50 Name E. J. Woolf
Notary Public Position Owner
Representing Burnham Oil Co.

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	1		Soil
1	25		caliche
25	250		Red bed
250	300		Anhy.
300	320		Red rock
320	375		Anhy.
375	430		Red Rock
430	480		Anhy.
480	530		Salt
530	775		Anhy.
775	1080		Anhy., Red rock
1080	1440		Anhy.
1440	1450		White shale
1450	1500		B. shale
1500	1510		Lime
1510	1550		B shale
1550	1730		Anhy.
1730	1765		Red Sand
1765	2050		Anhy.
2050	2200		Lime
2200	2202		Oil Sand
2202	2240		Lime
2240	2251		Sand Show of Oil
2251	2260		White Shale
2260	2465		Lime
2465	2478		Oil Sand
2478	2480		Lime
2480	2486		Gas
2486	2495		Oil Sand
2495	2500		White Lime