

# NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES  
LOCATE WELL CORRECTLY

Maloo Reeler Yates  
(Company or Operator)

State  
(Lease)

Well No. 126, in NW  $\frac{1}{4}$  of NW  $\frac{1}{4}$ , of Sec. 15, T. 18, R. 28, NMPM.

Artesia Pool, Eddy County.

Well is 660 feet from North line and 660 feet from West line

of Section 15. If State Land the Oil and Gas Lease No. is E-1286

Drilling Commenced 12-15-55, 19... Drilling was Completed 1-16-56, 19...

Name of Drilling Contractor S. P. Yates Drilg. Co.

Address Artesia, N. M.

Elevation above sea level at Top of Tubing Head 3600. The information given is to be kept confidential until  
..., 19...

### OIL SANDS OR ZONES

No. 1, from 2280 to 2300 No. 4, from...to...

No. 2, from 2430 to 2440 No. 5, from...to...

No. 3, from...to... No. 6, from...to...

### IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from...to...feet.

No. 2, from...to...feet.

No. 3, from...to...feet.

No. 4, from...to...feet.

### CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8 5/8	24	New	610				
4 1/2	9.5	New	2435				

### MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. BAGS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
10	8 5/8	610	250			
8	4 1/2	2435	150			

### RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Sand oiled 10,000 gals. oil and 20,000 lbs sand 2435-2501.

Sand oiled 10,000 gals. oil and 20,000 lbs sand 2280-2300.

Result of Production Stimulation Increased from 1 barrel day to 60 bbls per day.

Depth Cleaned Out 2501

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 610 feet to 2300 feet, and from feet to feet.  
Cable tools were used from 0 feet to 610 feet, and from 2300 feet to 2501 feet.

PRODUCTION

Put to Producing 1-18, 19.56  
OIL WELL: The production during the first 24 hours was 60 barrels of liquid of which % was  
was oil; % was emulsion; % water; and % was sediment. A.P.I.  
Gravity  
GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of  
liquid Hydrocarbon. Shut in Pressure lbs.  
Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy	T. Devonian	T. Ojo Alamo
T. Salt	T. Silurian	T. Kirtland-Fruitland
B. Salt	T. Montoya	T. Farmington
T. Yates	T. Simpson	T. Pictured Cliffs
T. 7 Rivers	T. McKee	T. Menefee
T. Queen	T. Ellenburger	T. Point Lookout
T. Grayburg	T. Gr. Wash	T. Mancos
T. San Andres	T. Granite	T. Dakota
T. Glorieta	T.	T. Morrison
T. Drinkard	T.	T. Penn
T. Tubbs	T.	T.
T. Abo	T.	T.
T. Penn	T.	T.
T. Miss	T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	290		red sand & red bed				
290	315		red rock				
315	365		anhydrite				
365	510		red bed				
510	610		anhydrite				
610	2080		anhydrite				
2080	2190		lime				
2190	2501		lime				
							6
							1
							1
							2
							1
							✓

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

1-19-56

(Date)

Company or Operator Malco Resler Yates

Address Carper Bldg. Artesia, N. M.

Name Vilma R. Sheldon

Position or Title Sec. Opr. Committee