	ICO OIL CONSERVATION COMMISSION	Form C-103 Supersedes Old C-102 and C-103 Effective 1-1-65
FILE /- U.S.G.S. LAND OFFICE OPERATOR 3		5a. Indicate Type of Lease         State       X         Fee       5. State Oil & Gas Lease No.
OV LEng. SUNDRY NOTICES AND R (DO NOT USE THIS FORM FOR PROPOSALS TO DAILL OR TO D USE "APPLICATION FOR PERMIT -" (FORM	EPORTS ON WELLS	<u>в 9222</u>
OIL CAS WELL OTHER	M C-101) FOR SUCH PROPOSALS.)	7. Unit Agreement Name
Name of Operator Albritton & Meyer		8. Farm or Lease Name Gilmore State
Box 524, Midland, Texas		9. Weil No. 1 10. Field and Pool, or Wildcat
UNIT LETTER N	HE South LINE AND 1650 FEE	
THE West LINE, SECTION 17 TOW		
<u>1111111111111111111111111111111111111</u>	n (Show whether DF, RT, GR, etc.) B. D. F.	12. County Eddy
NOTICE OF INTENTION TO:	o Indicate Nature of Notice, Report o SUBSEQ	or Other Data UENT REPORT OF:
VERFORM REMEDIAL WORK PLUG AN P	DABANDON REMEDIAL WORK , COMMENCE DRILLING OPNS.	ALTERING CASING
OTHER	OTHER	·····
7. Describe Proposed or Completed Operations (Clearly state of work) SEE RULE 1103.	all pertinent details, and give pertinent dates, inc	luding estimated date of starting any proposed
<ol> <li>Set bridge plug at 2235 feet/tem</li> <li>Perforated with 3/8 jets 2 hpf f</li> </ol>		
<ol> <li>Set bridge plug at 2235 feet/tem</li> <li>Perforated with 3/8 jets 2 hpf f</li> <li>2208 - 2211 feet.</li> </ol>		
2. Perforated with 3/8 jets 2 hpf f	rom 2060-63, 2101-04, 2128-	-31, 2162-65 and
<ol> <li>Perforated with 3/8 jets 2 hpf f</li> <li>2208 - 2211 feet.</li> <li>Fraced with 60,000 gallons of g</li> <li>Placed well back on production.</li> </ol>	rom 2060-63, 2101-04, 2128- gelled water and 75000 pounds	-31, 2162-65 and of sand.
<ol> <li>Perforated with 3/8 jets 2 hpf f</li> <li>2208 - 2211 feet.</li> <li>Fraced with 60,000 gallons of g</li> </ol>	rom 2060-63, 2101-04, 2128- gelled water and 75000 pounds	of sand.
<ol> <li>Perforated with 3/8 jets 2 hpf f</li> <li>2208 - 2211 feet.</li> <li>Fraced with 60,000 gallons of g</li> <li>Placed well back on production.</li> </ol>	rom 2060-63, 2101-04, 2128- gelled water and 75000 pounds	-31, 2162-65 and of sand. RECEIVED OCT 1 4 1985
<ol> <li>Perforated with 3/8 jets 2 hpf f</li> <li>2208 - 2211 feet.</li> <li>Fraced with 60,000 gallons of g</li> <li>Placed well back on production.</li> <li>All work done September 27 and 28.</li> </ol>	rom 2060-63, 2101-04, 2128- gelled water and 75000 pounds	of sand.
<ol> <li>Perforated with 3/8 jets 2 hpf f</li> <li>2208 - 2211 feet.</li> <li>Fraced with 60,000 gallons of g</li> <li>Placed well back on production.</li> </ol>	rom 2060-63, 2101-04, 2128- gelled water and 75000 pounds	-31, 2162-65 and of sand. RECEIVED OCT 1 4 1985