FORM C-105

		N		

AREA 640 ACRES LOCATE WELL CORRECTLY NEW MEXICO OIL CONSERVATION COMMISSION

۰ **پ**ارد ۲

Santa Fe, New Mexico

~_____

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE,

Blanche Beyl 1070/5 25	TO/W	Big S	oring,	Texas	
Company or Operator	•		Address		
BaishWell No2		of Sec	(, T	18
R. 28 N. M. P. M., Artesia	Field,	E	ldy		County.
Well isfeet south of the North line and	feet w	est of the East l	ine of		
If State land the oil and gas lease is No	Assignme	nt No. 292			
If patented land the owner is		, Address			
If Government land the permittee is		, Address	• • • • • • • • • • • • • • • • • • •		
The Lessee isBlanche Beyl		, Address	Big S	pring T	ex
Drilling commenced September 2 19	25. Drilling	was completed_	Nov	ember 10	2 19 25
Name of drilling contractor Seidler Drlg.	<u>Co.</u> ,	Address Ar	tesia,	New Me:	xico
Elevation above sea level at top of casing	feet.				
The information given is to be kept confidential until				19	
OIL SA	NDS OR ZON	ES			
No. 1, from. 2091 to 2110	No. 4, fr	om	1	to	
No. 2, fromto		'o m		to	
No. 3, fromto	No. 6, fr	om		to	
IMPORTAN	NT WATER S	ANDS			
Include data on rate of water inflow and elevation to	which water r	ose in hole.			
No. 1, fromto		fee	»t		
No. 2, fromto		fee	st		
No. 3, fromto	· · · · · · · · · · · · · · · · · · ·	fee	st		
No. 4, fromto		fe	ət		******
CASI	ING RECORD		a.		
WEIGHT THREADS	KIND OF	CUT & FILLED	PER	FORATED	PURPOSE
SIZE PER FOOT PER INCH MAKE AMOUNT	SHOE	FROM	FROM	то	

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED

PLUGS AND ADAPTERS

Heaving plug-Material	Len	sth	Depth	Set
Adapters-Material	Size			
	RECORD OF SHOOTIN	G OR CHEMICAL	TREATMENT	

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
	_					
•••••••						
Results of	shooting or che	mical treatment			<u></u>	77 Hz
		RECORD OF	DRILL-STEM	AND SPECIAL	L TESTS	
f drill-ste	m or other speci	al tests or deviation a	surveys were n	nade, submit r	eport on separate	sheet and attach hereto
			TOOLS US		_	
Rotary to	ols were used fu	om feet			nom	feet tofee
		omfeet				
		. v.u10et	.0	ieet, and i	rom	feet tofee
			PRODUCT	TON		
		<u>, , , , , , , , , , , , , , , , , , , </u>				
						_% was oil;%
emulsion;	%	water; and	% sedime	nt. G rav ity,	Be	
f gas wel	l, cu, ft. per 24 h	0 urs	Ga	llons gasoline	per 1,000 cu. ft. c	of gas
Rock pres	sure, lbs. per sq.	in				
			EMPLOY	ees		
	·····		, Driller	·	·····	
			Driller			, Drille
		FORMATI	ON RECORD	ON OTHER	NDE	
			given herewith om available r		e and correct rec	ord of the well and al

Subscribed and sworn to before me this		
	Place	Date
day of 19	Name	
	Position	· · · · · · · · · · · · · · · · · · ·
Notary Public	_	

FORMATION RECORD

FROM	то	THICKNESS IN FEET		FORMATION
$\begin{array}{c} 2\\ 21\\ 175\\ 190\\ 193\\ 440\\ 630\\ 660\\ 695\\ 795\\ 800\\ 1496\\ 1550\\ 1575\\ 1595\\ 1645\\ 1740\\ 1770\\ 1778\\ 1625\\ 1845\\ 2091\\ 2110\\ 2173 \end{array}$	$\begin{array}{c} 21 \\ 175 \\ 190 \\ 193 \\ 440 \\ 630 \\ 660 \\ 695 \\ 795 \\ 800 \\ 1496 \\ 1575 \\ 1595 \\ 1645 \\ 1740 \\ 1770 \\ 1778 \\ 1825 \\ 1845 \\ 2091 \\ 2110 \\ 2173 \end{array}$		Lime Gyp Sand Lime Fed gyp Lime Gyp Red shale Gyp Brown sand White lime Gyp White lime Gyp White lime Gray sand Lime Gyp Lime Oil sand Lime Total depth	
	τ			