

AREA 640 ACRES  
LOCATE WELL CORRECTLYNEW MEXICO OIL CONSERVATION COMMISSION  
Santa Fe, New Mexico

## WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

Robert E. McKee, Box 246, Artesia, New Mexico  
Company or Operator Address  
State Well No. 7 in SWSK of Sec. 19, T. 18S  
Lease  
R. 28E, N. M. P. M., Artesia Field, Eddy County.  
Well is 330 feet North of the South line and 1650 feet west of the East line of Section 19  
If State land the oil and gas lease is No. B-11339 Assignment No.  
If patented land the owner is 3337, Address.  
If Government land the permittee is, Address.  
The Lessee is Robert E. McKee, Address Artesia, New Mexico  
Drilling commenced February 13th 1948 Drilling was completed April 14th 1948  
Name of drilling contractor T. H. Donnelly, Address Artesia, New Mexico  
Elevation above sea level at top of casing 3575 feet.  
The information given is to be kept confidential until 19.

## OIL SANDS OR ZONES

No. 1, from 2005 feet to 2020 feet No. 4, from to  
No. 2, from 2028 feet to 2060 feet No. 5, from to  
No. 3, from 2113 feet to 2150 feet No. 6, from to

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 185 to 190 feet.  
No. 2, from 345 to 375 feet.  
No. 3, from to feet.  
No. 4, from to feet.

## CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
8 5/8	24	10		455	Texas				Shut off water
6 5/8	20	10		1937	Texas				Protect the pay

## MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
12 1/2	10	220				5 sacks
9 3/4	8 5/8	455	30 sacks			
8 1/4	6 5/8	1937	100 sacks			

## PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set  
Adapters — Material Size

## RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
5 1/4"	yes	Liquid Nitro-glyc.	200 qts.	March 30	2089	2160

Results of shooting or chemical treatment 25 barrels per day before shooting the well and 60 barrels per day after.

## RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

## TOOLS USED

Rotary tools were used from feet to feet, and from feet to feet  
Cable tools were used from feet to feet, and from feet to feet

## PRODUCTION

Put to producing April 12th 1948  
The production of the first 24 hours was 70 barrels of fluid of which 95% was oil; 0% emulsion; 5% water; and 0% sediment. Gravity, Be. 36°  
If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas  
Rock pressure, lbs. per sq. in.

## EMPLOYEES

J. G. Crow, Driller W. C. Karr, Driller  
Roy Burkhardt, Driller

## FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 16

day of November 1948

Theda Smith  
Notary Public

My Commission expires March 7, 1950

Artesia, New Mexico November 16th, 1948

Name J. R. Lund

Position Engineer

Representing Robert E. McKee  
Company or Operator

Address Box 246, Artesia, New Mexico

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
- 0 -	650	650	Red Beds and caliche
650	1230	580	Red Beds, sand and anhydrite
1230	1490	260	Sand
1490	1780	290	Sand and anhydrite
1780	2160	380	Line and Sandy Line
			Top of Formations
			Artesia Red Sand 1445 feet
			Top of Line 1780 feet
			Top of Pay 2050 feet.