

NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Pe, New Mexico, er its proper agent not more than twenty days after completion of well. Follow instructions in the

	AREA 640	ACRES		it with (?)	. Submit in	the Commission. In FRIPLICATE, FORI PROPERLY FILLI	M C-110 WILI		
	AREA 640 . ATE WELL (D O Roy 2	lik Artai	sin Nam	Mexico
	E. Uckee	Company or O	naretor			P. O. Box 2	Addre	SS	
	Tiesse	•							18 S.
R 28 E		N. M. P. M.,	Artes	sia	Field	Last Ne	Eddy st	Section	County.
						nment No			
If Govern	ment land t	he p ermittee	is			,	Address		
The Lesse	e is Rob	ert L. C	Kee				Address	El Paso.	Texas
									19 49
Name of drilling contractor. S. P. Yates , Address Artesia, New Mexico Elevation above sea level at top of casing feet.									
							1	9	
THE IIION	mation give	n is to be ke	ov communi		SANDS OR				
No. 1. fro	m		to	-				to	
No. 2, fromto						5, from	*******	to	
No. 3, fro	m	•••	to		No. 6, fromto				
					rant wat				
		of water inflo							
No. 4, fro	m			.to		fe	et	····	
				C	ASING REC	ORD			
		THREADS	<u> </u>	1	KIND OF	CUT & FILLED	PERFO	RATED	
SIZE	WEIGHT PER FOOT	PER INCH	MAKE	AMOUNT	SHOE	FROM	FROM	то	PURPOSE
<u>8-5/8</u> ^m	30 _{/2}	8v	less	1.75					
			1000						
		<u> </u>	<u> </u>					<u> </u>	
		ļ							
			Ì						
			M	UDDING A	ND CEMEN	TING RECORD) 		
SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SAC	KS ME	THODS USED	MUD GE	RAVITY	AMOUNT	OF MUD USED
1.2	8-5/8	1.75	50						
					GS AND AD				
Adapters	— Material							•••••	
] 	RECORD	OF SHOO	ring or C	HEMICAL TRE			
SIZE	3 SHELL	USED	EXPLOSIV CHEMICAL		QUANTITY	DATE	DEPTH S	TED DE	PTH CLEANED OUT
	_ ·								
			<u> </u>						
Results o	f shooting	or chemical	treatment						
••••••								•••••	
	. 19					ND SPECIAL T		eet and att	ach bereto
If drill-st	em or otner	special tests	or deviation	on surveys		submit report on	separate su	cet and att	acii ficicio.
Determ to	ole were He	ed from		feet to	TOOLS US			feet to.	feet
Rotary tools were used fromfeet tofeet, and fromfeet tofeet to									
					PRODUCTI				
Put to pr	oducing			·····,	19				
									oil;%
		r 24 hours oer sq. in				ons gasonne per	1,000 cu. 16	. 01 gas	•••••
ROCK pres	ssure, ibs. į	er sq. m		•••••••••••••••••••••••••••••••••••••••	EMPLOYE	ES			
.Trembl	.evv.						а;		, Driller
	-								, Driller
			_			ON OTHER SIL			
					erewith is a c	complete and cor	rect record o	of the well a	nd all work done on
it so far a	as can be d	etermined fro	om availab	ie records.	•				
Subscribe	d and swor	n to before n	ne this2	7th		Artesia, Ne	Mexico	Sctobe	r 27, 1349
day of	Octob	er		191	<u>19</u> 1	Vame	y c	und	
2/	2 Lay Dell Culturation Notary Public Representing Robert R. McKer.								
0			ŀ	lotary Public	I	Representing	Robert &	nparker Ope	rator

Address Box 216, Artesia, New Mexico

My Commission expires 6-/0-5-3

FORMATION RECORD

FORMATION RECORD						
FROM	то	THICKNESS IN FEET	FORMATION			
0 60 340 475 550 1182 1194 1210 1240 1250 1260 1335 1350 1460 1477 1554 1613 1630 1692 1710 1814 1823 1833 1910 1916 1942 1948 2046 2056 2077 2116 2133 2191 2245 2255 2290 2305 2358 2380	60 21,0 1,75 550 685 1191,1210 1240 1250 1260 1335 1350 11,60 11,77 1551,1613 1630 1692 1710 1811,1823 1833 1910 1916 1916 1918 2016 2056 2068 2077 2116 2133 2191 2245 2255 2290 2305 231,2358 2380 21,01	60 280 135 75 135 12 16 30 10 10 75 15 110 17 77 62 18 104 9 10 77 63 326 6 98 10 12 9 39 17 58 54 10 10 35 15 17 18 10 10 17 17 18 10 10 10 17 17 18 10 10 10 10 17 10 10 10 10 10 10 10 10 10 10	Anydrite and mud Anhydrite Anhydrite and red bed Anhydrite Anhydrite and red sand Anhydrite are red sand Anhydrite are red sand Anhydrite and red sand Grey sand Anhydrite and dolomite Red sandy dolomite Anhydrite and dolomite Dolomite and snale Dolomite and snale Dolomite and snale Dolomite and red sand Dolomite and snale			
			T. D.			