
NEW MEXICO OIL CONSERVATION COMM...SIONO Santa Fe, New Mexico



SEP 1 9 1917

NOTICE OF INTENTION TO DRILL

Coated C	CONSERVATION COMMISSION A FE, NEW MEXICO The property of that it is our intention to commence the Drilling of a well to be known as Company or Operator	ANTA FE, NEW MEXICO entlemen: You are hereby notified that it is our intention to commence the Drilling of a well to be known as (Company or Operator) (Compa	The well 1980 feet from 28, NMPM.
You are hereby notified that it is our intention to commence the Drilling of a well to be known as Company or Operator)	Total are hereby notified that it is our intention to commence the Drilling of a well to be known as Company or Operator	You are hereby notified that it is our intention to commence the Drilling of a well to be known as Company or Operator	The well 1986 feet from 28, NMPM. Cou
Company or Operator) Well No.	### POPARY Company or Operator) Classes Classes	Company or Operator) (Company or Operator)	The well 1986 feet from 28, NMPM. Cou
(Company or Operator) (Loaze) (Loaze)	Company or Operator) (Lasse) (Lasse) (Lasse) (Lasse) (Lasse) (Lasse) (Lasse) (Lasse) (Company or Operator) (Company or Operator	Company or Operator) Well No. Inc. I	The well 1986 feet from 28, NMPM. Cou
Classes Well No. In Classes Mell No. In Classes In Classes In Classes In Classes In Classes	CAST Well No	Classes Well No. Inc.	The well 1986 feet from 28, NMPM. Cou
The status of plugging bond is. L K J I Drilling Contractor. M N O P We intend to complete this well in the formation at an approximate depth of. CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Hole Size of Casing Mine and feet In part (Section	d. 1200 feet from the line and feet from the line and feet from line of Section from the line and feet from line of Section from the line and feet from from the line of Section from the line of Se	Iline and Iline and Iline and Iline and Iline and Iline and Iline of Section III III III III III III III III III I	AND SECTION SE
Sise of Hole Sise of Casing Weight per Foot New or Second Hand Depth Sacks Core	Propose to use the following strings of Casing Weight per Foot New or Second Hand Depth Sacks Coment	Sine of Section	NMPM. Cou
If State Land the Oil and Gas Lease is No. If State Land the Oil and Gas Lease is No. If patented land the owner is. We propose to drill well with drilling equipment as follows: The status of plugging bond is. L K J I Drilling Contractor We intend to complete this well in the formation at an approximate depth of. CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Sise of Hole Sise of Hole Sise of Casing Weight per Foot New or Second Hand Depth Secks Care	If State Land the Oil and Gas Lease is No. If patented land the owner is. Address. We propose to drill well with drilling equipment as follows: The status of plugging bond is. Drilling Contractor. Drilling Contractor. We intend to complete this well in the formation at an approximate depth of. CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hele Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement	If State Land the Oil and Gas Lease is No. If patented land the owner is Address We propose to drill well with drilling equipment as follows: The status of plugging bond is If patented land the owner is We propose to drill well with drilling equipment as follows: Drilling Contractor We intend to complete this well in the formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth	Cou
If State Land the Oil and Gas Lease is No D C B A Address. We propose to drill well with drilling equipment as follows: L K J I Drilling Contractor. M N O P We intend to complete this well in the formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Sise of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cem	If State Land the Oil and Gas Lease is No	If State Land the Oil and Gas Lease is No If patented land the owner is Address	Y X
D C B A Address We propose to drill well with drilling equipment as follows: L K J I Drilling Contractor M N O P We intend to complete this well in the formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cere	D C B A Address. We propose to drill well with drilling equipment as follows: The status of plugging bond is. L K J I Drilling Contractor. M N O P We intend to complete this well in the. formation at an approximate depth of. CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 650	D C B A Address We propose to drill well with drilling equipment as follows: L K J I Drilling Contractor Me intend to complete this well in the formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth	
We propose to drill well with drilling equipment as follows: L K J I Drilling Contractor M N O P We intend to complete this well in the formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cere	We propose to drill well with drilling equipment as follows: L K J I Drilling Contractor Me intend to complete this well in the formation at an approximate depth of. CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 650	We propose to drill well with drilling equipment as follows: L K J I Drilling Contractor We intend to complete this well in the formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth	NX.
E F G H The status of plugging bond is. L K J I Drilling Contractor	The status of plugging bond is. L K J I Drilling Contractor M N O P We intend to complete this well in the. formation at an approximate depth of. OASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Sise of Hole Sise of Casing Weight per Foot New or Second Hand Depth Sacks Cement	E F G H The status of plugging bond is Drilling Contractor M N O P We intend to complete this well in the formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth	Y
The status of plugging bond is. L K J I Drilling Contractor. M N O P We intend to complete this well in the formation at an approximate depth of. CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cem	L K J I Drilling Contractor	The status of plugging bond is. L K J I Drilling Contractor We intend to complete this well in the formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth	ur .
L K J I Drilling Contractor BASSE MEDIANN CONTRACT M N O P We intend to complete this well in the formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cem	M N O P We intend to complete this well in the formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Secks Cement 25.78 25.99 35.90	M N O P We intend to complete this well in the formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth	ur.
M N O P We intend to complete this well in the formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cerr	M N O P We intend to complete this well in the formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement	M N O P We intend to complete this well in the formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth 650	<u> </u>
M N O P We intend to complete this well in the formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cerr	M N O P We intend to complete this well in the formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 660	M N O P We intend to complete this well in the formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth	
M N O P We intend to complete this well in the formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cerr	We intend to complete this well in the formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 650	We intend to complete this well in the formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth	
formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cem	formation at an approximate depth of	formation at an approximate depth of	
formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hele Size of Casing Weight per Foot New or Second Hand Depth Sacks Cem	formation at an approximate depth of	formation at an approximate depth of	
CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Com	CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement	CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth 2017 2017 2017 2017 2017 2017 2017 2017	f
Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cerr	Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 20	Size of Hole Size of Casing Weight per Foot New or Second Hand Depth	
	201 25/2° 20 20 20 20 20 20 20 20 20 20 20 20 20	200° 85/8° 80 650	
201- 650	8° 86° 86 Way 8600 350		Sacks Cement
		56" 25 William 2500	
5° 56" 36 We we 2500 350	If changes in the above plans become advisable we will notify you immediately.		350
	If changes in the above plans become advisable we will notify you immediately.		
	If changes in the above plans become advisable we will notify you immediately.		
If changes in the above plans become advisable we will notify you immediately.		-	
ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)		, and the second	
ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)	THE PARTY AND AND CAMBILLA CALL (AL ACCOMPTICATION BATC AND GOVERNOUS OF PROPERTY OF WARMS)	PRACTIFOR CHANGE IN THE LOGATION IT CAME IN A CED LA	re em
_	_		
ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) PRACE FOR CRANCE IN THE LOGARICH IT CAME IN A CLD LAKE RED	_	Sincerely yours.	
PRASON FOR CRANCE IN THE LOGATION IT CAME IN A GLD LAKE BED	PRANCE FOR CHANGE IN THE LOCATION IT CAME IN A GLD LAKE HED	proved, 19,	
PRASCE FOR CRANCE IN THE LOCATION IT CAME IN A GLD LAKE RED Proved	PRASCE FOR CHARGE IN THIS LOCATION IT CAME IN A GLD LAKE BED roved		Operator)
PRASCE FOR CRANCE IN THE LOGARICE IT CAME IN A GLD LAKE RED Proved	PRASCE FOR CHARGE IN THE LOCATION IT CAME IN A GLD LAKE BED roved	ByO. S. McGutchete	
Present for CRAPSE IN TERM LONGSTON IT CARS IN A GLD LAIR RED proved	PLASON FOR CHARGE IN SEED LOGARION IT CARE IN A GLD LAKE RED roved	Dosition STPTs	
proved	PLASCE FOR CHARGE IN SEED LOGARION IT CARE IN A GLD LAKE RED roved	OIL CONSERVATION COMMISSION Send Communication	
Sincerely yours, Company or Operator) ByO.S. McCachese Position	Sincerely yours, Pept as follows: Company or Operator) By	ML amstrong Name	is regarding well to

OIL CONSERVATION COMMISSION									
ARTESIA DI	STRICT OFFI	CE							
No. Copies Rece	ei ed .	<u> </u>							
DIST	REUTION								
	FURCTISHED								
Operator	3,40								
Santa F									
Proration 11 too									
State Land 0.4.3									
<u>u. s. c.</u> t.	1	**********							
Transporter									
File									
	i energenisti energenisti. S								

•

ì

NEW MEXICO OIL CONSERVATION COMMISSION

Revised 5/1/5

Well Location and Acreage Dedication Plat

SEP 1 8 1957

Sec	tion A.				1	Date Cons	And the bound
Ope	rator	TATA VICEOUS		_Lease	eren ett	ARTESIA	OFFICE
el	1 No.	Unit Letter	Section (Township_		NMPM
Cou	ated nty	Feet From	Lir	ne,	Fee	From Tree	Line
	e of Produc	G. L. ing Formation	ARTHUR TA	,	Pool	d Acreage	
1.	Is the Ope:	rator the only ow	ner* in the	dedicated	acreage out	lined on the pla	t below?
_	ies vie	NO .					
2.	consolidate	wer to question o	ne is "no,"	have the	interests of	f all the owners	been
	VES. IVD	ed by communitiza e of Consolidatio	n				
3.	If the answ	wer to question t	wo is "no,"	list all	the owners a	and their respect	ive interests
	below:						ive interests
		Owner			Iand Dagar	imbia	
					Land Descr	Tption	
		Tienes.					
							
			· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·			
Sect	ion.B	828	3E				
					1		
					1	This is to cert:	ify that the
						information in	Section A
		1				above is true a	
]				to the best of mand belief.	my knowledge
		į l			,		
		T			$\frac{2}{3}$	Likelin Richts	
		1		1	67	(Operator)	
		1		i		O.L. Macon	MIN
			⊕ : −	_4980_		(Representat	ive)
		1	4	 		MALLERY . THE	MATTEO
			_	1		Address	
	· · · · · · · · · · · · · · · · · · ·	Z	9				
				1		This is to sout:	C. Ab. (1
				1		This is to certi well location sh	
						plat in Section	B was plotted
÷				J I	l	from field notes	
	<u> </u>	<u>i</u>] 		surveys made by my supervision a	
		1				same is true and	
		1		j	ł	the best of my k	nowledge and
				1		belief. Date Surveyed	19.7
				1			
				1		Registered Profe	Irun _
		<u> </u>				Registered Profe Engineer and/or	
336	0 660 990 13	20 1650 1980 2310 264	2,000	1500 1000		, garren array var	
					500 0	Certificate No	5/2
		()ee THELLUCT	tons for con	npleting th	nis form on	the reverse side)

INSTRUCTIONS FOR COMPLETI

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3, Section A, please use space below

OIL CONSER ATION COMMISSION APTEON DISTRICT CHILD

^{* &}quot;Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1953 Comp.)