FORM C-105



.....

ì

AREA 640 ACRES LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

~

WELL RECORD

_

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

Third National Bank Building Company or Operator		Address	
Well No.	in NV SE of	Sec. 21	, т. 18
R. 28 N. M. P. M., Artesia	774-1-3	Ĕđđy	6
	-	-	
Well isfeet south of the North line and			•••••
If State land the oil and gas lease is No. 647	Assignment No	161	,
If patented land the owner is	·	Address	
If Government land the permittee is		Address	
The Lessee is	· · · · · · · · · · · · · · · · · · ·	Address	
Drilling commenced19			
Name of drilling contractor			
Elevation above sea level at top of casing	feet.		
The information given is to be kept confidential until.		1	9
OIL SANI	os or zones		
No. 1, from 2132 to 2162	No. 4, from	to_	
No. 2, fromto	No. 5, from	to_	
No. 3, fromto			
IMPORTANT	WATER SANDS		
Include data on rate of water inflow and elevation to wh	lich water rose in l	10le.	
No. 1, fromto	······································	feet	
No. 2, fromto		feet	
No. 3, fromto		feet	,,,,,,,,,,,,
No. 4, fromto		feet	
CASIN	G RECORD		

WEIGHT THREADS KIND OF	CUT & FILLED FROM	PERFORATED		PURPOSE					
SIZE	PER FOOT	PER INCH	MAKE	AMOUNT	SHOE	FROM	FROM	то	
10"				290'					
8#				685 ¹					
5/8	Ħ			1971'					

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERK SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
					-	

		P	LUGS AND A	DAPTERS		,
Heaving p	olug-—Material_		_Length		Depth Se	>t
Adapters-	-Material		Size			
		RECORD OF SHO	OTING OR	CHEMICAL TR	EATMENT	
SIZE	SHELL USED	NXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
		Nitro-Glycer	in 1950	ts-8-4-25)	
Results of	shooting or ch	emical treatment				
		RECORD OF	DRILL-STEM	AND SPRCIAL	TESTS	
If drill-ste	m or other spec	ial tests or deviation s	surveys were	made, submit re	port on separate	sheet and attach hereto
			TOOLS U	SED		
Rotary too	ols were used f	romfeet	to	feet, and fr	0 m	feet tofee
Cable tool	ls were used f	romfeet	to	feet, and fr	o m	feet tofee
			PRODUCT	PHON		
Put to pro	ducing					
				rrels of fluid of	which	_% was oil;
						of gas
		. in				
			EMPLOY	TERS		
			, Driller			-
<u>-</u>						, Drille
		FORMATI	ION RECORD	ON OTHER SI	IDE	
		that the information a can be determined fr			and correct rec	cord of the well and a
Subscribed	l and sworn to b	pefore me this		Place		Date
day of		·····	19			
				Position		
		Notary Public	·····	Representing		

Company	or	Operator
---------	----	----------

My Commission expires_____

Address

FORMATION RECORD

FROM	TO THICKNESS IN FEET	FORMATION
120 1 150 2 240 2 260 2 285 3 300 8 560 8 580 8 925 9 929 9 929 9 975 10 1000 10 1015 10 1045 10 1055 12 1255 12 1255 12 1255 12 1255 12 1255 12 1255 12 1295 16 1605 16 1655 17 1700 18 1900 19 1915 19 132 21	21 40 120 150 240 260 285 300 360 370 325 329 350 370 325 329 350 370 325 329 350 350 355 355 355 355 355 355 355 355 355 355 360 375 360	Red dand White gyp Hed sand Red bed Red sand Red gyp Red rock Hed sand Gyp Blue lime Gyp Red rock Gyp Red rock Gyp Red rock Gyp Red rock Hime Hed rock Lime, red shale Gyp Red rock lime shells Lime Hed gyp Lime Hed gyp Lime Hed sand grit Lime Total depth

