

STATE	COUNTY	ELEVATION	DEPT.	COMPANY
	<i>San Diego</i>		<i>Person</i>	<i>Morris - Parker</i>
KIND OF SAMPLE	LOCATION	PAGE		WELL NO.
		<i>22 18 27</i>		<i>Morris - 566</i>

DEPTH	DOLO LIME		DESCRIPTION	SALT		SHALE				SAND		CHT	NOTES
	%	%		%	%	RED	GRY.	GRN.	BLK.	RED	GRY.		
1747-61					95	5							
1761-82					80					20			
1782-78					F					100			F.g.g.
1798-45					100								
1845-60					90					10			
1860-74					95	5							
1874-15					100								
1915-30	70		pink stone		20	10							
1930-47	70		& sandy			10				20			
1942-50					80					20			
1950-64					80	10				10			
1964-79					95	5							
1979-95					100								
1995-07					20					80			
2007-38					80					20			
2038-52					70					10			
2052-67					100								
2067-87					90					10			
2087-00	100		buff f.x.										
2100-75	40		✓ ✓ ✓		80					20			
2115-30	70		pink f.x.							10			
2130-46	90		buff f.x.							10			
2145-73	100		✓ ✓ ✓										
2173-05	100		buff sandy										
2205-25	100		buff white - no sandy - some oil stain										
2225-45	10		buff sandy							90			90 gray sand - light stain
2245-23	100		buff f.x.							carried ab of water			
2273-81	95		✓ ✓ ✓					5					
2281-88	15		✓ ✓ ✓					85					
2281-08	100		buff sandy										
2308-30	100		buff f.x.										

STATE	COUNTY	ELEVATION	DESC. BY	COMPANY			
				Malco & Tesken			
KIND OF SAMPLES	LOCATION	S	T	R	FARM	WELL NO.	
					Morris Sta	1	

DEPTH	DOLO		LIME	DESCRIPTION	SALT	ANHY	SHALE				SAND			CHT	NOTES
	%	%			%	%	RED	GRY.	GRN.	BLK.	RED	GRY.	DESCRIPTION	%	
2320-45	80			buff f.s.							20		silty		
2345-55	80			" sandy											
2355-75	100			buff f.s.											
2393-88	70			" "							10		light silty		
2388-03	95			" "			5								
2408-15	70			" "							30		light - some oil staining		
2415-28	100			buff sandy											
2428-60	100			buff f.s.											
2460-92	95			" sandy			5								
2492-80	95			" "			5								
2480-84	95			light grey f.s.			5								
2481-00	70			" "			10								
2500-40	60			" "			30				10		silty		
2510-19	10			white f.s.			20				15	5	" "		
2517-20	80			pink f.s.			15				5		" "		
2530-41	100			white f.s.											
2541-60	100			light buff f.s.											
2560-95	100			white f.s.											
2575-87	100			" "											
2587-10	100			buff f.s.											
2610-25	95			" "			5								
2625-57	100			buff f.s.											
2627-71	100			gray sandy, sandy											
2647-90	100			buff f.s.											
2670-00	95			" "						5					
2700-08	100			loc. "											
2708-54	100			buff f.s.											
2754-68	98			" "							2				
2768-20	100			" "											
2828-															

