



AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

Realer & Yates et al State
(Company or Operator) (Lease)
Well No. 129, in NE 1/4 of NE 1/4, of Sec. 23, T. 18s, R. 28e, NMPM.
Artesia Pool, Midy County.
Well is 1980 feet from north line and 990 feet from east line
of Section 23. If State Land the Oil and Gas Lease No. is 647
Drilling Commenced 4-7, 1956. Drilling was Completed 5-28, 1956
Name of Drilling Contractor S.P. Yates Drilling Company
Address Artesia, New Mexico
Elevation above sea level at Top of Tubing Head forever, 19. The information given is to be kept confidential until

OIL SANDS OR ZONES

No. 1, from 2800 to 2872 No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.
No. 1, from to feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8 5/8		Used	446				
5 1/2		New	2844				

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. BAGS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
10	8 5/8	446	600			
8 1/4	5 1/2	2844	250	Halliburton		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Perforated 2800-30 w/ 4 bullets per foot. Set pocher at 2840'. Pumped 20,000 gallons Dowell 15% acid using one truck down tubing and second truck down casing.
Result of Production Stimulation 80 BOPD
Depth Cleaned Out 2872

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.
Cable tools were used from 0 feet to 2872 feet, and from _____ feet to _____ feet.

Put to Producing.....**June 22**....., 19**56**

OIL WELL: The production during the first 24 hours was.....400.....barrels of liquid of which.....20.....% was
was oil;% was emulsion;80.....% acid water; and.....% was sediment. A.P.I.
Gravity.....36.....

GAS WELL: The production during the first 24 hours was.....M.C.F. plus.....barrels of liquid Hydrocarbon. Shut in Pressure.....lbs.

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Northwestern New Mexico

T. Anhy.....	T. Devonian.....	T. Ojo Alamo.....
T. Salt.....	T. Silurian.....	T. Kirtland-Fruitland.....
B. Salt.....	T. Montoya.....	T. Farmington.....
T. Yates.....	T. Simpson.....	T. Pictured Cliffs.....
T. 7 Rivers.....	T. McKee.....	T. Menefee.....
T. Queen. 1760	T. Ellenburger.....	T. Point Lookout.....
T. Grayburg.....	T. Gr. Wash.....	T. Mancos.....
T. San Andres. 2548	T. Granite.....	T. Dakota.....
T. Glorieta.....	T.	T. Morrison.....
T. Drinkard.....	T.	T. Penn.....
T. Tubbs.....	T.	T.
T. Abo.....	T.	T.
T. Penn.....	T.	T.
T. Miss.....	T.	T.

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	420		red bed				
420	440		Salt				
440	615		Anhydrite and salt				
615	1760		Anhydrite				
1760	1800		red sand				
1800	2095		Anhydrite and red sand				
2095	2548		Lime w/ sand streaks				
2548	2872		Buff lime				

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

as can be determined from available records.

Resler & Yates et al
Company or Operator V. P. Shalton
Name [Signature]
Date June 22, 1956 (Date)
Address 302 Carper Building, Artesia, New Mex.
Position or Title _____