

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL OR RECOMPLETE

Notice must be given to the District Office of the Oil Conservation Commission and approval obtained before drilling or recompletion begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in QUINTUPPLICATE. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission. If State Land submit 6 Copies

Artesia, New Mexico
(Place)

June 7, 1955
(Date)

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

Gentlemen:

You are hereby notified that it is our intention to commence the (Drilling) ~~(Recompletion)~~ of a well to be known as

Ralph Nix and Jerry Curtis

(Company or Operator)

Sheldon State

(Lease)

Well No.

1

in

C

(Unit)

The well is

located 3330 feet from the East line and 660 feet from the

North

line of Section 25, T. 18S, R. 28E, NMPM.

(GIVE LOCATION FROM SECTION LINE)

Undesignated

Pool,

Eddy

County

If State Land the Oil and Gas Lease is No. E-1524

If patented land the owner is

Address

We propose to drill well with drilling equipment as follows:

Cable tools to T.D.

The status of plugging bond is Statelide bond

Drilling Contractor Roach & Shepard

We intend to complete this well in the ~~INDIAN~~ Grayburg

formation at an approximate depth of 2600 feet.

CASING PROGRAM

We propose to use the following strings of Casing and to cement them as indicated:

Size of Hole	Size of Casing	Weight per Foot	New or Second Hand	Depth	Sacks Cement
10"	8 5/8"	24	Used	350	Set
8"	5 1/2"	15 1/2	New	2600	50

If changes in the above plans become advisable we will notify you immediately.

ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)

We will keep Mr. Hanson advised so he can direct any changes/in pipe program. needed

Approved....., 19.....
Except as follows:

Sincerely yours,

Ralph Nix and Jerry Curtis

(Company or Operator)

By

Position Co-owner

Send Communications regarding well to

Name Nix & Curtis

Address Box 605, Artesia, New Mexico

OIL CONSERVATION COMMISSION

By

<u>From</u>	<u>To</u>	<u>Formation</u>
0	30	Caliche
30	40	Sand
40	45	R.Bed
45	120	R.Bed & Sand
120	180	R.Sand
180	210	Sand
210	232	R.Bed
232	240	Lime (4 bailer water per hr. 238-43)
240	245	Anhy & gyp
245	270	R.Bed
270	275	Sand (9 bailers water per hr.)
275	280	G.Shale
280	320	Anhy
320	325	White sand
325	360	R.Bed
360	390	Anhy
390	400	R.Bed
400	420	Anhy
420	450	Anhy & R.Bed
450	545	Salt & anhy
545	620	Salt
620	860	Anhy
860	890	Anhy & blue shale
890	985	Anhy
985	1060	Anhy & red shale
1060	1095	Anhy
1095	1140	Anhy & red shale
1140	1325	Anhy
1325	1336	Anhy (SLM correction 1326- 1308)
1336	1345	Anhy & lime
1345	1385	Anhy
1385	1397	Lime (Dolomite) SO 1393-97(SLM 1397) 1 gal. oil per hr. 2 hr. test
1397	1405	Lime
1405	1430	Anhy & lime
1430	1460	Anhy
1460	1475	Sand & anhy
1475	1487	Dolomite
1487	1510	Anhy
1510	1515	B.shale
1515	1520	Anhy
1520	1525	Lime
1525	1537	Anhy
1537	1544	Dolomite
1544	1560	Br. shale
1560	1572	Anhy
1572	1585	Br. sand
1585	1630	Anhy
1630	1665	Bkn. Anhy
1665	1725	Anhy
1725	1730	Lime
1730	1755	Anhy
1755	1785	R.Sand
1785	1810	Gr. lime
1810	1830	Lime
1830	1840	Br. sand
1840	1855	Dark lime
1855	1870	Lime
1870	1885	Anhy & B.shale
1885	1896	Anhy
1896	1910	Gr. lime
1910	1920	B. & Gr. sandy lime
1920	1925	Br. lime
1925	1950	Anhy & Br. shale
1950	1969	Anhy
1969	1975	Gr. lime
1975	1985	Lime
1985	1995	Blue sand(Dead scum oil)
1995	2000	Sand(Test-no water- no oil)
2000	2020	Anhy

<u>From</u>	<u>To</u>	<u>Formation</u>
2020	2030	R.sandy shale
2030	2045	Anhy
2045	2055	R.sand & shale
2055	2070	Gr.lime
2070	2075	Br. sand
2075	2095	Lime
2095	2107	Br. lime
2107	2115	Pink lime
2115	2135	Lime
2135	2145	Hard lime
2145	2175	Lime
2175	2190	Gr. lime
2190	2205	Lime(Sulphur gas 2193-2201,no oil.)
2205	2220	Lime
2220	2234	Sandy lime
2234	2246	Sand(Increase in gas,SSO)
2246	2255	B.lime(1 hr. test- 1 gal. oil)
2255	2266	Lime
2266	2328	Lime(SLM 2328)
2328	2343	Sandy Lime(Increase in gas,no increase in oil 2338-43)
2343	2359	Lime
2359	2374	Br. & Gr. lime
2374	2403	Pink & Gr. lime
2403	2416	Sandy lime
2416	2419	Pink & Gr. lime(SSO 2403-19, 1 hr. test-1 gal. oil)
2419	2425	White lime
2425	2430	Pink lime
2430	2456	White lime
2456	2466	Lime
2466	2475	Sand & lime (Water 2470-75)
2475	2490	Lime (9 bailers water in 8 hrs.)
2490	2514	Pink lime
2514	2529	Sandy pink lime
2529	2535	Pink & Gr. lime
2535	2539	Pink sandy lime (SSO)
2539	2546	Pink lime
2546	2556	White lime
2556	2564	Pink sandy lime
2564	2570	Pink lime
2570	2612	White lime (17 bailers water in 24 hrs.)
2612	2620	White lime
2620	2630	Lime
2630	2657	White lime
2657	2673	Lime
2673	2681	White lime
2681	2691	Gr. lime
2691	2712	Lime
2712	2725	Dark lime
2725	2737	Gr. sand
2737	2740	Sand
2740	2777	Lime
2777	2793	Gr. lime
2793	2808	Lime
2808	2827	Gr. lime
2827	2884	White lime
2884	2890	Lime(2890-96 water increase 3 bailers in 8 hrs.)
2890	2901	Lime
2901	-	T.D.


STAKING PLAT

Nix & Curtis Sheldon State 1
Operator Lease Well

Eddy County, New Mexico


3330 feet from East and 660 feet from North lines of

Section 25, Township 18, Range 26



Certificate

The undersigned is registered as a Land Surveyor in the State of New Mexico and hereby swears that this plat was prepared from field notes made under his direction, and that it is true and correct to the best of his knowledge and belief.


Vilas P. Sheldon