


NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

9-22-1958

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies



AREA 640 ACRES
LOCATE WELL CORRECTLY

E. P. CAMPBELL

(Company or Operator)

COCKEERHAM

(Lessee)

Well No. 1, in NE 1/4 of NE 1/4, of Sec. 34, T. 18-S, R. 26-E, NMPM.

Wildcat - Undesignated Pool, Eddy County.

Well is 330 feet from South line and 330 feet from East line

of Section 34. If State Land the Oil and Gas Lease No. is

Drilling Commenced 5-1-58, 19. Drilling was Completed 6-29-58, 19.

Name of Drilling Contractor E. P. Campbell

Address 902 Lubbock National Bank Building, Lubbock, Texas

Elevation above sea level at Top of Tubing Head 3334. The information given is to be kept confidential until

Not confidential, 19.

OIL SANDS OR ZONES

No. 1, from to No. 4, from to

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet

No. 2, from to feet

No. 3, from to feet

No. 4, from to feet

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
7"			910'				
4 1/2"			4200'				

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
	7"	910	32			
	4 1/2"	4200	150			

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

1500 mud acid and 15,000 regular treatment on Abu section. Prior treatments

on zones above 4882 feet filed previously to deepening operations by E. P. Campbell.

Result of Production Stimulation

Depth Cleaned Out

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

Rotary tools were used from 3893 feet to 4882 feet, and from 4882 feet to 5626 feet.
Cable tools were used from 0 feet to 3893 feet, and from - feet to - feet.

Length of Time Shut in.....

Northwestern New Mexico

T. Anhy.....	T. Devonian.....	T. Ojo Alamo.....
T. Salt.....	T. Silurian.....	T. Kirtland-Fruitland.....
B. Salt.....	T. Montoya.....	T. Farmington.....
T. Yates.....	T. Simpson.....	T. Pictured Cliffs.....
T. 7 Rivers.....	T. McKee.....	T. Menefee.....
T. Queen.....	T. Ellenburger.....	T. Point Lookout.....
T. Grayburg.....	T. Gr. Wash.....	T. Mancos.....
T. San Andres. 1130'	T. Granite.....	T. Dakota.....
T. Glorieta. 2656'	T.	T. Morrison.....
T. Drinkard.....	T.	T. Penn.....
T. Tubbs.....	T.	T.
T. Abo. 5280'	T.	T.
T. Penn.....	T.	T.
T. Miss.....	T.	T.

[illegible]

(Date)

Position or Title Geologist