

N

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico


AREA 640 ACRES  
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

Blanche Beyl Big Springs, Texas  
Company or Operator Address  
Bookman Well No. 1 in SW NE SE of Sec. 4, T. 18  
Lease  
R. 28, N. M. P. M., Artesia Field, Eddy County.  
Well is \_\_\_\_\_ feet south of the North line and \_\_\_\_\_ feet west of the East line of \_\_\_\_\_  
If State land the oil and gas lease is No. 703 Assignment No. 50  
If patented land the owner is \_\_\_\_\_ Address \_\_\_\_\_  
If Government land the permittee is \_\_\_\_\_ Address \_\_\_\_\_  
The Lessee is \_\_\_\_\_ Address \_\_\_\_\_  
Drilling commenced November 11 19 25 Drilling was completed December 25 19 25  
Name of drilling contractor Kiersey & Conrad Address Artesia, New Mexico  
Elevation above sea level at top of casing \_\_\_\_\_ feet.  
The information given is to be kept confidential until \_\_\_\_\_ 19 \_\_\_\_\_

OIL SANDS OR ZONES

No. 1, from 2300 to 2320 No. 4, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from 2341 to 2361 No. 5, from \_\_\_\_\_ to \_\_\_\_\_  
No. 3, from \_\_\_\_\_ to \_\_\_\_\_ No. 6, from \_\_\_\_\_ to \_\_\_\_\_

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.  
No. 1, from 830 to 845 feet.  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ feet.  
No. 3, from \_\_\_\_\_ to \_\_\_\_\_ feet.  
No. 4, from \_\_\_\_\_ to \_\_\_\_\_ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
6 5/8	20	10		1980					
10 1/2	35	10		167					

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED

PLUGS AND ADAPTERS

Heaving plug—Material \_\_\_\_\_ Length \_\_\_\_\_ Depth Set \_\_\_\_\_  
Adapters—Material \_\_\_\_\_ Size \_\_\_\_\_

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet  
Cable tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet

PRODUCTION

Put to producing \_\_\_\_\_, 19 \_\_\_\_\_  
The production of the first 24 hours was \_\_\_\_\_ barrels of fluid of which \_\_\_\_\_ % was oil; \_\_\_\_\_ %  
emulsion; \_\_\_\_\_ % water; and \_\_\_\_\_ % sediment. Gravity, Be \_\_\_\_\_  
If gas well, cu. ft. per 24 hours \_\_\_\_\_ Gallons gasoline per 1,000 cu. ft. of gas \_\_\_\_\_  
Rock pressure, lbs. per sq. in. \_\_\_\_\_

EMPLOYEES

\_\_\_\_\_, Driller \_\_\_\_\_, Driller  
\_\_\_\_\_, Driller \_\_\_\_\_, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this \_\_\_\_\_ Place \_\_\_\_\_ Date \_\_\_\_\_  
day of \_\_\_\_\_, 19 \_\_\_\_\_ Name \_\_\_\_\_  
\_\_\_\_\_, Notary Public Position \_\_\_\_\_  
My Commission expires \_\_\_\_\_ Representing \_\_\_\_\_ Company or Operator \_\_\_\_\_  
Address \_\_\_\_\_

## FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	270		Red sand
270	310		White gyp
310	420		Red mud
420	520		White gyp
520	550		Gravel
550	580		Red mud
580	670		White gyp
670	700		Red mud
700	720		White gyp
720	735		Red rock
735	765		White gyp
765	830		White lime
830	845		water sand gray
845	860		White lime
860	1138		Gyp
1138	1245		Lime
1245	1313		Red mud
1313	1371		Pink lime
1371	1429		Pink gyp
1429	1437		Blue shale
1437	1519		Gyp
1519	1524		Red sand
1524	1725		Gyp
1725	1740		Lime
1740	1828		Gyp
1828	1880		Red sand
1880	1904		Gray lime
1904	1950		Pink gyp
1950	2341		Lime
2341	2361		Oil sand
2361	2419		Lime
2419			Total depth