



NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD
ON REDRILLING

MAR 12 1958

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES
LOCATE WELL CORRECTLY

The Texas Company Levens State
(Company or Operator) (Lease)
Well No. 1049, in S 1/4 of Sec 4, T. 18S, R. 10E, NMPM.
Artesia Eddy County
Pool, 1045
Well is 1049 feet from S line and 1045 feet from E line
of Section 4. If State Land the Oil and Gas Lease No. is 2713/58
Drilling Commenced 2/13/58 19 Drilling was Completed 3/6 19
Name of Drilling Contractor H. & B. Drilling Co.
Address Artesia, New Mexico
Elevation above sea level at Top of Tubing Head 3651
The information given is to be kept confidential until 19

2260 2305 OIL SANDS OR ZONES
No. 1, from 2260 to 2305
No. 2, from to
No. 3, from to
No. 4, from to
No. 5, from to
No. 6, from to

IMPORTANT WATER SANDS
Include data on rate of water inflow and elevation to which water rose in hole.
No. 1, from to feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD							
SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
7	20	used	675	reg.	none	none	surface
5 1/2	24	new	2280	reg.	none	none	oil string

MUDDING AND CEMENTING RECORD						
SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. BAGS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
10	7	675	50	plug	none	none
7	5 1/2	2280	125	plug	none	none

RECORD OF PRODUCTION AND STIMULATION
(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)
On original completion as Ohio Oil Co. #1 New State in January, 1925 well was shot with 150 quarts from 2237 to 2250. No treatment on this completion.
Result of Production Stimulation
Depth Cleaned Out

COORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from surface feet to 2330 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing, 19 Well shut in for lack of water

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was oil; % was emulsion; % water; and % was sediment. A.P.I. Gravity.

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico		OIL CONSERVATION COMMISSION		Northwestern New Mexico	
		ARTESIA DISTRICT OFFICE			
T. Anhy.	T. Devonian	C. Copies Received		Ojo Alamo	
T. Salt	T. Silurian			Kirtland Fruitland	
B. Salt	T. Montoya	DISTRIBUTION		Farmington	
T. Yates	T. Simpson			T. Pictured Cliffs	
T. 7 Rivers	T. McKee			T. Menefee	
T. Queen	T. Ellenburger			T. Point Lookout	
T. Grayburg	T. Gr. Wash			T. Mancos	
T. San Andres	T. Granite			T. Dakota	
T. Glorieta	T.	U.S.G.S.		T. Morrison	
T. Drinkard	T.	Transporter		T. Penn.	
T. Tubbs	T.	File		T.	
T. Abo	T.	Bm		T.	
T. Penn.	T.			T.	
T. Miss.	T.			T.	

From original Drillers log

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	30		gyp white	885	890		broken lime & gyp sand
30	140		red rock	890	1200		lime white, gyp
140	170		red bed	1200	1210		red rock
170	180		lime	1210	1235		lime gray
180	190		red bed	1235	1270		broken lime - red rock
190	225		lime	1270	1400		lime sandy & broken
225	230		red rock	1400	1440		white lime
230	245		broken lime & gravel	1440	1485		red gyp
245	365		red bed & shells	1485	1650		broken lime, hard white, gyp
365	375		white lime	1650	1725		red rock & shells
375	410		red rock	1725	1740		sandy lime
410	525		white, hard, broken, lime	1740	1825		red rock
525	530		red rock	1825	1840		white sand
530	555		lime gray	1840	1870		red rock
555	620		red rock	1870	1980		broken lime, brown, gyp
620	640		white lime	1980	1985		gas sand & broken lime
640	685		red rock	1985	2225		lime gray, white, broken
685	700		lime	2225	2237		lime sandy
700	720		red rock	2237	2247		sand oil
720	750		lime	2247	2252		lime
750	760		red rock	2252	2262		lime sandy
760	785		lime	2262	2272		lime sand, show oil
785	820		red rock, hard	2272	2305		lime gray & sand oil
820	885		lime white, hard	2305	2330		lime

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

3/10/58

Company or Operator The IDEX Company Address Box 752, Groesbeerge, Texas (Date)
Name T. A. Ford Position or Title Asst. Prod. Supt.

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

RECEIVED
(Form C-101)
(Revised 7/1/55)

MAR 24 1958

NOTICE OF INTENTION TO DRILL OR RECOMPLETE

Notice must be given to the District Office of the Oil Conservation Commission and approval obtained before drilling or recompletion begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in QUINTUPLICATE. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

If State Land submit 6 Copies

October 24, 1956

Breckenridge, Texas
(Place)

(Date)

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

Gentlemen:

You are hereby notified that it is our intention to commence the (Drilling) (Recompletion) of a well to be known as

The Ibox Company

(Company or Operator)

Leaves State, Well No. 4, in 7 (Unit) The well is

located 1065 feet from the south line and 1065 feet from the

line of Section 18S, T. 18S, R. 28E, NMPM.

(GIVE LOCATION FROM SECTION LINE) Artesis Pool, Eddy County

If State Land the Oil and Gas Lease is No. 703 (2)

If patented land the owner is

Address

We propose to drill well with drilling equipment as follows: clean out abandoned

well to 2320' with cable tool and recomplete. See remarks

The status of plugging bond is \$10,000 Fidelity & Casualty Co. of NY

Leaves Bond # S 1053517 covering drilling & plugging in

State of New Mexico

Drilling Contractor

furnish later

We intend to complete this well in the Premier

formation at an approximate depth of 2250 feet.

CASING PROGRAM

We propose to use the following strings of Casing and to cement them as indicated:

Size of Hole	Size of Casing	Weight per Foot	New or Second Hand	Depth	Sacks Cement
10"	8 5/8"	28	SN	500	100
7"	5 1/2"	18	SN	2250	175

If changes in the above plans become advisable we will notify you immediately.

ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)

This well originally drilled by Ohio Oil Co. as the #4 Levers State or possibly as the #1 New State well.

MAR 24 1958

Approved _____, 19_____
Except as follows:

OIL CONSERVATION COMMISSION

By M L Armstrong
OIL AND GAS INSPECTOR

Sincerely yours,

The Ibox Company

(Company or Operator)

By

Position

Asst. Prod. Supt.

Send Communications regarding well to

Name

The Ibox Company

Address

Box 752

Breckenridge, Texas

OIL CONSERVATION COMMISSION
ARTESIA DISTRICT OFFICE

Received		
DISTRIBUTION		
State Land Office		
U. S. G. P.		
Transporter		
File		

NEW MEXICO
CONSERVATION COMMISSION

RECEIVED
Form C-128
MAR 21 1956

Well Location and/or Gas Proration Plat

Date October 25, 1956

Operator The Ibox Company Lease Lovers State
Well No. 4 Section 4 Township 18S Range 28E NMPM
Located 1049 Feet From South Line, 1065 Feet From West Line,
Eddy County, New Mexico. G. L. Elevation _____
Name of Producing Formation _____ Pool _____ Dedicated Acreage _____

(Note: All distances must be from outer boundaries of Section)

NOTE

This section of
form is to be
used for gas
wells only.



SCALE: 1"=1000'

1. Is this Well a Dual Comp. ? Yes No .
2. If the answer to Question 1 is yes, are there
any other dually completed wells within the
dedicated acreage ? Yes No .

Name _____
Position _____
Representing _____
Address _____

This is to certify that the above plat was
prepared from field notes of actual surveys
made by me or under my supervision and
that the same are true and correct to the
best of my knowledge and belief.

Date Surveyed October 25, 1956

John A. Maibach Jr.
Registered Professional Engineer and/or
Land Surveyor

OIL CONSERVATION COMMISSION

APR 25 DISTRICT OFFICE

no. Copies Received

CONFIDENTIAL

5

CONCLUSIONS

2002

7-2541

State Law

1990

Transportation

513