

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Report by Checking Below

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF PLUGGING WELL		REPORT ON RECOMPLETION OPERATION	xx	REPORT ON (Other)	

October 10, 1956 Breckenridge, Texas
(Date) (Place)

Following is a report on the work done and the results obtained under the heading noted above at the

The Ibox Company Levea State
(Company or Operator) (Lease)

Powell, Artesia Well No. 11 in the NE 1/4 SE 1/4 of Sec 5
(Contractor)

T. 18 R. 28 NMPM. Artesia Pool, Eddy County.

The Dates of this work were as follows: May 29, 1956, to June 18, 1956

Notice of intention to do the work (was) ~~xxx~~ submitted on Form C-102 on May 25, 1956,
(Cross out incorrect words)

and approval of the proposed plan (was) ~~xxxx~~ obtained.

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Deepened well from 2297' to 2391'. No shows encountered. Put well back on pump.

Witnessed by R. C. Jacobs The Ibox Company Foreman
(Name) (Company) (Title)

Approved: OIL CONSERVATION COMMISSION

M. L. Armstrong
(Name)

(Title) (Date)

I hereby certify that the information given above is true and complete to the best of my knowledge.

Name La Ford

Position Assistant Production Superintendent

Representing The Ibox Company

Address Box 752, Breckenridge, Texas

County Eddy Depth 2400' Pool Artesia* OWDD

SCOUT REPORT
NEW MEXICO OIL CONSERVATION COMMISSION

Company The Ibex Co. Well No. 11 Lease Levers-State
1570 Feet from S. Line 250 Feet from E. Line, Sec. 5 Twp. 18S Rge. 28E

Land State Contractor C. S. Powell
Elevation 3650 Spudded 6-2-56 Completed 8-20-56

T. A
T. X
B. X
T. Del Li
T. Del Sd
T. Y
T. SR
T. Q
T. PR
T. GB
T. SA
T. Glo
T. Blby
T. CF

T. Tu Total Depth 2400 li P. B.
T. Full Top Pay 2175 District 7
T. DR I.P. P 1 1/2 BOPD
T. Wich A. Base on BO 24 Hrs.
T. Abo Choke: Inch
T. WC Tubing 2 @ 2248 Ft.
T. Hu Press: Tbg. Csg.
T. Per-Pe GOR Gravity 37
T. Penn Effective Perfs.:
T. Strawn
T. Miss
T. WF
T. Dev Acid. Frac & Shooting Record:

CSG. & CEMENTING RECORD

Size	Feet	Sax Cement
10 3/4	304	
8 5/8	692	
6"	2175	

T. Sil From To
T. Fuss From To
T. Mon From To
T. Simp From To
T. McK
T. Ell
T. G.W.
T. Gr SHOWS
T. S/
T. S/
T. S/
T. S/
T. S/
T. S/

5-29-56	OTD 2291' 11, Loc	✓✓✓
JUN 6	OTD 2291 li, CO @ 2275	
JUN 11	712 2333 li, sdr.	
JUN 20	TD 2400 li. pur Res pu.	
JUN 27	✓✓✓	
July 25	TD 2400 li totg on pump	

[illegible]