

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
☐ Oil Well ☐ Gas Well ☒ Other Plug & Abandon

2. Name of Operator
Yates Petroleum Corporation

3a. Address
105 S. 4th St. - Artesia, NM 88210

3b. Phone No. (include area code)
505-768-1411

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1980' FSL & 990' FEL of Section 1-T18S-R29E
Unit I, NESE

5. Lease Serial No.

LC-051102A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA Agreement, Name and/or No.

8. Well Name and No.

Ballard A #5

9. API Well No.

30-015-03244

10. Field and Pool, or Exploratory Area

Loco Hills Q-GB-SA

11. County or Parish, State

Eddy Co., NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

10-2-2002 - Moved in and rigged up pulling unit and plugging equipment. Nippled down wellhead and nipped up BOP. Rigged up floor and 2-3/8" tubing equipment. Rigged up wireline. RIH with gauge ring and stopped at 70'. POOH and rigged down wireline. RIH with 2-3/8" work string to 2782'. Shut well in for night.

10-3-2002 - Circulated hole. Pumped 30 sacks Class C Neat cement. POOH. WOC 4 hours. RIH with tubing to 2624'. Cement soft. POOH and shut well in for night.

10-4-2002 - RIH with tubing and tagged cement at 2666'. Circulated hole with plugging mud. POOH. Rigged up wireline. RIH and perforated at 1190'. POOH and rigged down wireline. RIH with packer and tubing. Set packer at 896'. Squeezed with 75 sacks Class C Neat cement. POOH. Shut well in for night. WOC.

10-5-7-2002 - POOH with packer. RIH with tubing and tagged cement at 1066'. POOH. Rigged up wireline. RIH and perforated 5-1/2" casing at 450'. POOH and rigged down wireline. RIH with packer and set packer at 160'. Established injection rate. Squeezed with 100 sacks Class C Neat cement. POOH with packer. Shut well in for night. WOC.

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

DONNA CLACK

Signature

Donna Clack

CONTINUED ON NEXT PAGE:

Title REGULATORY TECHNICIAN

Date 10-27-02

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

APPROVED

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title: 8 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.


PETROLEUM ENGINEER

Post P&H

957

10076-2002

Accepted for NMOW



YATES PETROLEUM CORPORATION
Ballard A #5
Section 1-T18S-R29E
Eddy County, New Mexico

SUNDRY NOTICE CONTINUED:

10-8-2002 - RIH with tubing and tagged cement at 176'. POOH. Rigged up wireline. RIH and perforated 5-1/2" casing at 170'. POOH and rigged down wireline. Pumped 65 sacks Class C Neat cement. Circulated cement to surface. WOC 4 hours. RIH and tagged cement at 10'. Nippled down BOP. Rigged down pulling unit and plugging equipment. Installed regulation abandonment marker. PLUGGED AND ABANDONED - FINAL REPORT. Plugging completed 10-7-2002.

Donna J. Clack

48
10-18-2002

