

NO. OF COPIES RECEIVED	4
DISTRIBUTION	
SANTA FE	1
FILE	1 ✓
U.S.G.S.	
LAND OFFICE	
OPERATOR	2

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

RECEIVED

JUN 3 1974

<p align="center"><b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT FORM OR USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)</p>		<p>5a. Indicate Type of Lease State <input type="checkbox"/> Fee <input checked="" type="checkbox"/></p> <p>5. State Oil &amp; Gas Lease No.</p>
<p>1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/> 2. Name of Operator <b>Anadarke Production Company</b> ✓ 3. Address of Operator <b>P. O. Box 67, Loco Hills, New Mexico 88255</b> 4. Location of Well UNIT LETTER <b>J</b> <b>1980</b> FEET FROM THE <b>South</b> LINE AND <b>1980</b> FEET FROM THE <b>East</b> LINE, SECTION <b>5</b> TOWNSHIP <b>18 S</b> RANGE <b>29 E</b> NMPM.</p>	<p align="center"><b>D.C.C. OFFICE</b></p> <p>7. Unit Agreement Name <b>Ballard Grayburg San Andres Unit</b> 8. Farm or Lease Name <b>Tract No. 25</b> 9. Well No. <b>3</b> 10. Field and Pool, or Wildcat <b>Loco Hills Queen Grayburg San Andres</b></p>	
<p>15. Elevation (Show whether DF, RT, GR, etc.) <b>3552 DF</b></p>	<p>12. County <b>Eddy</b></p>	

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data  
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Spot 100 sx cement plug in open hole from 2617' to 2490'.
2. Shut in 4 hours; wait on cement; tag plug.
3. Spot 100 sx cement plug in open hole from 2490' to 2371' & 50' into 7" esg. from 2371' to 2321'.
4. Circulate hole with mud laden fluid.
5. Shoot off 7" esg. @ base of salt. (approx. 750')
6. Pull 7" casing.
7. Spot 35sx cement plug 50' in and 50' out of esg. @ base of salt.
8. Spot 35 sx cement plug 50' in and 50' out of 8 5/8" surface esg. @ 420'.
9. Spot 10 sx cement plug at surface.
10. Erect dry hole marker & clean location.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Original Signed by Jerry Buckles TITLE Area Supervisor DATE May 30, 1974

APPROVED BY W. A. Gessett TITLE OIL AND GAS INSPECTOR DATE JUN 3 1974

CONDITIONS OF APPROVAL, IF ANY Notify N.M.O.C.C. in sufficient time to witness

Plugging