

NEW MEXICO
OIL CONSERVATION COMMISSION
P. O. DRAWER DD
TENTH & DALLAS STREETS
ARTESIA, NEW MEXICO

November, 1963
No. A 16

SUPPLEMENT TO THE OIL PRORATION SCHEDULE

DATE November 4, 1963

PURPOSE: ALLOWABLE REVISION

Effective November 4, 1963, the allowable of the following
Harvey E. Yates wells in the Loco Hills Pool are hereby
revised as indicated:

Travis, Well #7 O, 6-18-29

3 days at 1 barrel 3 barrels current
27 days at 15 barrels 405 barrels current

TOTAL NOVEMBER ALLOWABLE, 408 barrels.


Travis, Well #17 M, 6-18-29

3 days at 11 barrels 33 barrels current
27 days at 39 barrels 1053 barrels current

TOTAL NOVEMBER ALLOWABLE, 1086 barrels.

OIL CONSERVATION COMMISSION

NLA/uh
Harvey E. Yates
Texas New Mexico Pipe Line


SUPERVISOR, DISTRICT NO. 2

EXTRA COPY

NEW MEXICO
OIL CONSERVATION COMMISSION
207 CARPER BUILDING
ARTESIA, NEW MEXICO

May, 1960
No. A 42

SUPPLEMENT TO THE OIL PRORATION SCHEDULE

DATE May 1, 1960

PURPOSE: ALLOWABLE REVISION (SECOND MONTH)

Effective May 1, 1960, the allowable of the Harvey E. Yates,
Travis, 7-C, 6-18-29, Loco Hills Pool, is hereby increased
from 3 barrels daily to 4 barrels daily or a total of 124 barrels
for the month.

MLA/bh


Harvey E. Yates

T.M.M.

OIL CONSERVATION COMMISSION

[Signature]
~~PROBATION MANAGER~~
Supervisor, District No. 2

EXTRA COPY



U. S. LAND OFFICE Las Cruces
SERIAL NUMBER 058126
LEASE OR PERMIT TO PROSPECT _____UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

LOCATE WELL CORRECTLY

Company Harvey E. Yates Address 314 Carper Bldg., Artesia, New Mexico
Lessor or Tract Travis Field Loco Hills State New Mexico
Well No. 7 Sec. 6 T. 18S R. 29E Meridian N.M.P.M. County Eddy
Location 660 ft. N. of Line and 1980 ft. E. of Line of Sec. 6 Elevation 3616
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon
so far as can be determined from all available records.

Signed _____

Date July 14, 1956Title Bookkeeper

The summary on this page is for the condition of the well at above date.

Commenced drilling Work over well May 1, 19 56 Finished drilling July 4, 19 56

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from 3303 to 3311 0 No. 4, from _____ to _____
No. 2, from 3326 to 3334 0 No. 5, from _____ to _____
No. 3, from 3396 to 3402 0 No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
<u>5 1/2"</u>	<u>16#</u>		<u>J-55</u>	<u>3522</u>			<u>3303</u>	<u>3311</u>	<u>Treating</u>
							<u>3326</u>	<u>3334</u>	
							<u>3396</u>	<u>3402</u>	

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
<u>5 1/2"</u>	<u>3522</u>	<u>178</u>	<u>Denton</u>		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
<u>4 shots per foot</u>		<u>Via-o-frac</u>	<u>by Halliburton</u>		<u>48,000 gals</u>	<u>PLUS FLUSH OIL</u>

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet
Cable tools were used from 2680 feet to 3522 feet, and from _____ feet to _____ feet

DATES

_____, 19____ Put to producing July 14, 19 56

The production for the first 24 hours was 120 barrels of fluid of which 100% was oil; _____%
emulsion; _____% water; and _____% sediment. Gravity, °Bé. _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

James D. Monroe, Driller _____, Driller
C. V. Miller, Driller _____, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
<u>2680</u>	<u>2782</u>		<u>Lime</u>
<u>2782</u>	<u>2816</u>		<u>Lime & Sand</u>
<u>2816</u>	<u>3397</u>		<u>Lime</u>
<u>3397</u>	<u>3422</u>		<u>Sandy Lime</u>
<u>3422</u>	<u>3522 T.D.</u>		<u>Lime</u>

