

WELL CORRECTLY

Company **Stroup & Yates Oil Company**

Address **309 - per Bldg., Artesia, N.M.**

Lessor or Tract **Ballard**

Field **Loco Hills**

State **New Mexico**

Weil No. **2** Sec. **8** T. **18S** R. **29E**

Meridian **N.M.P.M.**

County

Eddy **30-015-03327**

Location **990** ft. **S** of **S** Line and **2310** ft. **E** of **W** Line of **Sec. 8**

Elevation (Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed *Donald W. Reed*
Auditor

Date

The summary on this page is for the condition of the well at above date

Commenced drilling **9/8/48** Finished drilling **12/6/48**

OIL OR GAS SANDS OR ZONES

No. 1, from 2505 to 2521	<i>Dev. gas by G.</i>	No. 4, from 2809 to 2834
No. 2, from 2540 to 2555		No. 5, from 2925 to 3008
No. 3, from 2605 to 2620		No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____	No. 3, from _____ to _____
No. 2, from _____ to _____	No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used

PLUGS AND ADAPTERS

Heaving plug—Material	Lead	Length 8 ft.	Depth From 3021-3013
Adapters—Material		Size	

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

Acidized with 4,000 gallons, from 2925 to 3008.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet
Cable tools were used from **2484** feet to **2523 3024** feet, and from _____ feet to _____ feet

DATES

Put to producing **12/1/48**
The production for the first 24 hours was **150** barrels of fluid of which **100** % was oil; _____ %
_____ G. water and _____ G. sediment
Casing ID **37**

FOLD MARK