

Feb. 24, 1953

Mr. H. G. Schiff,  
Yancey-Harris Company,  
1230 Mercantile Nat'l Bank Bldg.,  
Dallas, Texas

RE: Yancey-Harris Company well  
No. 2 Ballard "B" NW Nw Sec.  
8-18S-29E., Eddy Co. N. M.

Dear Sir:

We have received Form C-115 for the above well showing 76 barrels production for the month of January 1953. You submitted this form to the Proration Manager of the Oil Conservation Commission at Hobbs, New Mexico and he has forwarded it to this office for an explanation as to the status of your well.

Our scout report as of Feb. 18, 1953 shows the well at total depth of 3084 feet and waiting on pumping equipment. However, I assume that you have completed this well and are now in need of an allowable being assigned. In order that this may be done it will be necessary for you to file Forms C-104 and C-110 with this office, in which district the well is located. On approval of these forms Mr. A. L. Porter, Jr., Proration Manager, will assign an allowable and place it on the proration schedule.

For your convenience I am enclosing the necessary forms and if we can be of further assistance in regard to this matter, please let us know.

Very truly yours,

OIL CONSERVATION COMMISSION

BY \_\_\_\_\_

L. A. Hanson  
Oil & Gas Inspector

LAH/lp  
cc: Mr. A. L. Porter, Jr.,  
Oil Conservation Commission  
Hobbs, New Mexico

[illegible][illegible][illegible]

The following information was obtained from the records of the  
 Department of the Interior, Bureau of Land Management, and the  
 Bureau of Reclamation, and is being furnished to you for your  
 information. It is to be understood that this information is not  
 to be used for any purpose other than that for which it was  
 furnished, and that it is not to be distributed to any other  
 person without the express written consent of the Bureau of  
 Land Management.

7. *Conclusions*—The results of this study suggest that the use of a single, low-dose, short-acting benzodiazepine, such as lorazepam, may be a safe and effective method of sedation for the conscious, intubated patient. The use of a single, low-dose, short-acting benzodiazepine may be a safe and effective method of sedation for the conscious, intubated patient. The use of a single, low-dose, short-acting benzodiazepine may be a safe and effective method of sedation for the conscious, intubated patient.

THE UNIVERSITY OF CHICAGO

[illegible]