

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a natural reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

LC 059954

1. INDIAN, ALLOTTEE OR TRIBE NAME

1. OIL WELL ☐ GAS WELL ☐ OTHER ☒ WIW - TA

OCT 11 12 52 AM '83

BUR. OF LAND MGMT
ROSWELL DISTRICT

7. UNIT AGREEMENT NAME

West Loco Hills Grb #4 SI

8. FARM OR LEASE NAME

Tract 12

2. NAME OF OPERATOR
Newmont Oil Company

3. ADDRESS OF OPERATOR

P. O. Box 1305, Artesia, New Mexico 88210

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface

2310' FSL 330 FEL Sec. 9-18-29

RECEIVED BY

NOV 28 1983

O. C. D.

ARTESIA, OFFICE

10. FIELD AND POOL, OR WILDCAT

Loco Hills (O.G. Sa).

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 9-18-29

12. COUNTY OR PARISH

Eddy

13. STATE

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3493' GA

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other) P&A

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

7/2/83...Tagged bottom. Mixed 2 sxs paper and spotted 100 sxs cement w/2% Calcium. S.D.
7/5/83...Tagged plug at 1881'. Found hole between 976' and 1039'. Pulled pkr to 598'. Pumped into hole, using hole in pipe as perfs, squeezed 75 sxs cmt w/2% calcium. SI - no pressure. WOC. 3 hrs. Pressure tested plug, no plug. Squeezed 50 sxs cmt w/2% Calcium SI w/no pressure. WOC.

7/6/83...Pressure tested plug. No plug. Mixed 2 sxs paper followed by 100 sxs cmt w/2% Calcium and 1 sk cottonseed hulls mixed in cmt. WOC. Pressure tested plug. No plug. Mixed 5 sxs paper followed by 100 sxs cmt w/paper mixed in it. WOC. 3 hrs. Pressure tested plug, no plug. Mixed 3 sxs paper - squeezed 100 sxs cmt w/2% calcium and paper. Mixed in cmt. WOC.

7/7/83--Pressured tested plug. No plug. Fluid leve at 552'. Set pkr at 598'. Pumped 200 gal zone-lock, followed w/100 sxs cmt w/2% calcium. WOC. Pressure tested plug - No plug Squeezed 100 sxs cmt w/2% Calcium and paper mixed in the cement. SI 100 psi. WOC.

7/8/83..Pressure tested plug. No plug. Squeezed 100 sxs cement w/2% Calcium. SI - no pressure. WOC. Pressure tested - No plug. Tagged bottomhole plug at 1881'. Mixed 2 sxs paper and squeezed 100 sxs cement w/2% Calcium and 1 sk cottonseed hulls mixed in cmt. SI w/no pressure. WOC.

7/11/83..Pressure test plug. No plug. Spotted 100 sxs cmt. Pulled tbg. WOC. Tagged plug at 622' perf @ 320' w/4 shots/ft. Spotted 50 sxs cmt at 341'. Bullhead squeezed - SI w/200 psi.

(no attach.)
See attachment

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

Area Manager

DATE 9/14/83

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

Post ID-2
12-2-83
P4A