	i		·		CISP
Form 31@0-5 (August 1999)	UNITED STATES DEPARTMENT OF THE INT BUREAU OF LAND MANAGI			FORM APPROVED OMB No. 1004-0135 Expires November 30, 2000	
Do not use th	Y NOTICES AND REPOR his form for proposals to dr ell. Use Form 3160-3 (APD) t	TS ON WELLS	A 237	 5. Lease Serial No. <u>NM-02426</u> 6. If Indian, Allottee or Trib 	oe Name
SUBMIT IN TR	IPLICATE - Other instruct	tions on reverse s		7. If Unit or CA/Agreement	i, Name and/or No.
1. Type of Well			ECEIVED) - ARTESIA		
Oil Well Gas Well Other				8. Well Name and No. WLHU G4S Unit Tract 19A-1	
2. Name of Operator Yates Petroleum Corporation				9. API Well No.	
3a. Address 3b. Phone No. (include area code) 105 S. 4th St Artesia, NM 88210 505-748-1471				30-015-03352 10. Field and Pool, or Exploratory Area	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				Loco Hills-Q-GB-SA	
890' FSL & 2310' FEL of Section 9-T18S-R29E (Unit O, SWSE)				11. County or Parish, State	
				Eddy Co	o., NM
12. CHECK AI	PPROPRIATE BOX(ES) TO I	INDICATE NATUR	E OF NOTICE, RI	EPORT, OR OTHER DA	ATA
TYPE OF SUBMISSION	TYPE OF ACTION				
Notice of IntentSubsequent Report	Alter Casing Casing Repair	 Deepen Fracture Treat New Construction 	 Production (Start, Reclamation Recomplete 	Well Integ	
Final Abandonment Notice	Change Plans		U Temporarily Aba	andon	
following completion of the invitesting has been completed. F determined that the site is ready Propose to plug an 1. TIH with wire Load hole with plu with tubing. 2. Perforate 7" 3. TIH with wire tubing and sting	the work will be performed or provident volved operations. If the operation re- inal Abandonment Notices shall be for final inspection.) and abandon as follow line set CIBP and se ugging mud. Spot a casing with 6 holes line set cement reta into retainer. Esta 35' of cement on top	esults in a multiple comp filed only after all requir s: t CIBP at 2284 30 sack Class at 950' and 6 iner and set r blish an injec	letion or recompletion ements, including recla C cement pluy holes at 376 retainer at 8 tion rate.	IH with tubing an g from 2284-2154 50'. TOOH. TIH Squeeze with 75 s	 and the operator has tag CIBP. TOOH with
 TIH with wire tubing.and sting cement from 376-2 Spot a 15 sac Install regul 	line set cement reta into retainer. Esta 76'. Leave 35' of c k Class C cement plu ation abandonment ma AD (505-234-5909) AN	iner and set m blish circulat ement on top o g at surface. rker. D OCD-ARTESIA	etainer at 2 ion. Squeez of retainer. -50' Pull- (505-748-128	76'. TOOH. TIH e with 60 sacks (TOOH with tubing	g •
Name (Printed/Typed)					VED
Rusty Klein	- <u>/</u>		perations Te	chniciAPPRO	
Signature Kusto	Then	Date	July 20, 2001	(ORIG. SGD.)	
1.0	SEE ATTARATO	P FEDERAL OR ST	ATE OFFICE USE		
certify that the applicant holds les	ADITIONS OF AP e attached. Approval of this notice gal or equitable tille to those rights	PROVAL Tit does not warrant or in the subject lease Of	le	Date LES BAE PETROLEUM I	YAK NGINEER
which would entitle the applicant to Title 18 U.S.C. Section 1001 and T States any false, fictitious or fraudu	o conduct operations thereon. Fitle 43 U.S.C. Section 1212, make it ilent statements or representations as	a crime for any person k to any matter within its ju	nowingly and willfully risdiction.	to make to any department or	agency of the United

BUREAU OFICE BUREAU OFICE RECEIVED



- SKETCH NOT TO SCALE -

DATE: 3-12-01 MH

