			n an	CIST
	UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT		FORM APPROVED OMB No. 1004-0135 Expires November 30, 2000	
	Y NOTICES AND REPORTS ON W		5. Lease Serial No. NM-02426	
Do not use th	is form for proposals to drill or to r ell. Use Form 3160-3 (APD) for such p	e-enter an 🏾 🏝	6. If Indian, Allottee or Tribe Name	
	IPLICATE - Other instructions on	<b>reverse Side</b> IVED OCD - ARTESIA	7. If Unit or CA/Agreement, Name ar	id/or No.
. Type of Well Gas Well	) Other		8. Well Name and No.	
Name of Operator			WLHU G4S Unit Tract	19B-2
Yates Petroleum C	Corporation		9. API Well No.	
a. Address		No. (include area code)	30-015-03356	
		748-1471	10. Field and Pool, or Exploratory Are	
	, T., R., M., or Survey Description)		Loco Hills-Q-GB-SA 11. County or Parish, State	<u>A</u>
990' FNL & 1650'	FEL of Section 9-T18S-R29E	(Unit B, NWNE)	11. County of Fatish, State	
	<u>.</u>		Eddy Co., NM	
12. CHECK AP	PROPRIATE BOX(ES) TO INDICAT	E NATURE OF NOTICE	, REPORT, OR OTHER DATA	
TYPE OF SUBMISSION TYPE OF ACTION				
	Acidize Deepen	Production (	Start/Resume) 🔲 Water Shut-Off	
Notice of Intent	Alter Casing Fracture			
	Casing Repair I New Con	struction 🔲 Recomplete	Other	
Subsequent Report	Change Plans X Plug and	Abandon 🔲 Temporarily	Abandon	
Final Abandonment Notice	Convert to Injection Dug Bac	e	sal	
Attach the Bond under which t following completion of the inv testing has been completed. Fi determined that the site is ready Propose to plug a 1. TIH with wire Load hole with pl 2. Perforate 7" 3. TIH with wire and sting into re cement. Leave 35 4. TIH with wire and sting into re 498-398'. Leave 5. Spot a 15 sac 6. Install regul	nd abandon as follows: line set CIBP and set CIBP ugging mud. Spot a 30 sac casing with 6 holes at 860 line set cement retainer at tainer. Establish an injet ' of cement on top of reta line set cement retainer at tainer. Establish circula 35' of cement on top of re k Class C cement plug at st ation abandonment marker. AD (505-234-5909) AND OCD- NG OPERATIONS	No. on file with BLM/BIA. R ultiple completion or recomplet ter all requirements, including k Class C cement p ' and 6 holes at 1 nd set retainer a ction rate. Squee iner. TOOH with nd set retainer a tion. Squeeze wi tainer. TOOH with urface. 5c' Pute	TIH with tubing and tag plug from 2330-2200'. To 385'. t 760'. TOOH. TIH with eze with 75 sacks Class ( tubing. t 285'. TOOH. TIH with th 60 sacks Class C cement h tubing.	g CIBP. operator has g CIBP. OOH. tubing C tubing nt from
Rusty Klein	$\sqrt{a}$	Title Operations	Technician	
Signature With	Then	Date July 20, 20		001 BABYAK
< ¥	THIS SPACE FOR FEDER	AL UN STATE OFFICE (	LES BABYA	
Approved by	·	Title		GINEER
certify that the applicant holds leg	attached. Approval of this notice does not wa al or equitable title to those rights in the subje conduct operations thereon.	ct lease Office SEE	ATTACHED FOR	
Title 18 U.S.C. Section 1001 and T States any false, fictitious or fraudu	"itle 43 U.S.C. Section 1212, make it a crime for lent statements or representations as to any matte	any person know be and it is jurisdiction.	HUNS: UL ALL'HUYA	the United

-

a series and the series of the

BUREAU OF TAND MEMT. 2001 707 5H AM 8: 28 BECEIVED



DATE: 3-9-01 MH



- SKETCH NOT TO SCALE -