


N

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

AREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

Aston & Fair Box 218, Smith, New Mexico
Company or Operator Address
State Well No. 2 in SE NE of Sec. 11, T. 13
R. 29, N. M. P. M., Loco Hills Field, Eddy County.
Well is 1650 feet south of the North line and 990 feet west of the East line of Section 11.
If State land the oil and gas lease is No. B-6570 Assignment No. _____
If patented land the owner is _____ Address _____
If Government land the permittee is _____ Address _____
The Lessee is Aston & Fair Address _____
Drilling commenced December 19 19 40. Drilling was completed January 29 19 41
Name of drilling contractor Aston & Fair Address Box 218, Smith, New Mexico
Elevation above sea level at top of casing 3517 feet.
The information given is to be kept confidential until _____ 19 _____

OIL SANDS OR ZONES

No. 1, from 2658 to 2668 No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 326 to 330 feet. _____
No. 2, from _____ to _____ feet. _____
No. 3, from _____ to _____ feet. _____
No. 4, from _____ to _____ feet. _____

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
8 1/2	28	10	Lapweld	488	Regular				
7"OD	20	8	Seamless	2543	Larkin				

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0 feet to 2668 feet, and from _____ feet to _____ feet
Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing February 1 19 41
The production of the first 24 hours was 30 barrels of fluid of which _____% was oil; _____%
emulsion; _____% water; and _____% sediment. Gravity, Be _____
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. _____

EMPLOYEES

E. A. Sample Driller S. E. Simms Driller
W. J. Cluney Driller _____ Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 24

Smith, New Mexico Feb. 24, 1941
Place Date

day of February 19 41

Name E. C. Abston

SEAL

Chas. A. Aston
Notary Public

Position Office Mgr.

Aston & Fair

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	100		Sandy shale
100	230		Red rock and sand
230	280		Sand (Little water)
280	440		Gyp
440	490		Red rock, anhy and salt
490	965		Salt
965	1798		Anhy
1798	1810		Lime shells
1810	1815		Gas break
1815	1825		Lime
1825	2165		Anhy
2165	2210		Red sand
2210	2277		Anhy
2277	2297		Lime
2297	2325		Anhy & Lime
2325	2352		Lime
2352	2400		Anhy and lime
2400	2454		Lime
2454	2490		Anhy
2490	2658		Lime
2658	2668		Oil sand
2668			Total depth