(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Bu Ap	Budget Bureau No. 42-R358.4 Approval expires 12-31-60.					
Land Office	La Cruces					
	NN 02056					
Unit						

NDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL NOTICE OF INTENTION TO CHANGE PLANS NOTICE OF INTENTION TO TEST WATER SHUT-OFF. NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO ABANDON WELL	SUBSEQUENT REPORT OF WATER SHUT-OFF SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING SUBSEQUENT REPORT OF ALTERING CASING SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR SUBSEQUENT REPORT OF ABANDONMENT SUPPLEMENTARY WELL HISTORY
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

			December 2		, 19.57
Well No. 2 is located.	990 ft. f	rom $\mathbb{S}^{\mathbb{N}}$ line an	d 990 ft. from	$ \left\{ \begin{array}{c} $	<u></u>
Mil 1893 34	18-5	29-E	N.B.P.		
(½ Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)		
Turkey Track Ext.	E	ddy	New	Mexico	
(Field)	(Co	unty or Subdivision)	(8	state or Territory)	

The elevation of the derrick floor above sea level is 3143 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Wish to drill a well to explore the Red Sand or Queen some and if this some proves unproductive, may explore the Grayburg series. The Red Sand should occur at approximately 2100 feet, the deeper some a maximum of approximately 2750 feet. Intend to run approximately 350 feet of 8 5/8" surface pipe and coment with 25 sacks coment.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Robert E. McKee, General Contractor, Inc. Box 246, Artesia, New Mexico Manager of Oil Production

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

Section A.			Da	ite October 7	1997
Operator Rebert E.		Lease	Mix		
Well No. 2 Unit Le	etterSection		Township Feet	Range	In East NMPM
	et From G. L. Elevat:	Line,	Dedicated		Acres
County Name of Producing Forma	ation Queen or	Grayburg	Pool Ter	key Track Ert.	
 Is the Operator the Yes No X If the answer to que consolidated by come "yes," Type of Consolidated to que the American Solution of the American Solution (American Solution) 	e only owner* in uestion one is "a nmunitization ago solidation	the dedicate no," have the reement or of	e interests of therwise? Yes_	all the owners	been If answer is
below: <u>Owner</u>			Land Descri	iption	
Robert E. McKee,	General Contr.,	Inc.	Surface to	000 feet.	· · · · · · · · · · · · · · · · · · ·
Ralph Wix			Below 3000 f	est.	
Section.B					
- 110 -12		 		This is to cer information in above is true to the best of and belief.	Section A and complete my knowledge
				Operator	und
.				Box 266, Arte	sia, New Mexico
				This is to cer well location plat in Section from field not surveys made by my supervision same is true at the best of my belief. Date Surveyed Registered Pro Engineer and/o	shown on the n B was plotted es of actual y me or under and that the nd correct to knowledge and 10/1/51

(See instructions for completing this form on the reverse side)

NSTRUCTIONS FOR COMPLETIO

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the platter the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3, Section A, please use space below

^{* &}quot;Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1953 Comp.)