


RECEIVED

U. S. LAND OFFICE **02056**
SERIAL NUMBER
LEASE OR PERMIT TO PROSPECT

SEP 20 1960

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



LOG OF OIL OR GAS WELL

LOCATE WELL CORRECTLY

Company **HARVEY E. YATES** Address **320 Carper Building, Artesia, New Mexico**
Lessor or Tract **NM 02056** Field **Turkey Track** State **New Mexico**
Well No. **1 Mix** Sec. **34** T. **18S** R. **29E** Meridian **N.M.P.M.** County **Eddy**
Location **1980** ft. **N** of **N** Line and **880** ft. **W** of **W** Line of **Section 34** Elevation _____
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed **James D. Monroe** Title **General Superintendent**
Date **September 13, 1960**

The summary on this page is for the condition of the well at above date.
Commenced drilling **April 13**, 19 **60** Finished drilling **May 2**, 19 **60**

OIL OR GAS SANDS OR ZONES

(Denote gas by G)
No. 1, from **2075'** to **2085'** No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from **225'** to **235'** No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From-	To-	
8"	24lb	8std		340'	Reg.				
2 1/2"	8.5lb	8std		222'	Plat. shoe				

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
8"	340'	50 Sx Reg	Denton Oil Well Cementing		
2 1/2"	2125'	150 Sx Reg	Halliburton Oil Well Cementing		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet
Cable tools were used from **0'** feet to **2126'** feet, and from _____ feet to _____ feet

DATES

_____, 19____ Put to producing **None**, 19____

The production for the first 24 hours was _____ barrels of fluid of which _____% was oil; _____% emulsion; _____% water; and _____% sediment. Gravity, °Bé. _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

Roy Burkhardt, Driller **L.P. Jennings**, Driller
_____, Driller _____, Driller


FORMATION RECORD

FROM-	TO-	TOTAL FEET	FORMATION
0'	40'	Sand & Red Rock	
40'	215'	175'	Red Shale
215'	225'	10'	Gravel
235'	400'	165'	Red Shale & Anhy.
400'	930'	530'	Salt
930'	1560'	630'	Anhy.
1560'	2075'	515'	Line & Anhy.
2075'	2100'	25'	Sand
2100'	2126'	26'	Line

RECEIVED

SEP 20 1960

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
UNITED STATES



LOCATE WELL CORRECTLY

LOG OF OIL OR GAS WELL

Company
Tract
Well No.
Location
Elevation

The information on location is a complete description of the well and all work on a location so far as can be determined from available records.
Signed
The summary on this page is for the condition of the well at above date.
Comments

HISTORY OF OIL OR GAS WELL

Table with 4 columns: FROM, TO, TOTAL FEET, and FORMATION. Contains various data entries for well history.

LOGD WYSK