Form 9-331 a (Feb. 1951)

	_

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

	N#015068		
Lease No. Unit	C		

		AND REPORTS ON WELLS SUBSEQUENT REPORT OF WATER SHUT-OFF	
TICE OF INTENTION TO DRILL		PEROPT OF SHOOTING OR ACIDIZING	
TICE OF INTENTION TO CHANGE PL	ANS	SUBSEQUENT REPORT OF ALTERING CASING	
TICE OF INTENTION TO CHARGE THE	R SHUT-OFF	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
TICE OF INTENTION TO RE-DRILL O	OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OF THE SUBSEQUENT REPORT OF ABANDONMENT	
- WEENTION TO SHOOT OR	ACIDIZE	THETOPY	
TICE OF INTENTION TO SHOOT OF	LTER CASING	SUPPLEMENTARY WELL HISTORY	
OTICE OF INTENTION TO ABANDON I	WELL		
TICE OF INTENTION TO ABARDON			
(INDICA)	TE ABOVE BY CHECK MA	ARK NATURE OF REPORT, NOTICE, OR OTHER DATA)	
("EDION"			. 19 5
		May U	
ell No. 2 is locat	ted 990 ft. fr	rom. $\{N \}$ line and 1980 ft. from $\{W \}$ line of s	
AN AL NOV	(Twp.)	(Range) (Meridian)	_
(½ Sec. and Sec. No.)		(State or Territory)	-
(Field)	(Cou	unty or Subdivision)	
(I ma)	_	1 1: 3kh7 ft	
ne elevation of the derric	k floor above sea	a level is	
ne elevation	n.E	TAILS OF WORK	
ile cievassa	DE	TAILS OF WORK	ling jobs, cen
tate names of and expected depths	DE to objective sands; she	TAILS OF WORK ow sizes, weights, and lengths of proposed casings; indicate muddle all other important proposed work)	ling jobs, cen
tate names of and expected depths	DE to objective sands; she ing points, and	TIALS OF WORLE ow sizes, weights, and lengths of proposed casings; indicate mudd all other important proposed work)	ling jobs, cen
tate names of and expected depths	DE to objective sands; she ing points, and	TIALS OF WORLE ow sizes, weights, and lengths of proposed casings; indicate mudd all other important proposed work)	ling jobs, cen
tate names of and expected depths	to objective sands; she ing points, and	TALS OF WORK ow sizes, weights, and lengths of proposed casings; indicate mudd all other important proposed work) care described location as follows:	
tate names of and expected depths	to objective sands; she ing points, and	ow sizes, weights, and lengths of proposed casings; indicate mudded all other important proposed work)	this
Righ to drill a	to objective sands; she ing points, and	ow sizes, weights, and lengths of proposed casings; indicate mudded all other important proposed work) ove described location as follows:	this depth
Righ to drill a w	to objective sands; she ing points, and the the the the the the the sands; she is a sands of the	ow sizes, weights, and lengths of proposed casings; indicate much dall other important proposed work) ove described location as follows: ad coment 8 5/8° pipe with 25 sacks, 5 feet. We then intend to drill to 8	this depth
Righ to drill a w	to objective sands; she ing points, and the the the the the the the sands; she is a sands of the	ow sizes, weights, and lengths of proposed casings; indicate much dall other important proposed work) ove described location as follows: ad coment 8 5/8° pipe with 25 sacks, 5 feet. We then intend to drill to 8	this depth
Righ to drill a w	to objective sands; she ing points, and the the the the the the the sands; she is a sands of the	ow sizes, weights, and lengths of proposed casings; indicate much dall other important proposed work) ove described location as follows: ad coment 8 5/8° pipe with 25 sacks, 5 feet. We then intend to drill to 8	this depth
Righ to drill a w	to objective sands; she ing points, and the the the the the the the sands; she is a sands of the	ow sizes, weights, and lengths of proposed casings; indicate mudded all other important proposed work) ove described location as follows:	this depth
Righ to drill a w	to objective sands; she ing points, and the the the the the the the sands; she is a sands of the	ow sizes, weights, and lengths of proposed casings; indicate much dall other important proposed work) ove described location as follows: ad coment 8 5/8° pipe with 25 sacks, 5 feet. We then intend to drill to 8	this depth
Righ to drill a w	to objective sands; she ing points, and the the the the the the the sands; she is a sands of the	ow sizes, weights, and lengths of proposed casings; indicate much dall other important proposed work) ove described location as follows: ad coment 8 5/8° pipe with 25 sacks, 5 feet. We then intend to drill to 8	this depth
Righ to drill a w	to objective sands; she ing points, and the the the the the the the sands; she is a sands of the	ow sizes, weights, and lengths of proposed casings; indicate much dall other important proposed work) ove described location as follows: ad coment 8 5/8° pipe with 25 sacks, 5 feet. We then intend to drill to 8	this depth
Righ to drill a war brill to selt wit should be at approaching to explore to the de	to objective sands; she ing points, and the she ing points and the she ing points and the she ing points the	ow sizes, weights, and lengths of proposed casings; indicate much all other important proposed work) cove described location as follows: ad censet 8 5/8° pipe with 35 sacks, 5 feet. We then intend to drill to a sead. If Red Sand unproductive, we want 3,000 feet.	this depth
Righ to drill a war brill to selt wit should be at approaching to explore to the de	to objective sands; she ing points, and the she ing points and the she ing points and the she ing points the	ow sizes, weights, and lengths of proposed casings; indicate much all other important proposed work) cove described location as follows: ad censet 8 5/8° pipe with 35 sacks, 5 feet. We then intend to drill to a sead. If Red Sand unproductive, we want 3,000 feet.	this depth
Righ to drill a manual to selt with should be at appropriately to explore to the de	to objective sands; she ing points, and all on the children the children the Red spth Bot to so	ow sizes, weights, and lengths of proposed casings; indicate much all other important proposed work) cove described location as follows: ad cement 8 5/8° pipe with 25 sacks, 5 feet. We then intend to drill to a sacks. Sand. If Red Sand unproductive, we want a sacks.	this depth
Righ to drill a manual to selt with should be at appropriately to explore to the de	to objective sands; she ing points, and all on the children the children the Red spth Bot to so	ow sizes, weights, and lengths of proposed casings; indicate much all other important proposed work) cove described location as follows: ad cement 8 5/8° pipe with 25 sacks, 5 feet. We then intend to drill to a sacks. Sand. If Red Sand unproductive, we want a sacks.	this depth
Righ to drill a war brill to selt wit should be at approxificient to expense place to the de	to objective sands; she ing points, and all on the children in the children in the children in the children in the Red apply Bot to compare the Red apply Bot to compare the control of th	ow sizes, weights, and lengths of proposed casings; indicate much all other important proposed work) cove described location as follows: ad cement 8 5/8° pipe with 25 sacks, 5 feet. We then intend to drill to a sacks. Sand. If Red Sand unproductive, we want a sacks.	this depth
Righ to drill a manual that this plan of	to objective sands; she ing points, and all on the children the children the Red spth Bot to so	ow sizes, weights, and lengths of proposed casings; indicate much all other important proposed work) cove described location as follows: ad cement 8 5/8° pipe with 25 sacks, 5 feet. We then intend to drill to a sacks. Sand. If Red Sand unproductive, we want a sacks.	this depth



John A. Mathis, Jr. SOUTHEAST ENGINEERING CO.

GENERAL SURVEYING

ARTESIA, NEW MEXICO

PHOTOSTATS

OZALID PRINTS

COMPANY	Robert E. McKee	
LEASE	McKee-Wilson WELL NO2	
sec34	T. 198 S., R. 298 E., N. M. P. M.	
LOCATION	NET Not (990' from North & 1980' from West Li	ne

NEW MEXICO

SCALE 4" = 1 MILE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

SEAL:

ARTESIA, NEW MEXICO

SURVEYED

MAY 10, 19.57

5469 - Artesia Printing Co.

30-015-03500

OCRID 36990 PROP 22462 POOL 61020