IN REPLY REFER TO:



UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

> P. C. Box 187 Artosia, New Mexico

3

October 27, 295

Mellos & Bassett 410 Hermosa Drive Artesia, New Mexico

5.05

Re: 011 and Gas Lease LC 062029

Gentlemens

Your "Subsequent Report of Abandonment" dated July 30, 1956, covaring your well No. 3-Brainard located (660 feet from the south and west lines) of section 3k, T. 18 S., R. 29 K., Turbuy-Track Pool, Eddy County, New Mexico, is hereby approved.

Yery truly yours,

John A. Frost District Engineer

JAT:m

Inspected by John A. Frost Outsher 26, 1956



UNI ED STATES DEPARTMEN OF THE INTERIOR GEOLC ICAL SURVEY

and the state of a figure to a state of a s

1971 - A. S. S. S.

ಾಲ್ಸ್ ಕೃತ್ಯ ಗಾರ್ವ ಗ್ರಾಂಭದಾಗಿದ್ದರೆ. ಕ್ರಾಂಗ್ ದೇಂದ್ರ್ಯ ಸರ್ಕಾರ್ ಸ್ಥಾನಿಸಿದ್ದಾರೆ. ಸಾರ್ಥ ಕ್ರಾಂಗ್ ಎಂಗ್ ಕೇರ್ಪ್ ಸಿರ್ಕ್ ಸ್ಟಾರ್ ಗ್ರಾಮಿಸಿ ಸಂಸ್ಥೆ ಕಾರ್ಯಕ್ರಾ ಸ್ಥೆ ಸಿರ್ಕಾರ್ ಸಂಗ್ರೆಸ್ ಸಾರ್ಥಿಸಿದ್ದರೆ. ಗ್ರಾಂಗ್ ಕ್ರಾಂಗ್ರೆಸ್ಟ್ ಸ್ಟಾರ್ ಸ್ಟ್ ಕ್ರಾಂಗ್ ಸಿರ್ಕ್ ಸಿರ್ಕ್ ಸಿರ್ಕ್ ಸಿರ್ಗಿಸ್ ಸಿರ್ಗ್ ಸಿರ್ಕ್ ಸಿರ್ಕ್ ಸಿರ್ಕ್ ಸಿರ್ಕ್ ಸಿರ್ ಕ್ರಾಂಗ್ ಸಿರ್ಕ್ ಸಿರ್ಕ ಸಿರ್ಕ್ ಸಿರ್ಕ್

alle de la calega

1

Form 9-331		į –	ALL DITE OF LENGT	Budget Bureau 42-R358.2. Approval expires 12-31-52.
(Feb. 1951)		/FD	(SUBMIT IN TRIPLICATE)	Land Office Las Cruces
APP			UNITED STATES DEPARTMENT OF THE INTERIOR	Lease No. 002027 Ini II Unit
JU • yot	N A. FR	OST	GEOLOGICAL SURVEY	

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEC	UENT REPORT OF WATER SH	IUT-OFF
NOTICE OF INTENTION TO CHANGE P	1.ANS	SUBSEC	UENT REPORT OF SHOOTING	GOR ACIDIZING
NOTICE OF INTENTION TO TEST WAT	ER SHUT-OFF	SUBSEC	UENT REPORT OF ALTERING	CASING
NOTICE OF INTENTION TO RE-DRILL	OR REPAIR WELL	SUBSEC	UENT REPORT OF RE-DRILLI	NG OR REPAIR
NOTICE OF INTENTION TO SHOOT OF	ACIDIZE	SUBSEC	UENT REPORT OF ABANDON	MENT
NOTICE OF INTENTION TO PULL OR	ALTER CASING		MENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON	WELL	X		
•				, 19 56
Well No.3-Brainardis loca	ted <u>660</u> ft. f	$\operatorname{rom}_{-} \left\{ \begin{array}{c} \mathbf{X} \\ \mathbf{S} \end{array} \right\} \lim_{n \to \infty} $	and 660 ft. from	$ \begin{cases} \mathbf{K} \\ \mathbf{W} \end{cases} \text{ line of sec. } 34 \end{cases} $
		(**)		
SW1 of SW1 31. (% Sec. and Sec. No.)	18-5 (Twp.)	29-B (Range)	N.M.P. (Meridian)	
	18-5 (Twp.)	29-B (Range)		

The elevation of the derrick floor above sea level is 3429 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Above well plugged as per our conservation of July 27th, 1956. Well was mudded to the bottom of the 8-5/8" pipe at the depth of 385 feet. A sement plug was placed in the bottom of the 8-5/8" pipe. The pipe was knocked off at 270 feet and a cement plug was placed at the top of the 8-5/8" pipe at the point it was knocked off and the well was filled with mud to the surface and a regulation marker installed.

Fre E 312 3 0 T THE CORACT WE CHANNER

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company McKee and Bassett

Address 410 Hermosa Drive

P.O.Box 246, Artesia, New Mexico

Title Manager of Oil Production

U. S. GOVERNMENT PRINTING OFFICE 16-8437-4