

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

P. O. Ber 187 Artusia, New Mexico

January 1k, 1957

His & Curtis Bes 605 Artesia, New Mexico

Ret Oil and Gas Lease M 02056

Contlement

Your "Subsequent Report of Abandorment" dated October 26, 1956, opvering your well No. 1-Kix located in the corrected location (2508 fact from morth line and by fact from west line of) section No. 1. 18 S., R. 29 R., Wildest Area, Eddy County, New Mexico, is bereby approved.

Very truly yours,

John A. Frost District Engineer

JAT:

Imperied by John A. Frost January 11, 1957



UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

TO FINE CONTRACTOR OF THE SECOND SECO

 $\frac{\partial}{\partial x} \left(\frac{\partial}{\partial x} + \frac{\partial}{\partial x} \right) = \frac{1}{2} \left(\frac{\partial}{\partial x} + \frac{\partial}{\partial x} \right) = \frac{1}{2} \left(\frac{\partial}{\partial x} + \frac{\partial}{\partial x} \right) = \frac{1}{2} \left(\frac{\partial}{\partial x} + \frac{\partial}{\partial x} + \frac{\partial}{\partial x} \right) = \frac{1}{2} \left(\frac{\partial}{\partial x} + \frac{\partial}{\partial x} + \frac{\partial}{\partial x} + \frac{\partial}{\partial x} \right) = \frac{1}{2} \left(\frac{\partial}{\partial x} + \frac{\partial}{$

The second of th

98.73

ক্ষাল্য ক্ষালয় ক্ষাল্য ক্ষাল্য ক্ষাল্য ক্ষাল্য ক্ষালয় ক্

0

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Land Offic	. K	w Xendee
Lease No.	凝	02056
Unit	E	

NOTICE OF INTE	NTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF
	NTION TO CHANGE PLANS	ì	i ii
MOTICE OF THIE	NTION TO TEST WATER SHU		SUBSEQUENT REPORT OF ALTERING CASING.
	NTION TO RE-DRILL OR RE	1	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.
	NTION TO SHOOT OR ACIDI		
	NTION TO PULL OR ALTER		1 1
NOTICE OF INTE	NTION TO ABANDON WELL.		
	(INDICATE ABO	OVE BY CHECK MAR	K NATURE OF REPORT, NOTICE, OR OTHER DATA)
			<u>October 24.</u> , 19.
		2508	m line and to ft. from line of sec. 3
Vell No. 💄	is located a	ft. fron	m line and to ft. from W line of sec34
			4(* *)
(1/4 Sec. a)	nd Sec. No.)	16 ; (Twp.)	(Range) (Meridian)
Turkey T	ield)	cody Cov	y or Subdivision) (State or Territory)
0-17-56	Orilled to TJ	. of 2536°.	O' and set 10 sex cement plug; madded from
.0 -1 9-56	875' to 325' a hole and cappe (The above cap	d well, set tioned work	sex count plug maded from 300° to top of 5°-4" narker. k done by oral pendasion granted by ct Ingineer, U.S.S.S.)
I understand	875' to 325' a hole and cappe (The above cap Hr. John : Fro	d well, set	k done by oral perchasion granted by ct ingineer, U.S.S.)