## ROSWELL OFFICE COPY


7-18-29

Budget Buresu No. 43-Rass.4.

	API	PERTE	xpires	19-81- <del>60</del>
Lend	Office	Las	Cre	LGOS

cand conce

Umit P



## Com to Roswell (2)

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

	Joseph Wr
NOTICE OF INTENTION TO DRILL	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIDAN
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.	
NOTICE OF INTENTION TO PULL OR ALI'ER CASING	
NOTICE OF INTENTION TO ABANDON WELL.	

SUNDRY NOTICES AND REPORTS ON

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

		***********		Julý 6,	, 19 62
Well No. 1X is located	sd <u>940</u> ft. f	rom S line as	nd 330. ft. from	line of sec.	7
SE/4 SE/4 7 (4 Sec. and Sec. No.)	185	29 <b>E</b>	NMPM		
(36 Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)		
West Leco Hills		<b>Ed</b> dy	New	Mexico	
(Field)	(Cot	inty or Subdivision)		or Territory)	

The elevation of the derrick floor above sea level is 3537. ft.

## **DETAILS OF WORK**

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work)

We shot off  $4\frac{1}{2}$ " esg at 2100°. Palled same and circulated hole with gel. Placed 100° cmt. plug across perforations from 2300° to 2400°. Placed 100° plug from 1850° to 1950°. Placed 100° cmt plug from 730° to 830°. Placed 100° plug from 275° to 375°. Placed 25° cmt plug at top of surface. Placed regulation dry hole marker and abandoned well.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.				
Company	Harvey E. Yates			
Address	320 Carper Bldg.			
	Artesia, New Mexico	By Let Pluce		
		Title Bookkeeper		
		GPO 862040		