Form 9-881a (Feb_1951)____

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Budget Bureau No. 42-R358.4. Approval expires 12-31-60.

Land Office Land Van Cours

RECEIVED

8 1961 DEC

	NOTICES AND	REPORT	ON WELLS	TESIA, DFFI
NOTICE OF INTENTION TO DRILL NOTICE OF INTENTION TO CHANGE F NOTICE OF INTENTION TO TEST WAT NOTICE OF INTENTION TO RE-DRILL NOTICE OF INTENTION TO SHOOT OF NOTICE OF INTENTION TO ABANDON	PLANS	IBSEQUENT REPORT C IBSEQUENT REPORT C IBSEQUENT REPORT C IBSEQUENT REPORT C	OF WATER SHUT-OFF OF SHOOTING OR ACIDIZING OF ALTERING CASING OF RE-DRILLING OR REPAIR OF ABANDONMENT HISTORY	
(INDIC)	ATE ABOVE BY CHECK MARK NATURE	OF REPORT, NOTICE,	OR OTHER DATA)	
			ber 5	1964
Vell No. is local is	18 8. 29	(M	.P.M.	
tate names of and expected depths	DETAILS O		oposed casings; indicate muddi	ng jobs, cement
Intend to drill wexpected to be portion of comment. If comment to appropriately comment.	DETAILS Of to objective sands; show sizes, weighing points, and all other important to the rotary tools that the rotary tools are trated at approximately completion is independent to abid	F WORK hts, and lengths of proportion proposed work to test to vimately 400' and icated, windepth and	he Grayburg For 2300 feet. will cement with /5.11 run 44" 00 to cement same with same with same will remember the same will remembe the same will remember the same will remember the same will remember the same will remember the same will remembe the same will reme	mation set sacks .54 ith
Intend to drill wexpected to be portion to be portion of comment. If comment to appropriately sacks comment.	DETAILS Of to objective sands; show sizes, weighing points, and all other important to the rotary tools that the rotary tools are trated at approximately completion is independent to abid	F WORK hts, and lengths of proportion proposed work to test to vimately 400' and icated, windepth and	he Greyburg For 2300 feet. will cement with /5.11 run 44" UD 1 cement same with same same same same same same same same	mation set sacks .54 ith
Intend to drill we expected to be portion to be portion to be portionally consing to approximate the department of the d	DETAILS Of to objective sands; show sizes, weighing points, and all other important routery tools that rotary tools are approximately completion is indicately total. Intend to abidity.	F WORK hts, and lengths of proposed work to test to winetely 400' and icated, winetely depth and by the Sological So	he Greyburg For 2500 feet. Will cement with /5.11 run 44" 00 1 cement same with same same same same same same same same	mation il ser sacks 3.59 ith ations
Intend to drill we expected to be portion to be portion to be portion of cement. If a new casing to appropriate the department of the depa	DETAILS Of to objective sands; show sizes, weighing points, and all other important rotary tools the trated at approximately completion is indicately total. Intend to abidit.	F WORK hts, and lengths of proposed work to test to winetely 400' and icated, winetely depth and by the Sological So	he Greyburg For 2500 feet. Will cement with /5.11 run 44" 00 1 cement same with same same same same same same same same	mation il ser sacks 3.59 ith ations
Intend to drill we expected to be portion of comment. If comment if comment is appropriate the department of the department of the department is a second of	DETAILS Of to objective sands; show sizes, weight points, and all other important to the rotary tools are trated at approximately completion is indicately total. Intend to abid the rotary total are and parting the sand parting the sand parting total building,	F WORK hts, and lengths of proposed work to test to wissetely 400' and icated, wind depth and by the Second	he Greyburg For 2300 feet. will comme with /5 11 run 44" UD 1 comment same with 15 comment same with same with same with same regulary before operations may be survey before operations may be	macion il ser sacks 3.59 ith ations
new casing to app 100 sacks cement. of the department	DETAILS Of to objective sands; show sizes, weight points, and all other important to the rotary tools are trated at approximately completion is indicately total. Intend to abid the rotary total are and parting the sand parting the sand parting total building,	F WORK hts, and lengths of proposed work to test to wissetely 400' and icated, wind depth and by the Second	he Greyburg For 2500 feet. Will cement with /5.11 run 44" 00 1 cement same with same same same same same same same same	macion il ser sacks 3.59 ith ations

NUMBER OF COPIE	RECEIVE	<u> </u>	
DIS	TRIBUTION		
SANTA FF			
FILE			
U.S.G.S.		,	
LAND OFFICE			
	OIL		
TRANSPORTER	GAS		1
PRORATION OFFI	E		
OPERATOR			

NEW MEXICO OIL CONSERVATION COMMISSION

N.M.L.S.No.

	RATION OFFICE		1143		mi	LETING THIS			
OPE	MATOR	L	1		SECTION				
Op	erator	-	*****		Lease	<u> </u>			Well No.
	S.P.Yettes		in Yates				,	avis	1
Un	it Letter Se	ction 1 9	Township	18 Soutn	Range	29 East	County	Eddy	
Аc	tual Footage Locat						. I	<u> </u>	
		et from the	South	line and		60 feet	t from the	East	line
Gr	ound Level Elev. 3534	Producing	_		Pool	a francista co	÷,		Dedicated Acreage: 40 Acres
	JJJ4	<u> </u>	burg		Unde	signayed	<u> </u>		40 Acres
	who has the right another. (65-3-2	to drill into a 29 (e) NMSA i nestion one is	ind to produce 1935 Comp.) s''no,'' have	from any pool	l and to appoint l	propriate the p	production	either for him	. ("Owner" means the personself or for himself and ization agreement or other-
_	If the answer to qu				and their re	espective inte		v:	FIVE
Ο¥	vner				1	Land Descript	ion		The state of the s
_		 							DEC 5 1961
_									U. S. GEULUG, DAL S
-			SECT	ION B				7	ARTESIA, NEW MEX
Γ		T.	R 2	9 E					
1			1. ~	_				1	certify that the information
l		1						i	ON A above is true and com-
l		i			1		Ī	belief.	ne best of my knowledge and
						l '			
								Name	2 1 1
L	.			<u></u>		<u> </u>			la Carlo
l						! !		Position	kkeeper
		į							S. P. Yates and
ı		ļ				į		Mart	in Yates, III
1		i				{ [Date	
١		i				! 		De	cember 5, 1961.
l						!			
1		 		9		<u> </u>			
		!				!		I hereby c	ertify that the well location
ı		ļ				l I		=	the plat in SECTION B was
		i i					1	plotted fro	om field notes of actual
1		i				!			ade by me or under my
						 	l		on, and that the same is true
				<u> </u>		<u>L</u>]	and correct and belief	t to the best of my knowled
								and belief	•
						}		<u> </u>	
		1				1 ,	6601	Date Surv	•
		ļ		1					tober 7.1961
		 				4-			
						5- <u>1</u> 099		Registe re	d Professional Engineer

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.