(SUBMIT IN TRIPLICATE CEIVLE

UNITED STATES DEPARTMENT OF THE INTERIOR

D. C. Sherry E

SUNDR'I NOTICE	SUBSEQUENT REPORTS ON SUBSEQUENT REPORT OF WATER SH	UT OFF
	SUBSEQUENT REPORT OF WATER SH SUBSEQUENT REPORT OF SHOOTING	OR ACIDIZING
ICE OF INTENTION TO DRILL	or at TEDING	CASHIO
ICE OF INTENTION TO CHANGE PLANS	of be DPILL	NG UK KEI KEI
ICE OF INTENTION TO TEST WATER STORE WELL TICE OF INTENTION TO RE-DRILL OR REPAIR WELL	DESCRIPTION OF ARANDON	MENI
	WEIL HISTORY	
TICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTART	
TO ARANDON WELL	11	
TICE OF INTENTION TO 72	OF DEPORT NOTICE, OR OTHER	DATA)
(INDICATE ABOVE BY CH	HECK MARK NATURE OF REPORT, NOTICE, OR OTHER I	, 19
	pr11 28	, 19
Federal"70"		20
teaern'	CRITE	line of sec.
1 is legated 440	ft. from S line and 660 ft. from	··· (W)
Il No is located	N. H. P. H.	
SE 55 20 185	(Meridian)	New Mexico
(1/ Sec. and Sec. No.) (Tw)	dir	(State of bentury) - VED
Undesignated	(County or Subdivision)	W A course
	•	APR 2 8 1961
(Field)	4 9499 (-	Thu Ting
ground leve	we sea level is 3521 ft.	. The printer
he elevation of the desired cor, too	We sea level is 3521 ft.	II S HEULUS SAL SUNVI
he elevation of the desired cor, too	a m11	II S HEULUS SAL SUNVI
he elevation of the desired cor, too	a m11	II S HEULUS SAL SUNVI
he elevation of the desire and appeared depths to objective sa	DETAILS OF WORK ands; show sizes, weights, and lengths of proposed coints, and all other important proposed work)	II S HEULUS SAL SUNVI
he elevation of the desired correction	DETAILS OF WORK ands; show sizes, weights, and lengths of proposed coints, and all other important proposed work)	II S HEULUS SAL SUNVI
he elevation of the desire and appeared depths to objective sa	DETAILS OF WORK ands; show sizes, weights, and lengths of proposed coints, and all other important proposed work)	II S HEULUS SAL SUNVI
he elevation of the desire and appeared depths to objective sa	DETAILS OF WORK ands; show sizes, weights, and lengths of proposed coints, and all other important proposed work)	II S HEULUS SAL SUNVI
he elevation of the desire and appeared depths to objective sa	DETAILS OF WORK ands; show sizes, weights, and lengths of proposed coints, and all other important proposed work)	II S HEULUS SAL SUNVI
ne elevation of the description	DETAILS OF WORK ands; show sizes, weights, and lengths of proposed coints, and all other important proposed work)	II S HEULUS SAL SUNVI
ne elevation of the description	DETAILS OF WORK ands; show sizes, weights, and lengths of proposed coints, and all other important proposed work)	II S HEULUS SAL SUNVI
tate names of and expected depths to objective saing po	DETAILS OF WORK ands; show sizes, weights, and lengths of proposed coints, and all other important proposed work)	II S HEULUS SAL SUNVI
tate names of and expected depths to objective saing po	DETAILS OF WORK ands; show sizes, weights, and lengths of proposed coints, and all other important proposed work)	II S HEULUS SAL SUNVI
tate names of and expected depths to objective saing po	DETAILS OF WORK ands; show sizes, weights, and lengths of proposed coints, and all other important proposed work)	II S HEULUS SAL SUNVI
tate names of and expected depths to objective saing po	DETAILS OF WORK ands; show sizes, weights, and lengths of proposed coints, and all other important proposed work)	II S HEULUS SAL SUNVI
tate names of and expected depths to objective as ing polynomer of the depths to objective as ing polynomer of the depths to objective as ing polynomer of the	DETAILS OF WORK ands; show sizes, weights, and lengths of proposed coints, and all other important proposed work) ry tool to toot the Gray, at apparentmentally 2500 s rimetally 400° and common as indicated, will residue by the rules and common and by the rules and residue by	U.S. MECHOGRAL SURV MINES ARRESTANDARD MANY PORMATION MANY
tate names of and expected depths to objective saing power and to drill with rotate and to be penatrated. On 200 casing at appear and casing to appear and	DETAILS OF WORK ands; show sizes, weights, and lengths of proposed coints, and all other important proposed work) ry tool to test the Gray at approximately 2500 from the indicated, will residually total depth and constituted by the rules and residuals.	D. S. SECTION SURVEY FORMATION SOLVEY FORMATION SOLVEY FORMATION WILL Set SOME WITH 75 Ale OD 9.66 A some with 190 Palations of the
tate names of and expected depths to objective saing possible of the personal contract of the pe	DETAILS OF WORK ands; show sizes, weights, and lengths of proposed coints, and all other important proposed work) ry tool to test the Gray at approximately 2500 from the indicated, will residually total depth and constituted by the rules and residuals.	D. S. SECTION SURVEY FORMATION SOLVEY FORMATION SOLVEY FORMATION WILL Set SOME WITH 75 Ale OD 9.66 A some with 190 Palations of the
tate names of and expected depths to objective saing power and to drill with rotate of the penaltrates. GD 200 coains at approximate of the penaltrates. If completion to approximate to	DETAILS OF WORK ands; show sizes, weights, and lengths of proposed coints, and all other important proposed work) ry tool to test the Gray at approximately 2500 from the indicated, will residually total depth and constituted by the rules and residuals.	D. S. SECTION SURVEY FORMATION SOLVEY FORMATION SOLVEY FORMATION WILL Set SOME WITH 75 Ale OD 9.66 A some with 190 Palations of the
tate names of and expected depths to objective saing power to drill with rotal and to drill with rotal on the penetrated of the penetrated	DETAILS OF WORK ands; show sizes, weights, and lengths of proposed coints, and all other important proposed work) ry tool to test the Gray at approximately 2500 s rimetely 400' and commit is indicated, will resilie total depth and commit ly total depth and commit light total depth and commit is indicated and resilies and resilies and resilies and resilies and resilies are relies and resilies are relies and resilies and resilies are relies are relies are relies are relies and resilies are relies are rel	U. S. Manual SURV Maings; Afforest Addition of the series with 190 Malations of the series of the series with 190 Malations of the series of the series with 190 Malations of the series of the series with 190 Malations of the series of the series with 190 Malations of the series of the series with 190 Malations of the series with 190 Mal
tate names of and expected depths to objective saing power and to drill with rotate of the penaltrates. GD 200 coains at approximate of the penaltrates. If completion to approximate to	DETAILS OF WORK ands; show sizes, weights, and lengths of proposed coints, and all other important proposed work) ry tool to test the Gray at approximately 2500 s rimetely 400' and commit is indicated, will resilie total depth and commit ly total depth and commit light total depth and commit is indicated and resilies and resilies and resilies and resilies and resilies are relies and resilies are relies and resilies and resilies are relies are relies are relies are relies and resilies are relies are rel	D. S. SECTION SURVEY FORMATION SOLVEY FORMATION SOLVEY FORMATION WILL Set SOME WITH 75 Ale OD 9.66 A some with 190 Palations of the

·

	WEL	NEW MEXICO	OIL CONS	ERVATION C	OMMESSI CATIO	N PLAT	ECE VEERM C-128 Revised 5/1/57
		NSTRUCTIONS FO				VERSE SID	E MAY 2 1961
			SECT				W. C.
Operator		** *1	Lease	*6374	O. C	OFFIGE,	70" Well News
Unit Letter	Section	Township 13	Ra	inge	County	ولادان	
Actual Footage Lo	cation of Well: feet from the	coath 1	ine and	fee	from the	Best.	line
Fround Level Elev	. Producing I	Formation	Pool				Dedicated Acreage: Acres
who has the riginal another. (65–3). If the answer to wise? YES	ht to drill into an 3-29 (e) NMSA 19 question one is NO	nd to produce from a 935 Comp.) "no," have the int If answer is "yes,"	erests of all th	appropriate the t e owners been co olidation	nsolidated	either for hi	
. If the answer to Owner	question two is	"no," list all the	owners and their			r:	RECEIVED
				Land Descript	ion		APR 2 8 1961
					·····		U. S. GEOLEGISTA SURVEY
		SECTION	3			7	ARTESIA, NEW WEXICO
						in SECT	
	1				12 12	Date	1 28, 1941
						shown on plotted fr surveys n supervision	certify that the well location the plat in SECTION B was om field notes of actual nade by me or under my on, and that the same is true ct to the best of my knowledge f.
§ 51						I .	eyed ad Professional Engineer and Supervor
330 660 990	0 1320 1650 19	80 2310 2640	2000 150	0 1000 50	0 0	Certificate	No.

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.