

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

N.M. Oil Cons. Division
811 S. 1st Street
Artesia, NM 88210-2834

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT-" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator
Vintage Drilling LLC

3. Address and Telephone No.
P.O. Box 158, Loco Hills NM 88255 505-748-2941

4. Location of Well (Footage, Sec., T. R. M. or Survey Description)
S-28, T-18S, R-29E
1650' FNL, 2310' FEL

5. Lease Designation and Serial No.
LC-067348

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.
Federal DY #2

9. API Well No.
30-015-03525

10. Field and Pool, or Exploratory Area
Turkey Track, 7RVS, QN, G, SA

11. County or Parish, State
Eddy, NM

12 CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input checked="" type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> Other
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13 Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

480' O.K.

Set cast iron bridge plug at 1950', cap with a minimum of 35' of cement.

Perforate at 1350', squeeze at least 100' of cement outside pipe, leave 100' of cement inside pipe. -Tag

Perforate at 1250', squeeze a minimum of 100' of cement in annulus, leave 100' cement inside pipe. -Tag

Set 50' cement plug at surface.

Will tag cement after each squeeze.

14. I hereby certify that the foregoing is true and correct

Signed Marc Durbin Title Secretary Date 2/27/01

(This space for Federal or State office use)

Approved by (ORIG. SGD.) DAVID R. GLASS Title PETROLEUM ENGINEER Date MAR 06 2001

Conditions of approval, if any:

SEE ATTACHED FOR
Title 18 U.S.C Section 1001 makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations.

CONDITIONS OF APPROVAL

• See Instruction on Reverse Side