Form 9-331

No.

Form Approved.

Dec. 1973	Budget Bureau No. 42-R	1424
UNITED STATES	5. LEASE	
DEPARTMENT OF THE INTERIOR	LC-067348	
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a difference reservoir. Use Form 9–331–C for such proposals.)		CEIVED
1 oil gos	8. FARM OR LEASE NAME Federal DY	1 4 1980
well gas other	9. WELL NO.	
2. NAME OF OPERATOR Yates Drilling Company	e e	C. D.
3. ADDRESS OF OPERATOR	Turkey Track	
207 So. 4th St., Artesia, NM 88210 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 1)	11. SEC., T., R., M., OR BLK. AND SURVEY AREA	Y OR
below.) Unit B, 660 FNL & 1980 FEL	Unit B, Sec. 28-185-29E	
AT SURFACE: AT TOP PROD. INTERVAL: AT TOTAL DEPTH:	12. COUNTY OR PARISH 13. STATE NM	
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE	14. API NO.	
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND 3461' GR	WD)
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON* (other)	(NOTE: Report results of multiple completion or change on Form 9–330.)	zone
 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly st including estimated date of starting any proposed work. If well is measured and true vertical depths for all markers and zones perting the propose to run cement Bond Log. Set wire @1988-2000'. Shoot 4 holes above cement bond Perforate 1802-10, 1910-14'. Break each zone test. 	directionally drilled, give subsurface locations ent to this work.)* line plug above existing perfs d. Squeeze cement to surface.	ates, and
	RECEIVE	ED
	OCT 2 198	0
	U.S. GEULUGICAL S	
Subsurface Safety Valve: Manu. and Type		XÍĆO
18. I hereby certify that the foregoing is true and correct		, •
SIGNED Sie Store TITLE Drilling Supe	ervisomate Oct. 1, 1980	
(This space for Federal or State of		 ,
APPROVED BY TITLE CONDITIONS OF APPROVAL, IF ANY:	DATE APPROVED	
	00T 8 1080	

*See Instructions on Reverse Side