		U, C. C. COPY	Approval expires 12-31-60.			
n 9-331 a eb. 1961)	(SUBMIT	IN TRIPLICATE)	Land Office			
			Lease No.			
PROVE		ED STATES	Unit			
p Q V	DEPARTMEN	•				
X	61 GEOLO	<u>N</u> .				
~~C 2	WN PALEER	tille;				
DEC 2 A. R. SPR CTING DISTRIC	ENGINEER		N WEISS			
A. DISTRIC	SUNDRY NOTICES A	ND REPORTS U	N WELLEDOLA, OFFICE			
Clinc		X SUBSEQUENT REPORT OF WAT				
OTICE OF INTEN	TION TO DRILL					
OTICE OF INTEN	TION TO CHANGE PLANS		RING CASING			
NOTICE OF INTER	ITION TO TEST WATER SHUT-OFF		RILLING OR REPAIR			
NOTICE OF INTER	ITION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF ABAI	NDONMENT DLO			
NOTICE OF INTE	NTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTO				
NOTICE OF INTER	NTION TO ABANDON WELL		ARTESIA, OFFICE			
	(INDICATE ABOVE BY CHECK MAR	K NATURE OF REPORT, NOTICE, OR OTI				
		Novembe	r 28, , 19.61			
/ell No.	r Injection G-W is located 325 ft. from	n_{S} line and <u>2645</u> ft.	from $\{\overline{W}\}$ line of sec.			
furkey Tra (I	n of the derrick floor above sea l	27E NMP (Range) (Meridian by y or Subdivision) evel is ft. (Will AILS OF WORK	(State or Territory) (State or Territory) report later)			
The elevation State names of a Propose to Propose to to set 4 1, opposite (ield) (County (County and of the derrick floor above sea 1 DET/ and expected depths to objective sands; show ing points, and al drill well to Quzen Sand, ex set 8 5/8" surface casing at 2" production casing at T.D. Sugen Sand. Propose to use w	27E NMP (Range) (Meridian ity or Subdivision) evel isft. (Will AILS OF WORK sizes, weights, and lengths of proposed II other important proposed work) spected to be found of 2 360' and cement to sur	(State or Territory) (State or Territory) report later) od casings; indicate mudding jobs, coment- 080' to 2200'. face. Propose utside casing			
Turkey Trac (i) The elevation State names of (Propose to Propose to	ield) (County (County and of the derrick floor above sea 1 DET/ and expected depths to objective sands; show ing points, and al drill well to Quzen Sand, ex set 8 5/8" surface casing at 2" production casing at T.D. Sugen Sand. Propose to use w	27E NMP (Range) (Meridian ity or Subdivision) evel isft. (Will AILS OF WORK sizes, weights, and lengths of proposed II other important proposed work) spected to be found of 2 360' and cement to sur	(State or Territory) (State or Territory) report later) od casings; indicate mudding jobs, coment- 080' to 2200'. face. Propose utside casing			
The elevation State names of a Propose to Propose to to set 4 1, opposite (ield) (County (County and of the derrick floor above sea 1 DET/ and expected depths to objective sands; show ing points, and al drill well to Quzen Sand, ex set 8 5/8" surface casing at 2" production casing at T.D. Sugen Sand. Propose to use w	27E NMP (Range) (Meridian ity or Subdivision) evel isft. (Will AILS OF WORK sizes, weights, and lengths of proposed II other important proposed work) spected to be found of 2 360' and cement to sur	New Mexico (State or Territory) report later) od casinge; indicate mudding jobs, coment- 080 ⁴ to 2200 ⁴ . Face. Propose utside casing well in water- RECEIVES			
The elevation State names of a Propose to Propose to to set 4 1, opposite (ield) (County (County and of the derrick floor above sea 1 DET/ and expected depths to objective sands; show ing points, and al drill well to Quzen Sand, ex set 8 5/8" surface casing at 2" production casing at T.D. Sugen Sand. Propose to use w	27E NMP (Range) (Meridian ity or Subdivision) evel isft. (Will AILS OF WORK sizes, weights, and lengths of proposed II other important proposed work) spected to be found of 2 360' and cement to sur	New Mexico (State or Territory) report later) Ind casings; indicate mudding jobs, coment- 080' to 2200'. Face. Propose utside casing wall in water- RECEIVEL DEC 4 1961			
Turkey Trac (i) The elevation State names of a Propose to Propose to Propose to to set 4 1, opposite (flood proj	ield) (County ield) (County ind expected depths to objective sands; show ing points, and al drill well to Quzen Sand, ex set 8 5/8" surface casing at /2" production cosing at T.D. Sugen Sand. Propose to use w act.	27E NMP (Range) (Meridian (Meridian y or Subdivision) evel isft. (Will AILS OF WORK sizes, weights, and lengths of proposed il other important proposed work) spected to be found at 2 360 ⁴ and cament to sur , and cement to 1600 ⁴ of yell as a woter injection	New Mexico (State or Territory) report later) od casings; indicate mudding jobs, coment- 080' to 2200'. Face. Propose utside casing wall in water- RECEIVED DEC 4 1961 U.S. GEOLOGICAL SUM			
Turkey Trac (i) The elevation State names of a Propose to Propose to Propose to to set 4 1, opposite (flood proj	ield) (County ield) (County ind expected depths to objective sands; show ing points, and al drill well to Quzen Sand, ex set 8 5/8" surface casing at /2" production casing at T.D. Sugen Sand. Propose to use w ect.	27E NMP (Range) (Meridian (Meridian y or Subdivision) evel isft. (Will AILS OF WORK sizes, weights, and lengths of proposed il other important proposed work) spected to be found at 2 360° and cament to surf, and cement to 1600° of yell as a woter injection	New Mexico (State or Territory) report later) d casings; indicate mudding jobs, coment- 080' to 2200'. Face. Propose utside casing wall in water- RECEIVED DEC 4 1961 U. S. GEOLOGICAL SUR before operation TESIA, on EW. MEXIC			
Turkey Trac (i) The elevation State names of a Propose to Propose to Propose to to set 4 1, opposite (flood proj	ield) (County ield) (County ind expected depths to objective sands; show ing points, and al drill well to Quzen Sand, ex set 8 5/8" surface casing at /2" production casing at T.D. Sugen Sand. Propose to use w ect.	27E NMP (Range) (Meridian (Meridian y or Subdivision) evel isft. (Will AILS OF WORK sizes, weights, and lengths of proposed il other important proposed work) spected to be found at 2 360° and cament to surf, and cement to 1600° of yell as a woter injection	New Mexico (State or Territory) report later) d casings; indicate mudding jobs, coment- 080' to 2200'. Face. Propose utside casing wall in water- RECEIVED DEC 4 1961 U. S. GEOLOGICAL SUR before operation TESIA, on EW. MEXIC			
Iunderstan Company	ck (County (County and of the derrick floor above sea 1 DETA and expected depths to objective sands; show ing points, and al drill well to Queen Sand, ex set 8 5/8" surface casing at /2" production casing at T.D. Sugen Sand. Propose to use w act. d that this plan of work must receive approve Stanton Oil Company, Ltd.	27E NMP (Range) (Meridian by y or Subdivision) evel isft. (Will AILS OF WORK sizes, weights, and lengths of propose il other important proposed work) spected to be found at 2 360° and cament to surf, and cement to 1600° of yell as a water injection al in writing by the Geological Survey Agant for Re Ee	New Mexico (State or Territory) report later) d casings; indicate mudding jobs, coment- 080' to 2200'. Face. Propose utside casing wall in water- RECEIVED DEC 4 1961 U. S. GEOLOGICAL SUR before operation TESIA, on EW. MEXIC			
Iunderstan Company	ck (County (County and of the derrick floor above sea 1 DETA and expected depths to objective sands; show ing points, and al drill well to Queen Sand, ex set 8 5/8" surface casing at /2" production casing at T.D. Sugen Sand. Propose to use w act. d that this plan of work must receive approve Stanton Oil Company, Ltd.	27E NMP (Range) (Meridian by y or Subdivision) evel isft. (Will AILS OF WORK sizes, weights, and lengths of propose il other important proposed work) spected to be found at 2 360° and cament to surf, and cement to 1600° of yell as a water injection al in writing by the Geological Survey Agant for Re Ee	New Mexico (State or Territory) report later) od casinge; indicate mudding jobs, coment- 080' to 2200'. Face. Propose utside casing wall in water- RECEIVER DEC 4 1961 U. S. GEOLOGICAL SUR before operations TESLA, on NEW MEXIC			
Iunderstan Company	ck (County (County and of the derrick floor above sea 1 DET/ and expected depths to objective sands; show ing points, and al drill well to Queen Sand, ex set 8 5/8" surface casing at /2" production cosing at T.D. Sugen Sand. Propose to use w act. d that this plan of work must receive approve Stanton Oil Company, Ltd. 408 Wilkinson-Foster Buildi	27E NMP (Range) (Meridian y or Subdivision) evel isft. (Will AILS OF WORK sizes, weights, and lengths of proposed ll other important proposed work) spected to be found of 2 360' and cament to 1600' of yell as a woter injection all in writing by the Geological Survey Agent for R. S.	New Mexico (State or Territory) report later) od casings; indicate mudding jobs, coment- 080' to 2200'. face. Propose utside casing wall in water- RECEIVEL DEC 4 1961 U. S. GEOLOGICAL SUM before operations TESIA, on MEXIMAN Metros			
Iunderstan Company	ck (County (County and of the derrick floor above sea 1 DETA and expected depths to objective sands; show ing points, and al drill well to Queen Sand, ex set 8 5/8" surface casing at /2" production casing at T.D. Sugen Sand. Propose to use w act. d that this plan of work must receive approve Stanton Oil Company, Ltd.	27E NMP (Range) (Meridian y or Subdivision) evel isft. (Will AILS OF WORK sizes, weights, and lengths of proposed ll other important proposed work) spected to be found of 2 360' and cament to 1600' of yell as a woter injection all in writing by the Geological Survey Agent for R. S.	New Mexico (State or Territory) report later) od casinge; indicate mudding jobs, coment- 080' to 2200'. Face. Propose utside casing wall in water- RECEIVER DEC 4 1961 U. S. GEOLOGICAL SUR before operations TESLA, on NEW MEXIC			
Iunderstan Company	ck (County (County and of the derrick floor above sea 1 DET/ and expected depths to objective sands; show ing points, and al drill well to Queen Sand, ex set 8 5/8" surface casing at /2" production cosing at T.D. Sugen Sand. Propose to use w act. d that this plan of work must receive approve Stanton Oil Company, Ltd. 408 Wilkinson-Foster Buildi	27E NMP (Range) (Meridian by y or Subdivision) evel isft. (Will AILS OF WORK sizes, weights, and lengths of proposed il other important proposed work) spected to be found at 2 360' and cament to 1600' of yell as a water injection al in writing by the Geological Survey Agant for Re Fe	New Mexico (State or Territory) report later) od casings; indicate mudding jobs, coment- 080' to 2200'. face. Propose utside casing wall in water- RECEIVEL DEC 4 1961 U. S. GEOLOGICAL SUM before operations TESIA, on MEXIMAN Metros			

		SEE INSTRUC	TIONS FOR	COMPLET	ING THIS FO	ORM O	N THE REVE	RSE SIDE		
					TION A					11 M.
)perator Standan	Off Com	any, Ld.		Lea	se Basin	and				-11 No.
Jait Letter	Section	Town	ship		Range		County			
J	3		18 9		29	Ē		iddy 👘		
Actual Footage L	ocation of W	ell:			1325			Seul	h	
2043	feet from	the		e and		fee	t from the		line	d Acreage:
Ground Level Ele	v. Produ	icing Formation	a ,	Poo	¹ Tyrl	key T	rask		Deutcate	Acres
another. (65) 2. If the answer	-3-29 (e) N. to question (If answe	p.) ave the inter r is ''yes,''	rests of all Type of Co	the owners lonsolidation	been c	onsolidated b rests below:	y communit	ization a	greement or other-
Jwner				. <u></u>		escrip				
										روانی در ۱۹۹۹ - ۲۰۰۰ ۱۹۹۹ - ۲۰۰۰
· · · · · · · · · · · · · · · · · · ·		S E	CTION B						CERTIF	
								in SECTION plete to the belief.	ON A abo he best o	at the information ve is true and com- f my knowledge and
	İ							Company Rycer	Scott	
					I			Date	12-2-	
			_34					L		
								shown on plotted fro surveys m supervisio	the plat om field r nade by m on, and th ct to the	at the well location in SECTION B was notes of actual e or under my nat the same is true best of my knowled
			1325					Date Surv Def C	. /	st all

)

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for *both* oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.