

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS
(Do not use this form for proposals to drill or to deepen or plug back to a different depth. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☐ GAS WELL ☐ OTHER ☒ WTW - TA SEP 1 1982

2. NAME OF OPERATOR NEWMONT OIL COMPANY O. C. D.

3. ADDRESS OF OPERATOR ARTESIA, OFFICE

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface
990' FNL 330 FEL Sec. 6-18-30

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
3549'

5. LEASE DESIGNATION AND SERIAL NO.
NM 021095

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
LOCO HILLS FLOOD

8. FARM OR LEASE NAME
VATES "A"

9. WELL NO.
12

10. FIELD AND POOL, OR WILDCAT
LOCO HILLS (O. G. SA)

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 6-18-30

12. COUNTY OR PARISH
EDDY

13. STATE
NEW MEXICO

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input checked="" type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	(Other) <input type="checkbox"/>

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

- Spot sufficient cement across producing interval to tie back to production string casing seat, or set bridge plug near casing seat and cap with 25 sack cement plug.
- Perforate base of salt @ 1135' and squeeze with 50 sacks cement leaving 100' plug in casing.
- Perforate top of salt @ 430' and squeeze with 50 sacks cement leaving 100' plug in casing.
- Set 15 sack cement plug @ surface tying surface and production casing together.
- Erect permanent well marker

Note: (a.) Your office will be notified 24 hrs. prior to operations
(b.) All plugs will be verified
(c.) Hole will be loaded between all plugs with 10# Mud
(d.) We do not plan to pull any casing

RECEIVED
JUL 30 1982

OIL & GAS
U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

18. I hereby certify that the foregoing is true and correct.

SIGNED Ernest J. McHenry TITLE Area Manager DATE 7/28/82

(This space for Federal or State office use)
(Orig. Sgd.) PETER W. CHESTER TITLE _____ DATE _____

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:
AUG 31 1982

FOR
JAMES A. GILLHAM
DISTRICT SUPERVISOR

*See Instructions on Reverse Side