

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

STANDARD INSTRUCTIONS
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT" for such proposals.)

RECEIVED

1. OIL WELL ☐ GAS WELL ☒ OTHER DRY HOLE

2. NAME OF OPERATOR
FRANKLIN, ASTON & FAIR, LTD.

3. ADDRESS OF OPERATOR
P. O. BOX 1090, ROSWELL, NEW MEXICO 88201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface
1650' FWL - 330' FSL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
3495' GR

JUN 15 1976

O.C.C.
ARTESIA, OFFICE

5. LEASE DESIGNATION AND SERIAL NO.
LC 063621

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
MASTELLER A

9. WELL NO.
1-4

10. FIELD AND POOL, OR WILDCAT
Loco 71822

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
SEC. 8 - 18S - 30E

12. COUNTY OR PARISH
EDDY COUNTY

13. STATE
NEW MEXICO

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input checked="" type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

On March 24, 1976, pursuant to a telephone conversation with Mr. Knauf, this well was plugged and abandoned, as follows, when it was determined the two-inch (2") tubing at 2876 feet could not be pulled.

Pumped 50 sacks cement to bottom of tubing and left shut-in overnight, which stopped the flow of water;

Perforated tubing at 1690 feet, had heavy flow of water, pumped 50 sack cement plug followed by another 50 sacks cement, which stopped the flow of water;

Perforated two (2) holes at 1250 feet at base of Salt and pumped 100 sack plug and shut in with 400 PSI pressure;

Perforated two (2) holes at 460 feet and pumped 50 sacks cement in and out base of 8 5/8 inch casing;

Placed 10 sack plug and marker at surface.

The cementing was done by Halliburton and inspected by Mr. Gordon with U.S.G.S., Artesia.

18. I hereby certify that the foregoing is true and correct

SIGNED Grant M. Smith TITLE Geologist DATE April 2, 1976

(This space for Federal or State office use)

APPROVED BY
CONDITIONS OF APPROVAL, IF ANY:

TITLE DATE

RECEIVED
APR - 5 1976
U.S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

APPROVED
JUN 1 1976
H. L. BEEKMAN
DISTRICT ENGINEER

*See Instructions on Reverse Side