APPROVED

(SUBMIT IN TRIPLICATE)

UNITED STATES

NOV 24 1958

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office	
Lease No	0964
	8

JOHN A. FROST DISTRICT FROMNEER DECEMBER OF

SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF REDRILLING OR REPAIR. SUBSEQUENT REPORT OF REDRILLING OR REPAIR. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF ABANDONMENT. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF ABANDONMENT. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF REDRILLING OR REPAIR. SUBSEQUENT REPORT OF REDRILLING OR REPAIR. SUBSEQUENT REPORT OF REDRILLING OR REPAIR. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF REDRILLING OR REPAIR. SUBSEQUENT REPORT OF REPORT. SUBSEQUENT REPORT OF REPRILLING OR REPAIR. SUBSEQUENT REPORT OF REPORT. SUBSEQUENT REPORT OF REPORT. SUBSEQUENT REPORT OF REPORT. SUBSEQUENT REPORT OF REPORT. SUBSEQUENT REPORT OF REPRILLING OR REPAIR. SUBSEQUENT REPORT OF REPORT. SUBL	SUNDRY NOTICE	- 1		T OFF	
Subsequent report of Alene Gaing. Subsequent repor	OTICE OF INTENTION TO DRILL		PORT OF WATER SHU	D ACIDITING	
SUBSEQUENT REPORT OF REDRILLING OR REPAIR SUBSEQUENT REPORT OF ABANDONMENT SUPPLEMENTARY WELL HISTORY (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) SOURCE (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) SOURCE (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) SOURCE (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) SOURCE (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE	TICE OF INTENTION TO CHANGE PLANS		PORT OF SHOUTING	OU WOIDIVING	
SUBSEQUENT REPORT OF ABANDONMENT	TICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT RE	PORT OF ALTERING	2 OR REPAIR	
Supplementary well history (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT N	TICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT RE	PORT OF REDKILLIN	G UR BEIDIR	
Sergent (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT OF REPORT OF REP	OTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT RE	FORT OF ABANDONN	Litianonenenenenenenenenen	
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Society 18	TICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY	WELL MISTURY		
Sergent No. 11 is located 130 t. from No. 14 is located 130 t. from No. 15 No. 16 No. 17 No. 18 N	TICE OF INTENTION TO ABANDON WELL				
Sergent 19		MATURE OF REPORT N	OTICE, OR OTHER DA	TA)	
Il No is located	(INDICATE ABOVE BY CHEC	CK MARK NATURE OF REPORT,	Les 10		58
No.					, 19
(Neridian) (Field) (County or Subdivision) (State or Territory) (State or Territory) (County or Subdivision) (State or Territory) (State or Territory) (State or Territory) (DETAILS OF WORK (State or Territory)	Sergent				**
(Held) (County or Subdivision) (State or Territory) County or Subdivision) (State or Territory) DETAILS OF WORK ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work) The county of the destrict of the lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work) The county of the destrict of the lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work) The county of the lengths of t	-	N	330ft from	E line of sec	9
(Held) (County or Subdivision) (State or Territory) County or Subdivision) (State or Territory) DETAILS OF WORK ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work) The county of the destrict of the lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work) The county of the destrict of the lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work) The county of the lengths of t	ll No. 11 is located	It. from S line and	It, Hor	" (W) "" or or	
(State or Territory) Linding (State or Territory) (State or Territory) DETAILS OF WORK ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work) The control of the derick floor above sea level is		5 30 E			
(State or Territory) (Country or Subdivision) (State or Territory) (State or Territory) (State or Territory) (Country or Subdivision) (State or Territory) (State or Territory) (Country or Subdivision) (State or Territory) (State or Territory) (Country or Subdivision) (State or Territory) (State or Territory) (Country or Subdivision) (State or Territory) (S		(Range)	(Meridian)	W _ # _	
County or sundivision Condens reads DETAILS OF WORK DETAILS OF WORK ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) Then to drill to and set appears and a special set of the least sills sented for setting for setter shotteff plan to with 50 sacks sensent and 50 sacks sensent and 100 sacks of sail in drill to the local sills sented at appears 700°. If the least sills sented sill sensent foot of the sand and will use 100 sacks sensent and 100 sacks of sail if the least sills done at sale oil and does make matter we will drill through the sand and sail and does make matter we will drill through the sand and will sense sail and does make matter we will drill through the sand and will sense sail and does make matter we will drill through the sand and will sense sail sail the lawington and will sense sails sail the sails sails the lawington and will sense sails sails the sails sails the sails sails sails the sails sails sails the sails	(75 DDW and DOW 2007)				
DETAILS OF WORK ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) Then to drill to and set approx. 500 of \$5/8 Me new seculous easing comentarity for makes rement and 50 sanks made. After testing for water shuteff plan to write 50 sanks rement and 50 sanks made. After testing for water shuteff plan to drill to the ince still sanks will sense at approx 500. If the loss still sakes will sense and will use 100 sanks coment and 100 sanks of said. If the incession of the sand and will use 100 sanks coment and 100 sanks of said. If the incession at approx 500 If the Levington research and 100 sanks will the sand and will remember to the levington and the remember to the levington and	(Field)	(County or Subdivision)		(State or Territory)	
DETAILS OF WORK ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) Then to drill to and set approx. 500' of \$5/8" 26 new seemless easing temental with 50 sacks seement and 50 sacks made. After testing for water shetteff plan to drill to the loce Mills seems at approx 2500'. If the loce Mills sakes all in drill to the loce Mills seems at approx 2500'. If the loce Mills sakes all in seems related on the sand and will use 100 sacks seement and 100 sacks of said. If the local of the sand and will use 100 sacks seement and 100 sacks of said. If the local the line where we will sum and said the 7 sasing. So plan to then drill said the line where we will sum and said the 7 sasing. So plan to then drill said the line where we will sum and said the 7 sasing at the Levington and will run \$1.00'. If the Levington of fact of the Levington and will run \$1.00'. If the Levington of fact of the Levington and will run \$1.00'. If the Levington of fact of the Levington and will run \$1.00'. If the Levington \$1.00' fact of the Levington and will run \$1.00'. If the Levington \$1.00' fact of the Levington and will run \$1.00'. If the Levington \$1.00' fact of the Levington and will run \$1.00' fact of the Levington \$1.	- 1 12 May 20 11 86 d		_		
DETAILS OF WORK ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work) Then to drill to and set appear. 100° of 85/8" 256 new seamless casing temental with 50 sacks cement and 50 sacks made. After testing for vater shuteff plan to with 50 sacks cement and 50 sacks made. After testing for vater shuteff plan to with 50 sacks cement and 100 sacks of said. If the infect of the sand and will use 100 sacks cement and 100 sacks of said. If the infect of the sand and will use 100 sacks cement and 100 sacks of said. If the infect of the sand and will said and deed make water we will drill through the sand and said the lime where we will said and and the 7° sacing. So plan to them drill covington at appear. 1600°. If the Lawington shade oil in conservable quantities to the lawington and will run 51° 0.0°. Meanless casing with 22° 100° feet of the Lawington and will run 51° 0.0°. Meanless casing with 22° 100° feet of the Lawington and will run 51° 0.0°. Meanless casing with 22° 100° feet of the Lawington and will run 51° 0.0°. Meanless casing with 22° 100° feet of the Lawington and will run 51° 0.0°. Meanless casing with 22° 100° feet of the Lawington and will run 51° 0.0°. Meanless casing with 22° 100° feet of the Lawington and will run 51° 0.0°.	be elevation of the derrick floor above	e sea level is	t.		
Then to drill to and set appear. 500' of \$5/2" My new seemless easing comenting points, and all other important proposed work) Then to drill to and set appear. 500' of \$5/2" My new seemless easing comentally so eachs seement and 50 seeks made. After testing for water shotoff plan to drill to the loce Mills seem at appear 2900'. If the loce Mills seeks all in seems retail quantities will seement 7" 0.0. My new seemless easing with in a few feet of the seed and will use 100 sacks seement and 100 sacks of and. If the in Mills dose not make sill and deed make mater we will drill through the send and Mills dose not make sell and and made the 7" casing. We plan to them drill selectington at appears. 3600'. If the Levington seems oil in connervial quantities lovington at appears. 3600'. If the Levington seems sell the pall the 7" casing with his 51" 0.0. My seemake coming with his 2 few first of the Levington and will run 51" 0.0. My seemake coming with his 2 few first of the Levington and will run 51" 0.0. My seemake coming with his 2 few first of the Levington and will run 51" 0.0. My seemake coming with his 2 few first of the Levington and will run 51" 0.0. My seemake coming with his 20 few first of the Levington and					
Fine to drill to and set approx. 500' of 83/8" 28% new seamless easing commutation with 50 sacks seament and 50 sacks mad. After testing for water shatoff plan to drill to the loce Mills sand at approx 2900'. If the loce Mills sakes all in seamerstal quantites will seament 7" 0.0. 20% new seamless casing with in a few foot of the sand and will use 100 sacks seament and 100 sacks of and. If the Localite does not make all and does nake mater we will drill through the sand and Mills does not make all and does nake mater we will drill through the sand and mills does not make all sand and the 7" seaing. We plan to them drill a late the line where we will run and and the 7" seaing to line conserval quantites lovington at approx. 3600'. If the Lovington makes oil in conserval quantites will run 51" 0.0. Life seamless casing with her low fact of the Lovington and will run 51" 0.0. Life seamless casing with her low fact of the Lovington and will run 51" 0.0. Life seamless casing with her low will then pull the 7" casing the seamless and the seamless are seamless and the seamless and the seamless and the seamless and the seamless are seamless and the seamless and the seamless are seamless are seamless are seamless and the seamless are					
Fig. to drill to and set approx. 500' of 85/8" 28f new seamless easing committee with 50 sacks coment and 50 sacks mad. After testing for water shateff plan to drill to the loce Hills makes all in seamerstal quantites will seament 7" 0.0. 28f new seamless casing with in a few foot of the sand and will use 100 sacks seament and 100 sacks of and. If the in Hills does not make all and does make mater we will drill through the sand and Hills does not make all and does make mater we will drill through the sand and late the lime where we will run and and the 7" seaing. He plan to them drill a late the lime where we will run and and the 7" seaing oil in connervial quantites lowington at approx. 3600'. If the Lawington asker oil in connervial quantites will run 5% 0.0. Me seamless coming with his a few fact of the Lavington and will run 5% 0.0. Me seamless coming with his a few fact of the Lavington and will run 5% 0.0. Me seamless coming with his a few fact of the Lavington and		DETAILS OF WORK	ζ.	1 1:	iohs, cement-
	ate names of and expected depths to objective sanding points	s; show sizes, weights, and leng s, and all other important pro	ths of proposed casir cosed work)	enless easing	comentic colon to
	Flam to drill to and set apply with 50 smeke sement and 50 strill to the loce Mills send sensered quantities will send foot of the sand and will use Mills done not make oil and late the line where we will levington at appear. 3600's will run 50° 0.0. Me senals senser with 100 sands sensered with 100 sands sensered.	a; show sizes, weights, and lengs, and all other important projects. 300° of 85/8" healts made. After the Approx. 300° of 85/8" healts made. After the 100° sacks committeed make made the 7 of the Levington. The Levington.	the of proposed casinosed work) 26 new secting for if the Lees we seemices and 100 secting for its secting. It is a few frost.	enious ensing vater shutoff fills makes easing with in che of sad- through the plan to the conservial of the Levin then pall the	r commities plan to all in a few if the in send and a drill e quarites gten and ?" easis
on a commenced.	Flam to drill to and set applicate to drill to and set applicate to the loce mills send set applicate of the send and will send feet of the send and will send into the lime where we will levington at approx. 3600°. Will run 55° 0.0. 346 sensite send and complete the well in the	a; show sizes, weights, and lengs, and all other important projects. 300° of 85/8" healts made. After the Approx. 300° of 85/8" healts made. After the 100° sacks committeed make made the 7 of the Levington. The Levington.	the of proposed casinosed work) 26 new secting for if the Lees we seemices and 100 secting for its secting. It is a few frost.	enious ensing vater shutoff fills makes easing with in che of sad- through the plan to the conservial of the Levin then pall the	r commities to all in a few if the immend and a drill e quanites gten and ?" easing
I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.	Flam to drill to and set approved by the series conent and 50 drill to the loce mills mand set of the sand and will see mills does not make oil and late the line where we will coington at approx. 3500 will run 50 0.00 its senals conent with 100 sands conent and complete the well in the	a; show sizes, weights, and lengs, and all other important projects. SOO of 85/6" A approx. 200" A approx.	the of proposed casinosed work) 26 new secting for if the Lees we seemices and 100 secting for its lees oil is a few first.	enious ensing vater shutoff fills makes easing with in che of sad- through the plan to the conservial of the Levin then pall the	r commities to all in a few if the immend and a drill e quanites gten and ?" easing
total trans. Inc.	Then to drill to and set apply with 50 sacks rement and 50 strill to the loce Mills sand sense of the sand and will sense feet of the sand and will sense the line where we will levington at approx. 3600° will rea 51° 0.0° Mill sense sense will rea 51° 0.0° Mill sense sense and complete the well in the lunderstand that this plan of work must receive	a; show sizes, weights, and lengs, and all other important projects. SOO of 85/6" A approx. 200" A approx.	the of proposed casinosed work) 26 new secting for if the Lees we seemices and 100 secting for its lees oil is a few first.	enious ensing vater shutoff fills makes easing with in che of sad- through the plan to the conservial of the Levin then pall the	r commities to all in a few if the immend and a drill e quanites gten and ?" easing
Company freshlim istem t fair, Inc.	Plan to drill to and set apply the 50 sacks senson and 50 strill to the loce Mills sand sensored of the sand and will sensored of the sand and will sensored the line where we will loving ton at approx. 3600° will run 51° 0.0°. Me sensore with 100 sands sensore with 100 sands sensored that the plan of work must receive the well in the lunderstand that this plan of work must receive the sand of the sand that the plan of work must receive the sand of the sand that the plan of work must receive the plan o	a; show sizes, weights, and lengs, and all other important projects. 100° of 85/6° lenks made. After the approx. 200° and approx. 200° and approx. 200° and approx. 200° and and the 7° of the Lawington and the 7° of the Lawington and and the 7° of the Lawington.	the of proposed casinosed work) 26 new secting for if the Lees we seemices and 100 secting for its lees oil is a few first.	enious ensing vater shutoff fills makes easing with in che of sad- through the plan to the conservial of the Levin then pall the	r commities to all in a few if the immend and a drill e quanites gten and ?" easing
Company Franklin Aston & Fair, Inc.	Plan to drill to and set apply to the formation remarks and for the the total and will use the total and make the title does not make and will use the lime where we will coving to at approx. NOO. It could consider the well in the consideration of the well in the consideration of the well in the consideration of the well in the complete the well in the company.	a; show sizes, weights, and lengs, and all other important projects. 100° of 85/6° lenks made. After the approx. 200° and approx. 200° and approx. 200° and approx. 200° and and the 7° of the Lawington and the 7° of the Lawington and and the 7° of the Lawington.	the of proposed casinosed work) 26 new secting for if the Lees we seemices and 100 secting for its lees oil is a few first.	enious ensing vater shutoff fills makes easing with in che of sad- through the plan to the conservial of the Levin then pall the	r commities to all in a few if the immend and a drill e quanites gten and ?" easing
Company	Plan to drill to and set apply to the formation remains and so with 50 sacks remain and 50 sources of the case will sand set of the case and will use fact of the case and will use the line where we will coving to at approx. 3600° will run 50° 0.0° life sending complete the well in the lunderstand that this plan of work must receive the sell in the lunderstand that this plan of work must receive the sell in the lunderstand that this plan of work must receive the sell in the lunderstand that this plan of work must receive the sell in the lunderstand that this plan of work must receive the sell in the lunderstand that this plan of work must receive the sell in the lunderstand that this plan of work must receive the sell in the lunderstand that this plan of work must receive the sell in the lunderstand that this plan of work must receive the sell in the lunderstand that this plan of work must receive the sell in the lunderstand that this plan of work must receive the sell in the lunderstand that this plan of work must receive the sell in the lunderstand that this plan of work must receive the sell in the lunderstand that the lunderstand the lunderstand that the lunderstand	a; show sizes, weights, and lengs, and all other important projects. 100° of 85/6° lenks made. After the approx. 200° and approx. 200° and approx. 200° and approx. 200° and and the 7° of the Lawington and the 7° of the Lawington and and the 7° of the Lawington.	the of proposed casinosed work) 26 new secting for if the Lees we seemices and 100 secting for its lees oil is a few first.	enious ensing vater shutoff fills makes easing with in che of sad- through the plan to the conservial of the Levin then pall the	r commities to all in a few if the immend and a drill e quanites gten and ?" easing
Company Franklin istem & fair, Inc.	Then to drill to and set apply the 50 sacks senson and 50 series senson and 50 series senson and 50 series of the loce Mills sens feet of the sand and will sens feet of the sand and will sens like the lime where we will lowington at approx. 3600° will run 53° 0.0°. Me senson and complete the well in the lunderstand that this plan of work must receive the sell in the lunderstand that this plan of work must receive the sell in the lunderstand that this plan of work must receive the sell in the lunderstand that this plan of work must receive the sell in the lunderstand that this plan of work must receive the sell in the lunderstand that this plan of work must receive the sell in the lunderstand that this plan of work must receive the sell in the lunderstand that this plan of work must receive the sell in the lunderstand that this plan of work must receive the sell in the lunderstand that this plan of work must receive the lunderstand that this plan of work must receive the lunderstand that the plan of work must receive the lunderstand that the lunderstand that the lunderstand that this plan of work must receive the lunderstand that the lunderstand the lunderstand that the lunderstand that the lunderstand the lunderstand that the lunderstand that the lunderstand the lunderstand the lunderstand that the lunderstand th	a; show sizes, weights, and lengs, and all other important projects. 100° of 85/6° lenks made. After the approx. 200° and approx. 200° and approx. 200° and approx. 200° and and the 7° of the Lawington and the 7° of the Lawington and and the 7° of the Lawington.	the of proposed casinosed work) 26 new secting for if the Lees we seemices and 100 secting for its lees oil is a few first.	enious ensing vater shutoff fills makes easing with in che of sad- through the plan to the conservial of the Levin then pall the	rementing plan to all in a few if the in send and a drill e quarites gten and ?" easis

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

Sect	tion A.	// :			Date November 20, 1958
-	rator <i>Fra</i>	uklin-Aslon Unit Letter D	-Fair Inc. Lea	se Strgent	(Fed) m code
Loca Cour Name	eted 3.70 hty E. Co e of Produci Is the Oper	Feet From G. L. ng Formation cator the only ow	Worth Line, Elevation 35	330' Fe 29 Dedicat Pool	eet From West Line ted Acreage 40 Acres
2.	consolidate "yes," Type	ver to question of ed by communitizate of Consolidation	tion agreement	or otherwise? \	of all the owners been (esNo If answer is s and their respective interests
		Owner		Land Des	scription F OF INCE
					NOV Z 4 1918
					Articia, nen
Sect	ion.B	R3.	o E	-	
990					This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief. Franklin, Asten & Fair, Inc. (Operator)
			7		(Representative) P. O. Bex 769, Roswell, N. H. Address
					This is to certify that the well location shown on the plat in Section B was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my knowledge and belief. Date Surveyed forement MS Registered Professional Engineer and/or Land Surveyor.
33	o 660 990 IZ	(See instruc	2000 1000	1000 500 eting this form	Certificate No. 542

INSTRUCTIONS FOR COMPLET

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for \underline{both} oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plate the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3, Section A, please use space below

^{* &}quot;Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1953 Comp.)