Form 9-331 a (Feb. 1951)

ENGIN

(SUBMIT IN TRIPLICATE)

## UNITED STATES

**DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY** 

NMUCC(2)

Land Office	
Lease No.	048468
Unit	<b>A</b>

SECEIVED MAR 2 2 1/12

# SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO CHANGE PLANS. NOTICE OF INTENTION TO CHANGE PLANS. NOTICE OF INTENTION TO CHANGE PLANS. NOTICE OF INTENTION TO TEST WATER SHUT-OFF. NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL SUBSEQUENT REPORT OF RADOTING OR ACIDIZING. NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL SUBSEQUENT REPORT OF RADOTING OR ACIDIZING. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  3 - 14  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  3 - 14  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  3 - 14  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  3 - 14  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  3 - 14  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  3 - 14  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  3 - 14  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  3 - 14  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  3 - 14  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  3 - 14  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTH				1.3	ll .				TCIAL DE
SUBSEQUENT REPORT OF ALTERING CASING.  NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.  SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.  SUBSEQUENT REPORT OF REPORT.  SUBSEQUE	NOTICE OF INTENTION	TO DRILL			SUBSEQUENT	REPORT OF V	ATER SHUT-OF	F	<u> </u>
SUBSCOUENT REPORT OF RE-DRILLING OR REPAIR WELL  SUBSCOUENT REPORT OF RE-DRILLING OR REPAIR  SUBSCOUENT REPORT OF ABANDONMENT  SUPPLEMENTARY WELL HISTORY  MAR I 9 1960  MAR I 9 1960  MAR I 9 1960  MAR I 9 1962  MAR I 9	NOTICE OF INTENTION	IOTICE OF INTENTION TO CHANGE PLANS			SUBSEQUENT	REPORT OF S	HOOTING OR A	CIDIZING	
SUBSEQUENT REPORT OF ABANDONMENT.  SUPPLEMENTARY WELL HISTORY.  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  3 - 14	NOTICE OF INTENTION	TO TEST WATER S	SHUT-OFF		SUBSEQUENT	REPORT OF A	LTERING CASIN	G	
Supplementary well history.  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF R	NOTICE OF INTENTION	TO RE-DRILL OR	REPAIR WELL		SUBSEQUENT	REPORT OF R	E-DRILLING OR	REPAIR	
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  3 - 14  [ell No.	NOTICE OF INTENTION	TO SHOOT OR ACT	IDIZE		SUBSEQUENT	REPORT OF A	BANDONMENT		
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  3 - 14	NOTICE OF INTENTION	TO PULL OR ALTE	R CASING		SUPPLEMENT	ARY WELL HIS	TORY		
Tell No	NOTICE OF INTENTION	TO ABANDON WEL	<u>,L.,</u>						
Tell No									
Tell No. 1 is located 330 ft. from No. 1 line and 990 ft. from E line of sec. 18  ME No. 18 18 5 30 E No. 1 (Meridian)  Lace Hills  (Field) (County or Subdivision)  (State or Territory)  The elevation of the derrick floor above sea level is ft.  DETAILS OF WORK  Late names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, certain names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, certain names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, certain names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, certain names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, certain names of and expected with 50 seeks. Set 5-1/2" or 4-1/2" at top of Loca Hills and despectation with 50 seeks, and complete well is permitted by 3650°, and cannot came with 100 seeks, and complete well is permitted by 3650°, and cannot came with 100 seeks, and complete well is permitted by 3650°, and cannot came with 100 seeks, and complete well is approximately 3650°, and cannot came with 100 seeks, and complete well is permitted by 3650°, and cannot came with 100 seeks, and complete well is permitted by 3650°, and cannot came with 100 seeks, and complete well is permitted by 3650°, and cannot came with 100 seeks, and complete well is approximately 3650°.  MAR 1 9 1962  MAR 1 9 1962  MAR 1 9 1962  MAR 2 9 1962  MAR 2 9 1964  MAR 3 9 1965  MAR 4 9 1965  MAR 5 9 1965  MAR 6 9 1965  MAR 6 9 1965  MAR 6 9 1965  MAR 7 9 1965  MAR 7 9 1965  MAR 1 9		(INDICATE A	BOVE BY CHECK M	IARK NAT	URE OF REPOR	T, NOTICE, OR	OTHER DATA)		
ME N. 18  18 S DE N. M. P. M.  (4) Sec. and Sec. No.)  (Field)  (County or Subdivision)  (State or Territory)  The elevation of the derrick floor above sea level isft.  DETAILS OF WORK  (ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cere ing points, and all other important proposed work)  prepage to set 8-5/8" easing at top of sait at approximately 450° to 475°, and dement same with 50 sacks. Set 5-1/2" or 4-1/2" at top of Loca Mills same is dry. I propose to test the Premier some set cosing through and perfersto est and complete well.  MAR 1 9 1962  MAR 1 9 1962  MAR 1 9 1962  I understand that this plan of work must receive approval in writing by the Geological Survey before operations of the points of the plan of work must receive approval in writing by the Geological Survey before operations of the plan of work must receive approval in writing by the Geological Survey before operations of the plan of work must receive approval in writing by the Geological Survey before operations of the plan of work must receive approval in writing by the Geological Survey before operations of the plan of work must receive approval in writing by the Geological Survey before operations of the plan of work must receive approval in writing by the Geological Survey before operations of the plan of work must receive approval in writing by the Geological Survey before operations of the plan of work must receive approval in writing by the Geological Survey before operations of the plan of work must receive approval in writing by the Geological Survey before operations of the plan of work must receive approval in writing by the Geological Survey before operations of the plan of the plan of work must receive approval in writing by the Geological Survey before operations of the plan of the							3 - 14		, 19
(g) Sec. and Sec. No.)  Lace Hills  (Field)  (County or Subdivision)  (State or Territory)  The elevation of the derrick floor above sea level isft.  DETAILS OF WORK  ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cering points, and all other important proposed work)  propose to set 8-5/8" easing at top of sait at approximately 450° to 475°, and demant same with SC seeks. Set 5-1/2" or 4-1/2" at top of Loce Hills and easenst case with 100 seeks, and complete well in part hele. If Loce Hills same is dry, I propose to test the Premier some and testing through and perferate out and complete well.  MAR 1 9 1962  MAR 1 9 1962  MAR 1 9 1962  Understand that this plan of work must receive approval in writing by the Geological Survey before operation and perferate out and sample to the same of the s	ell No.	is located	<b>330</b> ft. fr	rom []	N line and	990	t. from ${\mathbf{E} \atop \mathbf{m}}$	line of sec	18
(% Sec. and Sec. No.)  (Twp.)  (Range)  (Mertdian)  (County or Subdivision)  (State or Territory)  (State or T	er ke 14	1	16 2	30	墓	N. M. P.	, <b>M</b> .	~	
(Field) (County or Subdivision) (State or Territory)  the elevation of the derrick floor above sea level is				(Ran		<del>-</del>			
(Field) (County or Subdivision) (State or Territory)  the elevation of the derrick floor above sea level isft.  DETAILS OF WORK  Late names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, certificate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, certificate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed work)  propose to set 8-5/8" easing at top of selt at approximately 450° to 475°, and dement same with 50 sacks. Set 5-1/2" or 4-1/2" at top of Leco Hills as to approximately 250°, and essent ease with 100 sacks, and complete well is pen hale. If Leco Hills zone is dry, I propose to test the Premier zone as exceeding through and perferate ext and esseptete well.  MAR 1 9 1962  MAR 1 9 1962  MAR 1 9 1962  Understand that this plan of work must receive approval in writing by the Geological Survey before operation and Test Server defense.  Tase Seyd Drilling Co.		,	Edds	•			Henr Man	<b>160</b>	
DETAILS OF WORK  ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cering points, and all other important proposed work)  propose to set 8-5/8" easing at top of salt at approximately 450° to 475°, and demant same with 30 seeks. Set 5-1/2" or 4-1/2" at top of Loce Mills on tapproximately 2850°, and compute same with 100 seeks, and complete well in pen hale. If Loce Mills same is dry, I propose to test the Premier some and tasking through and perfecte out and complete well.  MAR 19 1962  MAR 19 1962  I understand that this plan of work must receive approval in writing by the Geological Survey before operation and the set of the second street.  Task Boyd Drilling Co.			(Cou	nty or Sul	odivision)		(State or	Territory)	
DETAILS OF WORK  ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cering points, and all other important proposed work)  propose to set 8-5/8" easing at top of salt at approximately 450° to 475°, and demant same with 30 seeks. Set 5-1/2" or 4-1/2" at top of Loce Mills on tapproximately 2850°, and compute same with 100 seeks, and complete well in pen hale. If Loce Mills same is dry, I propose to test the Premier some and tasking through and perfecte out and complete well.  MAR 19 1962  MAR 19 1962  I understand that this plan of work must receive approval in writing by the Geological Survey before operation and the set of the second street.  Task Boyd Drilling Co.			_	_	_	_			
MAR 1 9 1962  MAR L. MA	nd doment sen			100 6				****	-
MAR 1 9 1962  MAR L. MA	on hale. If	ly 2950'.	and nament	rt 5-1 L comm day,	/2" or 4 with 10 I proper	i-1/2" at 10 seeks, 10 to to	top of and com and com at the Pr	Lece #11] plote we	s send
ARTESIA, NEW MEXICO  I understand that this plan of work must receive approval in writing by the Geological Survey before operations and the commence of the Boyd Drilling Co.  Ida South Second Street	pon hele. If	ly 2950'.	and coment is zeno is orierate	et 5-1 Leann dry, est es	/2" or 4 with 10 I proper	i-1/2" at 10 seeks, 10 to to	top of and com	Lece Mili plote wel emier son	is enacting in the sand
ARTESIA, NEW MEXICO  I understand that this plan of work must receive approval in writing by the Geological Survey before operations and the commence of the Boyd Drilling Co.  Ida South Second Street	pon hele. If	ely 2050'. Lees Hill rough and p	and coment is some to exferete	et 5-1 Leann dry, est es	/2" or 4 with 10 I proper	i-1/2" at 10 seeks, 10 to to	top of and com	Lece Mili plote wel emier son	is enacting in the sand
I understand that this plan of work must receive approval in writing by the Geological Survey before operations of the Commence of the Boyd Drilling Go.  ddress 162 South Second Street	pon hale. If	oly 2050°. Liceo Hill rough and p	and coments are to the conference of the confere	os 5-1 como dry, out an	/2" or 4 with 10 I proper	i-1/2" at 10 seeks, 10 to to	top of and com	Lece Mili plote wel emier son	is enacting in the sand
I understand that this plan of work must receive approval in writing by the Geological Survey before operations and the commence of the Boyd Drilling Co.  ddress 162 South Second Street	pon hele. If	ly 2050°. Lees Hill rough and p	and coments are to the series of the series	day.	/2" or 4 with 10 I proper	i-1/2" at 10 seeks, 10 to to	top of and com	Lece Mili plote wel emier son	is enacting in the sand
ompany Tem Boyd Drilling Co.	pon hele. If	ly 2050°. Lees Hill rough and p	and coments are to the series of the series	day.	/2" or 4 with 10 I proper	i-1/2" at 10 seeks, 10 to to	top of and com	Lece Mili plote wel emier son	is enacting in the sand
ddress 102 South Second Street	pen hole. If ot cosing thi	Loco Hill rough and p MAF a, S, ARTESIA	R19 1962	day.	1/2" or 4 with 16 I proper nd comple	i-1/2" at 10 secks, 10 to to: 10 well.	top of and const the Pr	Lece Milliplote well plote well emier son	is enacting in the sand
	pen hole. If	MAF  U. N	19 1962 A, NEW MEXI	day.	1/2" or 4 with 16 I proper nd comple	i-1/2" at 10 secks, 10 to to: 10 well.	top of and const the Pr	Lece Milliplote well plote well emier son	is enacting in the sand
	pen hale. If of cosing the	MAF  U. N	19 1962 A, NEW MEXI	day.	1/2" or 4 with 16 I proper nd comple	i-1/2" at 10 secks, 10 to to: 10 well.	top of and const the Pr	Lece Milliplote well plote well emier son	is sand il in no and
Artesie, New Meddee By Jan Bayd	I understand that the	MAF  U. N.  ARTESIA  is plan of work mu	R191962 A, NEW MEXI	dry, est es	1/2" or 4 with 16 I proper nd comple	i-1/2" at 10 secks, 10 to to: 10 well.	top of and const the Pr	Lece Milliplote well plote well emier son	is enacting in the sand
	I understand that the	MAF  U. N.  ARTESIA  is plan of work mu	R191962 A, NEW MEXI	dry, est es	/2" or 4 with 16 I proper id comple	i-1/2" at 10 secks, 10 to to 10 well,	top of and compt the Pr	Plote well	is sand it is no and  OFFIGE nmenced.
<b>≝</b> . •	I understand that the ompany	MAF  ARTESTA  is plan of work mu  Boyd Dri  2 South Se	A NEW MEXICATION OF THE PROPERTY OF THE PROPER	dry, est es	/2" or 4 with 16 I proper id comple	i-1/2" at 10 secks, 10 to to 10 well,	top of and compt the Pr	Plote well	is sand it is no and  OFFIGE nmenced.

Company	Tem Boyd Drilling Co.	
Address	162 South Second Street	
	Artesie, New Meddee	By Jan Bayd Title Prosident
		Title President

				_
NUMBER OF COFIE	S RECEI	VED		
019	TRIBUTI	ON		_
SANTA FF				
FILE		<u> </u>		
U.S.G.5.		L		
LAND OFFICE		L		
	OIL		[	
TRANSPORTER	GAS			
PRORATION OFFI	CE	17		

# NEW MEXICO OIL CONSERVATI COMMISSION

FORM C-128 Revised 5/1/57

J.S.G.S.						E DEDICATI		
TRANSPORTER OIL GAS		SEE INSTRUC	CTIONS FOR	COMPLETING T	HIS	FORM ON THE R	EVERSE	SIDE
PRORATION OFFICE			(EC	TION A				
Operator			Lea					Well No.
Operator	<u>loyd</u>	Township		Range Range	<b>m</b>	County Pod.		1
Unit Letter Sect	1 <i>9</i>	10Wnsnip		2A 🕾		lidain.		
Actual Footage Location		153						
	t from the	E¥	line and	Qii	feet	from the	, <u> </u>	line
Ground Level Elev.	Producing Fo	rmation	Poo	-			De	dicated Acreage:
	r	aybur:		المرك المرك	<b>:</b> •	lills		40
who has the right to another. (65-3-29	o drill into and O (e) NMSA 193 estion one is " NO If	to produce from 35 Comp.) 'no,'' have the is 'answer is "yes	nterests of al	to appropriate the the owners been to the owners been onsolidation	he pr	asolidated by comm	r bimsel	"'Ouner" means the person f or for himself and tion agreement or other-
Owner				Land Desc				
<u> </u>							<del></del>	
<del></del>		SECTION	В	*			CE	RTIFICATION
			·		9)	in SE	to the	tify that the information  A. above is true and combest of my knowledge and
					反.	Comp		
			<del>-</del>	WAR EN	TO-		on on the ed from eys mad rvision,	tify that the well location e plat in SECTION B was field notes of actual e by me or under my and that the same is true
·						Date Regi	Survey	ed Professional Engineer Surveyor
0 330 660 000	1320 1650 1	980 2310 2640	2000	1500 1000		Cert	ificate l	

### INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.