N. M. O. C. C. GAY Description of Salada Image: Strategy of Salada SUBMIT IN TRIPLICATE Land Office. Las Cruices Image: Salada SUBMIT IN TRIPLICATE Land Office. Las Cruices Image: Salada Submit In TRIPLICATE Land Office. Las Cruices Image: Salada Submit In TRIPLICATE Land Office. Las Cruices Image: Salada Submit In TRIPLICATE Land Office. Las Cruices Image: Salada Submit In TRIPLICATE Submit Internet To Triplicate Image: Salada Submit Internet To Triplicate Submit Internet To Triplicate Image: Salada Submit Internet To Triplicate Submit Internet To Triplicate Image: Salada Submit Internet To Triplicate Submit Internet To Triplicate Image: Salada Submit Internet To To To Marker Research Submit Internet To To To Marker Salada Image: Salada Submit Internet To To To Marker Research Submit Internet To Salada Image: Salada Submit Internet To To To Marker Research Submit Internet To Salada Image: Salada Submit Internet To To To Marker Research Submit Internet To Salada Image: Salada Submit Internet To Salada Submit Internet To Salada Image: Salada <t< th=""><th>e 🕴 🤅</th><th>e e e e e e e e e e e e e e e e e e e</th><th></th><th>-</th><th></th></t<>	e 🕴 🤅	e e e e e e e e e e e e e e e e e e e		-	
SUBMIT IN TRIPLICATE) Lad Office Lase C fusces UNITED STATES UNITED STATES RTMENT OF THE INTERIOR RECEIVED NOV 21 1961 NOV 21 1961 NOV 21 19			N. M. O.	C. C. CUPY	Budget Bureau No. 42-R356.4. Approval expires 12-31-60.
UNITED STATES Law N. 0.48978 (b) Weit A. WARK BALL RECEIVED NOV 2 1 1961 Morece of INTERTON TO BULL NOV 2 1 1961 Morece of INTERTON TO BULL SUBSCONT REPORT OF WIELLING ON AUTOR Morece of INTERTON TO BULL SUBSCONT REPORT OF WIELLING ON AUTOR MORECE OF INTERTON TO BULL SUBSCONT REPORT OF WIELLING ON AUTOR MORECE OF INTERTON TO BULL SUBSCONT REPORT OF WIELLING ON AUTOR MORECE OF INTERTON TO BULL SUBSCONT REPORT OF WIELLING ON REPAR MORECE OF INTERTON TO BULL ON REPAR SUBSCONT REPORT OF WIELLING ON REPAR MORECE OF INTERTON TO BULL ON REPAR SUBSCONT REPORT OF WIELLING ON REPAR MORECE OF INTERTON TO BULL ON REPAR SUBSCONT REPORT OF WIELLING ON REPAR MORECE OF INTERTON TO BULL ON REPAR SUBSCONT REPORT OF WIELDING ON REPAR MORECE OF INTERTON TO BULL ON REPAR SUBSCONT REPORT OF WIELDING ON REPAR MORECE OF INTERTON TO BULL ON REPAR SUBSCONT REPORT OF ALTERNING CAME MORECE OF INTERTON TO BULL ON REPAR SUBSCONT REPORT OF ALTERNING CAME MORECE OF INTERTON TO BULL ON REPAR SUBSCONT REPORT OF ALTERNING CAME MORECE OF INTERTON TO SAUCH ALTER CAME SUBSCONT REPORT OF ALTERNING CAME MORECE OF INTERTON TO SAUCH ALTER CAME SUBSCONT REPO			D (SUBMIT IN	TRIPLICATE	
A KANDER ATTENDED TO THE INTERIOR GEOLOGICAL SURVEY MOV 2 1 1961				· ·	· · · · · · · · · · · · · · · · · · ·
Contract of INTERIOR TO BULL SUPPORT NOTICES AND REPORTS ON WELLSD. C. C. ARTEENA, OFFICE NOTICE OF INTERIOR TO BULL MORE OF INTERIOR TO ALLONG OF ALDORE MORE OF INTERIOR TO ALLONG OF ALLONG MORE OF INTERIOR OF ALLONG MORE OF INTERIOR OF ALLONG MORE		mas			Unit
An and Million Marker Marker Marker		JAWES A. KNAUF			RECEIVED
And SUMBRY NOTICES AND REPORTS ON WELLS. C. C. Antice of interior to deal. Worte of interior to the deal. Worte of interior to the deal. Worte of interior to readen. Worte of the derive of the derive of the derive. Starts of the derive of the derive of the derive. Starts of the derive of the	868 IN	and a second and a second provide a second and a second and a second and a second a second a second a second a			Nov
Norte of INTENTION to DBILL X NOTE: OF INTENTION TO CHANGE ANS X SUBSCUENT REPORT OF WATE SHUT-OF SUBSCUENT REPORT OF WATE SHUT-OF NOTE: OF INTENTION TO BEARLL OR REPARE WILL SUBSCUENT REPORT OF ALTERING CASING			- -		NUV 2 1 1961
NOTE: OF INTENTION TO CAMME PLANS. A SUBSCUENT REPORT OF WATER BUT-OFT NOTE: OF INTENTION TO CAMME PLANS. BUSCUENT REPORT OF SHOULD OR PLANS. BUSCUENT REPORT OF ALTONIC CAMME NOTE: OF INTENTION TO TO ALLONG. BUSCUENT REPORT OF ALTONIC CAMME BUSCUENT REPORT OF ALTONIC CAMME NOTE: OF INTENTION TO PLAL ADD ALLONG. BUSCUENT REPORT OF ALTONIC CAMME BUSCUENT REPORT OF ALTONIC CAMME NOTE: OF INTENTION TO PLAL ADD ALLONG. BUSCUENT REPORT OF ALTONIC CAMME BUSCUENT REPORT OF ALTONIC CAMME NOTE: OF INTENTION TO PLAL ADD ALLONG. BUSCUENT REPORT OF ALTONIC CAMME BUSCUENT REPORT OF ALTONIC CAMME NOTE: OF INTENTION TO PLAL ADD ALLONG. BUSCUENT REPORT OF ALTONIC CAME BUSCUENT REPORT OF ALTONIC CAME NOTE: OF INTENTION TO PLAL ADD ALLONG NEEL. BUSCUENT REPORT OF ALTONIC CAME BUSCUENT REPORT OF ALTONIC CAME NOTE: OF INTENTION TO PLAL ADD ALLONG NEEL. BUSCUENT REPORT OF ALTONIC CAME BUSCUENT REPORT OF ALTONIC CAME NOTE: OF INTENTION TO PLAL ADD ALLONG NEEL. BUSCUENT REPORT OF ALTONIC CAME BUSCUENT REPORT OF ALTONIC CAME Stirre: S - Federal Interface Interface MICH ALLONG NEEL. Of Meet Shall Shal	GEMEN	SUNDRY NO	OTICES AND	REPORTS ON	WELLS.C.C.
Nortice of INTENTION TO CHARGE PLANS. DIRECULTY REPORT OF SHORE ON ALTERING CARAGE NORTEE OF INTENTION TO INCOME ALID. OR REPAR WILL BURSCULTY REPORT OF SHORE OR ALTERING CARAGE NORTEE OF INTENTION TO INCOME ALID. OR REPAR WILL BURSCULTY REPORT OF SHORE OF ANALOUNG OF ALTERING CARAGE NORTEE OF INTENTION TO BADTO ON ALTERING. BURSCULTY REPORT OF REDORT OF REDORT. NORTEE OF INTENTION TO ALMONG WELL. BURSCULTY REPORT OF ADAMONT OF ADAMON WELL. UNDERATE ABOVE BY CHECK MARK NATURE OF REPORT. NOTICE. OR OTHER DATA) NORTE: S - Federal Norteen ber. 6. , 19. GJ Well No. 2. is located 1650. ft. from. N. Imperation of the sec. 34. Sinter 8 - Federal Norteen ber. 6. , 19. GJ Well No. 2. is located 1650. ft. from. N. Imperation of the sec. 34. Sinter 8 - Federal Norteen ber. 6. , 19. GJ Well No. 2. is located 1650. ft. from. N. Imperation of the second of the deriver of the deriver of the second of the deriver		NOTICE OF INTENTION TO DRILL	X .	SUBSECIJENT DEPORT OF HIL	ARTESIA, OFFICE
Nortice or intermine to Rebail on Rebail on Rebail on Rebail of ALTERING CASHE Dissocuent REPORT of ALTERING CASHE Nortice or intermine to machine well. Dissocuent REPORT of ALTERING CASHE Nortice or intermine to machine well. Dissocuent REPORT of ALTERING CASHE Nortice or intermine to machine well. Dissocuent REPORT of ALTERING CASHE Nortice or intermine to machine well. Dissocuent REPORT. NOTICE. OR OTHER DATA Nortice or intermine to machine well. Dissocuent REPORT. NOTICE. OR OTHER DATA Stimme. S - Foderal Nortice of intermine to machine well. Well No.	(NOTICE OF INTENTION TO CHANGE PLANS.		UBSEQUENT REPORT OF WATER	SHUT-OFF
North: or NUMER WILL SUBSEQUENT REPORT OF REDURLING OR REPAR. Norte: or INTENTION TO ALLOR ALTER CASING. SUBSEQUENT REPORT OF REDURLING ON REPORT. NOTE: or INTENTION TO ADAMOON WILL SUBSEQUENT REPORT OF REDURLING ON REPORT. NOTE: or INTENTION TO ADAMOON WILL SUBSEQUENT REPORT OF REDURLING ON REPORT. NOTE: or INTENTION TO ADAMOON WILL SUBSEQUENT REPORT OF REDURLING ON REPORT. NOTE: or INTENTION TO ADAMOON WILL SUBSEQUENT REPORT OF REDURLING ON REPORT. NOTE: or INTENTION TO ADAMOON WILL SUBSEQUENT REPORT OF ADAMOON WILL NUMBER AT A SUCK BY CHEEK MARK NATURE OF REPORT. NOTECL OR OTHER DATA Simmer: S - Federal NOTE: Subsection of the derived to Subsection of the derive of the subsection of the derive of the subsection of Bubditions North Lignation County or Bubditions North Lignation Eddy (County or Bubditions) The elevation of the derive floor above sea level is		NOTICE OF INTENTION TO TEST WATER SH	UI-OFF	UBSEQUENT REPORT OF ALTERIN	IG CASING
Nortic of INTENTION TO FULL OR ALTER CASHS. SUPELIMENTARY WELL HISTORY. NOTICE OF INTENTION TO ALMADON WELL SUPELIMENTARY WELL HISTORY. NOTEC OF INTENTION TO ALMADON WELL SUPELIMENTARY WELL HISTORY. NOTEC OF INTENTION TO ALMADON WELL NOTEC OF OFFICE ATA NOTEC OF INTENTION TO ALMADON WELL NOTEC OF OFFICE ATA NOTEC OF INTENTION TO ALMADON WELL NOTEC OF OFFICE ATA Well No. 2 is located 1.050 Simmer S - Federal Note The Second Seco		NOTICE OF INTENTION TO RE-DRILL OR RE	CFAIR WELL	UBSEQUENT REPORT OF RE-DRIL	LING OR REPAIR
NOTICE OF INTERVIEW TO NOL NAMEDIAN WELL BUPLEMENTARY WELL INSTORY. NUMERIA AROVE BY CHEEK MARK MATURE OF MOPORT. NOTICE, ON OTHER DATA) Simmers a - Federal Noven.ber. (IZE IS	UBSEQUENT REPORT OF ABANDO	NMENT
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Simplify - Federal Well No.			CASING S	UPPLEMENTARY WELL HISTORY	
Simmes - Federal November 6	1				
Simmes - Federal November 6		(INDICATE ABC	OVE BY CHECK MARK NATUR	E OF REPORT, NOTICE, OR OTHER I	DATA)
Shift: 3 - Federal Well No. 2 is located 1650 ft. from. N line and 1980 ft. from (B) line of sec. 34. Sift Statustics Mail State Mail Statustics 185 30-E Not ft. from (B) New (A exico North Lienson Eddy Ites 30-E New (A exico New (A exico North Lienson Eddy (County or Subdivision) New (A exico (State or Territory) The elevation of the derrick floor above sea level is ft. DETAILS OF WORK New (A exico (State names of and expected depths to objective andus show these, weights, and lengths of preposed easings; indicate mudding jobs, cament- Ing points, and all other important proposed easings; indicate mudding jobs, cament- Drill with rotary tools as follows - Frill 11" hole to approximately 630". Set 8 5/8 24# casing to top of Salt at 600". Cement with 100 eacks. Drill 7 7/8" hole to approximately 3125 to test Basal Queen sand somes. Set 4 1/2" 9.5# pipe to T. D. set with 200 sacks. Pipe to be perforated opposite selected pay zones and treated by fracturing. Inderstand that this plan of work must receive approval in writing by the Geological Eurory before operations may witheread. Company Reading and Bates, Inc. It. J. Plerce Address 1101 Philtower Building By It. J. Plerce				•	
Well No. 2 is located 1 550 ft. from. N line and 1989. ft. from. H line of sec. 34. Sind of North 14 21 185 30 sind sec. No the line of sec. 34. North 14 senson Eddy Ne the line of sec. 34. North 14 senson Eddy Ne the line of sec. 34. Worth 14 senson Eddy Ne the line of sec. 34. Worth 16 senson Eddy Ne the line of sec. 34. Worth 16 senson Eddy Ne the line of sec. 34. Worth 16 senson Eddy Ne the line of sec. 34. The elevation of the derrick floor above sea level is ft. DETAILS OF WORK Betate names of and expected depths to obtain the set insportant proposed casings; indicate mudding jobs, cement- Impoints, and all other important proposed casings; indicate mudding jobs, cement- Drill with rotary tools as follows - Prill 11" hole to approximately 630'. Set 8 5/8 24# casing to top of Salt at 600'. Cement with 100 sacks. Drill 7 7/8" hole to approximately 3125 to test fiasail Cueen sand sones. Set 4 1/2" 9.5# pipe to T. D. set with 200 sacks. Pipe to be perforated opposite selected pay zones and treated by fracturing. Tunderstand that this plan of work must receive approval in writing by the Geological Survey belore o		Simple - Federal	**	Nove	mber <u>6</u> , 19 61
Si. /4 of N. /4 27 185 30 = E North Lienson North Lienson Eddy New A stico (Read) (New) New A stico (Read) Eddy New A stico (Read) (New) New A stico (Read) Eddy New A stico (Read) (New) New A stico (Read) Eddy New A stico (Read) (Read) (State or Period) The elevation of the derrick floor above sea level is ft. DETAILS OF WORK (State names of and expected depths to objective sands: show size, wights, and langths of proposed work) Trill with rotary tools as follows - Frill 11" hole to approximately 630". Set 8 5/8 24# casing to top of Salt at 600". Cement with 100 secks. Drill 7 7/8" hole to approximately 3i 25 to test isasal Cueen sand sonce. Set 4 1/2" 9.5# pipe to T. D. set with 200 sacks. Pipe to be perforated opposite selected pay zones and treated by fracturing. Iundentand that this plan of work must receive approval in writing by the Geological Survey before operations may be demonded by fracturing. Iundentand that this plan of work must receive approval in writing by the Geological Survey before operations may be demonded by fracturing. Iundentand that this plan of work must receive approval in writing by the Geological Survey before operations may be demonded by fracturing.	v	Vell No 2 in land 1 it	680 c c (N)		
Si. /4 of N. /4 27 185 30 m T North Lienson North Lienson Eddy New A exico (Read) (Read) New A exico (Read) (Read) New A exico (Read) (Read) (Read) The elevation of the derrick floor above sea level isft. DETAILS OF WORK State names of and expected depths to objective sands: show size, wights, and lengths of proposed easings: indicate mudding jobs, coment- ing points, and all other important proposed work) Trill with rotary tools as follows - Prill 11" hole to approximately 630". Set 8 5/8 24# casing to top of Salt at 600". Cement with 100 eacks. Drill 7 7/8" hole to approximately 3i 25 to test Basal Cueen sand somes. Set 4 1/2" 9.5# pipe to T. D. set with 200 sacks. Pipe to be perforated opposite selected pay zones and treated by fracturing. Iunderstand that this plan of work must reseive approval in writing by the Geological Survey before operations may be the selected pay zones and treated by Company Reading and Bates, Inc. Not A and Bates, Inc. Address 1101 Philtower Building Tules 3, Citishoms By J. Pierce It Vice President, Exploration Title Vice President, Exploration	••	is located in	st. from	line and 1980 ft. from	$\binom{1}{W}$ line of sec. 34
North Lignson Eddy New A exico (Predd) (County or Subdivision) New A exico The elevation of the derrick floor above sea level isft. DETAILS OF WORK (State names of and expected depths to objective and; show nizes, wights, and length of proposed casings; indicate mudding jobs, coment- ing points; and all other important proposed work) Trill with rotary tools as follows - Drill 11' hole to approximately 630'. Set 8 5/8 24# casing to top of Salt at 600'. Cement with 100 eacks. Drill 7 7/8'' hole to approximately 3125 to test Basal Cusen sand somes. Set 4 1/2'' 9.5# pipe to T. D. set with 200 sacks. Pipe to be perforated opposite selected pay zones and treated by fracturing. Inderstand that this plan of work must receive approval in writing by the Geological Survey before operations may by the mark in the second sec		SE/4 of NW/4 21			(w)
New A skice (Pidd) (County or Bubdivision) New A skice The elevation of the derrick floor above sea level isft. DETAILS OF WORK (State names of and expected depths to objective sandar, show size, weights, and lengths of proposed casings; indicate mudding jobs, consent- ing points; and all other important proposed work? Crill with rotary tools as follows - Prill 11" hole to appreximately 630". Set 8 5/8 24# casing to top of Salt at 600". Cement with 100 sacks. Drill 7 7/8" hole to approximately 3125 to test issaal Cueen sand sones. Set 4 1/2" 9.5# pipe to T. D. set with 200 sacks. Pipe to be perforated opposite selected pay zones and treated by fracturing. Iunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be software and 1201 Philtower Bailding Company Reading and Bates, Inc. Hole Vice President, Exploration				(Meridian)	
(State or Territory) The elevation of the derrick floor above sea level isft. DETAILS OF WORK (State names of and expected depths to objective and is they wights, and lengths of proposed casings; indicate mudding jobs, comant- ing points, and all other important proposed work) Prill with rotary tools as follows - Frill 11" hole to approximately 630'. Set 8 5/8 24# casing to top of Salt at 600'. Cement with 100 sacks. Drill 7 7/8" hole to approximately 3125 to test Basai Cusen sand sones. Set 4 1/2" 9.5# pipe to T. D. set with 200 sacks. Pipe to be perforated opposite selected pay zones and treated by fracturing. Iunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may blocks. Address 1104 Philtower Building Tules 3. Oklahoma By			Eddy		. And .
DETAILS OF WORK (State names of and expected depths to objective sandar show sizes, weights, and lengths of proposed casings; indicate mudding jobs, coment- ing points, and all other important proposed work) D'fill with rotary tools as follows - Frill 11" hole to approximately 630°. Set 8 5/8 24% casing to top of Salt at 600°. Coment with 100 secks. Drill 7 7/8" hole to approximately 3125 to test Basai Cueen sand somes. Set 4 1/2" 9.5% pipe to T. D. set with 200 sacks. Pipe to be perforated opposite selected pay zones and treated by fracturing. Tunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be the must be fore Company Reading and Bates, Inc. Address 1101 Philitower Building Tules 3. Oklahoma By J. J. Mexic 1. J. Pierce By J. Mexic Support of Salt at August 1. Support of Salt and Some Salt Support 1. Supp				(1	State or Territory)
Company Reading and Bates, Inc. Durderstand that this plan of work must receive approval in writing by the Geological Europy before operations may be form and the state of the supervision of the supe	Tł	he elevation of the derrick floor	above sea level is	ft	
(State names of and expected depths to objective sands; show dises, weights, and all other important proposed work) Drill with rotary tools as follows - Drill Ni ⁺⁺ hole to approximately 630 ⁺ . Set 8 5/8 24# casing to top of Salt at 600 ⁺ . Cement with 100 sacks. Drill 7 7/8 ⁺⁺ hole to approximately 3125 to test Basal Cueen sand somes. Set 4 1/2 ⁺⁺ 9.5# pipe to T. D. set with 200 sacks. Pipe to be perforated opposite selected pay zones and treated by fracturing. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be definenced. Company Reading and Bates, Inc. Address 1101 Philtower Building Tulsa 3, Ciklahoma By By J. Pierce Title Vice President, Exploration					
Drill with rotary tools as follows - Prill 11" hole to approximately 630°. Set 8 5/8 24# casing to top of Salt at 600°. Cement with 100 secks. Drill 7 7/8" hole to approximately 3125 to test Basal Cueen sand sones. Set 4 1/2" 9.5# pipe to T.D. set with 200 sacks. Pipe to be perforated opposite selected pay zones and treated by fracturing. Iunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be formed. Company Reading and Bates, Inc. Address 1101 Philtower Building Tulsa 3. Oklahoma By Must 7. Dierce Title Vice President, Exploration	(Sti	ate names of and expected depths to objecti	ve sands, show sizes wet he		
L'rill 11" hole to appreximately 630". Set 3 5/8" 24# casing to top of Salt at 600". Cement with 100 sacks. Drill 7 7/8" hole to approximately 3125 to test Basal Cusen sand sones. Set 4 1/2" 9.5# pipe to T. D. set with 200 sacks. Pipe to be perforated opposite selected pay zones and treated by fracturing. I understand that this plan of work must receive approval in writing by the Geological Europy before operations may be formened. Company Reading and Bates, Inc. Address 1101 Philtower Building Tulza 3, Oklahoma By By J. Dierce Title Vice President, Exploration		in	g points, and all other impo	es, and lengths of proposed casing ortant proposed work)	s; indicate mudding jobs, cement-
Frill 11" hole to approximately 630". Set 3 5/8 24# casing to top of Salt at 600". Cement with 100 sacks. Drill 7 7/8" hole to approximately 3125 to test Basal Cusen sand sones. Set 4 1/2" 9.5# pipe to T. D. set with 200 sacks. Pipe to be perforated opposite selected pay zones and treated by fracturing. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be before operations may be before operations may be before operations. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be before operations. Company Reading and Bates, Inc. Address 1101 Philtower Building Tulsa 3. Ciklahoma By J. Pier ce Title Vice President, Supporation					
Frill 11" hole to approximately 630". Set 3 5/8 24# casing to top of Salt at 600". Cement with 100 sacks. Drill 7 7/8" hole to approximately 3125 to test Basal Cusen sand sones. Set 4 1/2" 9.5# pipe to T. D. set with 200 sacks. Pipe to be perforated opposite selected pay zones and treated by fracturing. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be before operations may be before operations may be before operations. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be before operations. Company Reading and Bates, Inc. Address 1101 Philtower Building Tulsa 3. Ciklahoma By J. Pier ce Title Vice President, Supporation		Contil match many a s	A		
test Basal Cueen sand sones. Set 4 1/2" 9.5# pipe to T. D. set with 200 sacks. Pipe to be perforated opposite selected pay zones and treated by fracturing. Iunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company Reading and Bates, Inc. Address 1101 Philtower Building Tulsa 3, Oklahoma By J. J. Pierce Title Vice President, Exploration		This with rotary tools a	s follows -		
test Basal Cueen sand sones. Set 4 1/2" 9.5# pipe to T. D. set with 200 sacks. Pipe to be perforated opposite selected pay zones and treated by fracturing. Iunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company Reading and Bates, Inc. Address 1101 Philtower Building Tulsa 3, Oklahoma By J. J. Pierce Title Vice President, Exploration		Fill 11" hole to apprex	imately 630'. S	et 8 5/8" 24# casi	De to top of Colt at
sacks. Pipe to be perferated opposite selected pay zones and treated by fracturing. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be dominenced. Company Reading and Bates, Inc. Address 1101 Philtower Building Tulsa 3, Oklahoma By 1-J. Merce I. J. Pierce Title Vice President, Exploration		bou'. Cement with 100 a	acks. Drill 7 7	/8" hole to approx	imately 3:26
Inderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be bonnenced. Company Reading and Bates, Inc. Address 1101 Philtower Building Tulsa 3, Oklahoma By J. J. Pierce Title Vice President, Exploration		test Basal Queen sand s	ones. Set 4 1/2	2" 9. 54 pine to T	C not mith 300
I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company Reading and Bates, Inc. Address 1101 Philtower Building Tulsa 3. Oklahoma By J. J. Pierce C. J. S. Pierce Title Vice President, Exploration			rated opposite	selected nev zonas	- Bet with 200
Company Reading and Bates, Inc. Address 1101 Philtower Building Tulsa 3. Oklahoma By 1-J. Cuerce Co I. J. Pierce Title Vice President, Exploration	,	fracturing.		and has money	and treated by
Company Reading and Bates, Inc. Address 1101 Philtower Building Tulsa 3. Oklahoma By 1-J. Cuerce CJ I. J. Pierce Title Vice President, Exploration					
Company Reading and Bates, Inc. Address 1101 Philtower Building Tulsa 3. Oklahoma By 1-J. Cuerce Co I. J. Pierce Title Vice President, Exploration					
Company Reading and Bates, Inc. Address 1101 Philtower Building Tulsa 3. Oklahoma By 1-J. Cuerce CJ I. J. Pierce Title Vice President, Exploration					and the strength same a training to the surf.
Company Reading and Bates, Inc.	I	understand that this plan of work must re-	ceive approval in writing by	the Geological Survey before op	Prations may be commenced
Address 1101 Philtower Building Tulsa 3. Oklahoma By 1-J. Cuerce CJ I. J. Pierce Title Vice President, Exploration	Con	npany Reading and Bates	I, lac.		
Tulsa 3. Oklahoma By Image: Contract of the second	Add	lress 1101 Philtower B	uilding		
By I. J. Pierce Title Vice President, Exploration				_ , _ ,	<i>•</i> • •
		a state of the sta		By / /	unce RAT
				4. J. 2162	·ce
				Title Vice Pres	ident, Exploration
GP0 862040					
					GP0 862040

.

NUMBER OF COPIES RECEIVED						
011	TRIBUTI	0N				
SANTA FE						
PILE		1				
U.S.G.S.						
LAND OFFICE						
TRANSPORTER	OIL	T	T			
THANSPORTER	GAS					
PRORATION OFFIC	ÇE					
OPERATOR						

FORM C-128 WELL LOCATION AND ACREAGE DEDICATION PLAT NEW MEXICO OIL CONSERVATION COMMISSION

SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE V 2 ± 1961

OPERATOR	·				· .						•
					SECTIC	N A				TEELA. DE	FICE
Operator					Lease	-				ll No.	
Reading	& Ba	tes			Sin	mms & Ree	ce Fed.			2	
Unit Letter	Sectio		Township		Ran		County				
F		34	18	S		30 E		Eddy			
Actual Footage L	ocation	of Well:									
1650		rom the	N	line and) fee	t from the	<u></u>	line		
Ground Level Ele	v. P	roducing Fo	rmation		Pool			• •		d Acreage:	
3459		Qı	ieen		Une	designate	ed		4	0	Acres
another. (65- 2. If the answer t wise? YES	ght to d -3-29 (d to quest NC	rill into and 2) NMSA 193 ion one is '' If	to produce ; 5 Comp.) no,'' have th answer is ''	from any poo he interests 'yes,'' Type	of all the of Conso	ppropriate the f owners been co lidation	production ei	ither for him by communi	nself or fo	r bimself an	d
3. If the answer t	to quest	ion two is "	no," list all	the owners	and their	respective inte	rests below:				an a
Owner						Land Descript	ion		\mathbb{N}^{M}	/0 1961	•
										nên pêz	KVEY CQ/
			SECTI	ON B]	CERTIF	CATION	
			185%					in SECT	ION A abo	at the inform we is true as f my knowled	ad com-
·						+				<i>Tys</i> nsultar	<i>nGu</i>
19	780'							Company Rea(Date		Bates	
									11/10/	61	<u></u>
								shown or plotted fr surveys r supervisi	the plat from field m made by m ion, and th ect to the	at the well lo in SECTION notes of actu e or under m nat the same best of my k	B was nal ny is true
								Register and/or L	<u>9/61</u> ed Profes and Survey	sional Engin yor McM	icer f
0 330 660	990 13	20 1650 15	180 2310 2	640 20	00 15	00 1000	500 0	Certifica	te 79.2	C	

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.

ARTERA DIS					
NS Marken Readyed					
n (net) ≩ u ≣stra utationen en					
	14 () F				
DPERA OR					
JANTA FL					
MORATION DIFFICE					
STATE LAND OFFICE					
Ç. Ş. G. S.		}			
123					

is